

GENERAL

The OEB reminder function provides operational help to the crew by enabling them to clearly identify (on the ECAM) all procedures and status messages affected by an OEB.

When a situation leading to a warning/caution occurs, a message informs the crew in real time that an OEB exists for the displayed warning and/or status and, consequently, that the procedure and/or status presented on the ECAM is not applicable.

Then the crew must refer to the QRH where the correct information is provided.

DESCRIPTION

The OEB reminder flag may apply to the :

- ECAM procedure only,
- ECAM procedure and corresponding status messages,
- Status message only.

PROCEDURE ONLY AFFECTED

- The ECAM warning title remains unaltered,
- All corresponding actions are suppressed and replaced by “REFER TO QRH PROC” message.
- The related status messages on the ECAM system display remains unaltered.

COCKPIT INDICATION

<u>AIR</u> PACK1 OVHT	
–REFER TO QRH PROC–	

ECAM UPPER DISPLAY (E/WD)

STATUS	
●WHEN PACK OVHT OUT:	<u>INOP SYS</u>
–PACK1.....ON	PACK1

ECAM LOWER DISPLAY (SD)

FFCS-01-3127-001-A100AA

PROCEDURE AND STATUS AFFECTED

- The ECAM warning title remains unaltered,
- All corresponding actions are suppressed and replaced by the “REFER TO QRH PROC message.
- The related status messages on the ECAM system display remains unchanged, except for additional “REFER TO QRH PROC” title.

COCKPIT INDICATION

AIR PACK1 OVHT –REFER TO QRH PROC–	
--	--

ECAM UPPER DISPLAY (E/WD)

STATUS

–REFER TO QRH PROC– ●WHEN PACK OVHT OUT: –PACK1.....ON	INOP SYS PACK1
---	--------------------------------------

ECAM LOWER DISPLAY (SD)

FFC5-01-3127-002-A100AA

STATUS MESSAGE ONLY AFFECTED

- The ECAM warning title remains unaltered,
- The corresponding procedure remains unchanged except for additional “FOR STS REFER TO QRH” line.
- The related status messages on ECAM system display remains unchanged, except for additional “REFER TO QRH PROC” title.

COCKPIT INDICATION

AIR PACK1 OVHT –PACK1.....OFF ●WHEN PACK OVHT OUT: –PACK1.....ON –FOR STS REFER TO QRH–	
--	--

ECAM UPPER DISPLAY (E/WD)

STATUS	
–REFER TO QRH PROC– ●WHEN PACK OVHT OUT: –PACK1.....ON	INOP SYS PACK1

ECAM LOWER DISPLAY (SD)

FFCS-01-3127-003-A100AA

	INDICATING/RECORDING SYSTEMS		1.31.27	P 4
	OEB REMINDER		SEQ 100	REV 17

OEB DATABASE

The OEB database lists the warnings and cautions affected by OEBs.

The OEB database can be :

- Loaded manually on the aircraft via the MCDU, and stored in both FWCs.
- Crossloaded from one FWC to the other FWC.
- Updated by entering a code via the MCDU.
- Checked via the MCDU.

Note : *The code provided on the OEB is designed to ensure that the OEB database is not updated before the OEB is available.*