


STANDARD DEPARTURE CHART
INSTRUMENT (SID)-ICAOTRANSITION LEVEL by ATC
TRANSITION ALT 3050TWR 120.800
Radar 124.700, 119.30025 SEP 2008
SIMFEROPOL'
RWY 01


CHANGE: WGS-84

SID RWY 01

Designator	Route	Altitude	Remarks
DO 7A Dobrushyn SEVEN ALFA	Climb on track 010° to D13.0 SMF, turn RIGHT on track 230° to SMF VOR/DME, turn RIGHT on track 275° to D26.0 SMF turn RIGHT on track 324° to DO NDB.	Cross SMF VOR/DME at 1850, DO NDB at FL120 or above.	By ATC clearance.
DO 7B Dobrushyn SEVEN BRAVO	Climb on track 010° to D7.5 SMF, turn LEFT on track 293° to DO NDB.	Cross DO NDB at FL120 or above.	By ATC clearance.
LB 6A Liubymivka SIX ALFA	Climb on track 010° to D7.5 SMF, turn RIGHT on track 048° to LB NDB.	Cross D55.0 SMF at 2150 - 2750, D65.0 SMF at 2150 - 3050, LB NDB at 3050 or above.	nil
LB 6B Liubymivka SIX BRAVO	Climb on track 010° to D13.0 SMF, turn RIGHT on track 050° to LB NDB.	Cross D55.0 SMF at 2150 - 2750, D65.0 SMF at 2150 - 3050, LB NDB at 3050 or above.	nil
MAGOR 4A MAGOR FOUR ALFA	Climb on track 010° to D13.0 SMF, turn RIGHT on track 230° to SMF VOR/DME, turn LEFT on R165° SMF to MAGOR.	Cross SMF VOR/DME at 1850, MAGOR at 2750 or above.	nil
MAGOR 4B MAGOR FOUR BRAVO	Climb on track 010° to D13.0 SMF, turn LEFT on track 146° to SMF VOR/DME, turn RIGHT on R165° SMF to MAGOR.	Cross SMF VOR/DME at 1850, MAGOR at 2750 or above.	nil
MAGOR 4C MAGOR FOUR CHARLIE	Climb on track 010° to D13.0 SMF, turn RIGHT on track 184° to MAGOR.	Cross MAGOR at 2750 or above.	Radar vectoring is required by ATC clearance.
NL 4A Nikola FOUR ALFA	Climb on track 010° to D13.0 SMF, turn RIGHT on track 230° to SMF VOR/DME, turn RIGHT on track 248° to NL NDB.	Cross SMF VOR/DME at 1850, NL NDB at 2150-3050.	nil
NL 3B Nikola THREE BRAVO	Climb on track 010° to D7.5 SMF, turn LEFT on track 225° to NL NDB.	Cross NL NDB at 2150 - 3050.	By ATC clearance.
NL 4C Nikola FOUR CHARLIE	Climb on track 010° to D13.0 SMF, turn LEFT on track 216° to NL NDB.	Cross NL NDB at 2150 - 3050.	By ATC clearance.
TITAG 3F TITAG THREE FOXTROT	Climb on track 010° to D7.5 SMF, turn LEFT on track 293°, intercept R334 SMF turn RIGHT on track 331° to TITAG.	Cross TITAG at 3050 or above.	By ATC clearance.

STANDARD DEPARTURE CHART
INSTRUMENT (SID)-ICAO

TRANSITION LEVEL	by ATC	TWR 120.800
TRANSITION ALT	3050	Radar 124.700, 119.300

25 SEP 2008
SIMFEROPOL'
RWY 19

CHANGE: WGS-84

BEARINGS AND TRACKS ARE MAGNETIC
ALTITUDES, HEIGHTS AND ELEVATIONS ARE IN METRES
DISTANCES ARE IN KILOMETRES

SID RWY 19

Designator	Route	Altitude	Remarks
DO 7C Dobrushyn SEVEN CHARLIE	Climb on track 190° to D14.0 SMF, turn RIGHT on track 321° to DO NDB.	Cross R280° SMF at 2450 - 3050, DO NDB at FL120 or above.	By ATC clearance.
DO 7D Dobrushyn SEVEN DELTA	Climb on track 190° to D14.0 SMF, turn RIGHT on track 289° to NL NDB, turn RIGHT on track 360° to intercept BRG 322° DO, turn LEFT on track 321° to DO NDB.	Cross NL NDB at 2150 - 3050, DO NDB at FL120 or above.	nil
LB 5B Liubymivka FIVE BRAVO	Climb on track 190° to D14.0 SMF, turn RIGHT on track 050° to SMF VOR/DME, turn LEFT on track 044° to LB NDB.	Cross D55.0 SMF at 2150 - 2750, D65.0 SMF at 2150 - 3050, LB NDB at 3050 or above.	nil
LB 5C Liubymivka FIVE CHARLIE	Climb on track 190° to D6.0 SMF, turn LEFT on track 038° to LB NDB.	Cross D55.0 SMF 2150 - 2750, D65.0 SMF 2150 - 3050, LB NDB at 3050 or above.	nil
LB 5D Liubymivka FIVE DELTA	Climb on track 190° to D14.0 SMF, turn LEFT on track 098° to intercept R153° SMF, turn LEFT on track 031° to LB NDB.	Cross LB NDB at 3050 or above	nil
MAGOR 3D MAGOR THREE DELTA	Climb on track 190° to D14.0 SMF, turn LEFT on track 123° to intercept R165° SMF to MAGOR.	Cross MAGOR at 2750 or above.	Minimum climb gradient 8.0% is up to 2750.
MAGOR 1F MAGOR ONE FOXTROT	Climb on track 190° to D14.0 SMF, turn RIGHT on track 010° to intercept R279° SMF turn RIGHT via SMF VOR/DME on track 165° to MAGOR.	Cross MAGOR at 2750 or above.	nil
NL 3D Nikola THREE DELTA	Climb on track 190° to D14.0 SMF, turn RIGHT on track 289° to NL NDB.	Cross NL NDB at 2150 - 3050.	nil