

Page 1
Changed chart(s) since Disc 23-2009
ADD = Added chart, REV = Revised chart, DEL = Deleted chart.
ACT PROCEDURE IDENT INDEX REV DATE EFF DATE

No revision activity since Disc 23-2009

TERMINAL CHART NOTAMs

Chart NOTAMs for Airport UKBB

Type: Terminal
Effectivity: Temporary
Begin Date: Immediately
End Date: Until Further Notice

Ufn twy D3 clsd.

Type: Terminal
Effectivity: Temporary
Begin Date: Immediately
End Date: Until Further Notice

Until 30 NOV 09 twy B clsd btn twys A4 and A5.

General Info

Kyiv, UKR
N 50° 20.7' E 30° 53.6' Mag Var: 5.6°E
Elevation: 427'

Public, IFR, Control Tower, Customs, Landing Fee
Fuel: Jet A-1

Time Zone Info: GMT+2:00 uses DST

Runway Info

Runway 18L-36R 13123' x 197' concrete
Runway 18R-36L 11483' x 207' concrete

Runway 18L (177.0°M) TDZE 410'
Lights: Edge, ALS, Centerline
Runway 18R (177.0°M) TDZE 426'
Lights: Edge, ALS
Runway 36L (357.0°M) TDZE 403'
Lights: Edge, ALS
Runway 36R (357.0°M) TDZE 422'
Lights: Edge, ALS, Centerline, TDZ

Communications Info

ATIS **126.7**
Boryspil' Tower **119.3**
Boryspil' Tower **124.0** Military
Boryspil' Tower **119.65**
Boryspil' Ground Control **118.05**
Boryspil' Clearance Delivery **130.275**
Kyiv Radar Approach Control **128.175**
Kyiv Radar Approach Control **125.725**
Kyiv Radar Approach Control **124.675**
Kyiv Radar Approach Control **120.9**

Notebook Info

UKBB/KBP
BORYSPIL'

6 NOV 09

JEPPESEN
10-1P

Eff 19 Nov

KYIV, UKRAINE
AIRPORT BRIEFING

1. GENERAL

1.1. ATIS

ATIS 126.7

1.2. NOISE ABATEMENT PROCEDURES

1.2.1. GENERAL

Strict adherence to entry/exit patterns by crews.

1.2.2. REVERSE THRUST

Reverse thrust other than idle thrust shall not be used between 2200-0600LT, except for safety reasons.

1.3. LOW VISIBILITY PROCEDURES (LVP)

1.3.1. CRITERIA FOR THE INITIATION AND TERMINATION OF LVP

LVP shall be applied when RVR is less than 600m. Pilots will be informed about the beginning of the procedures via ATIS or by ATC.

1.3.2. DETAILS OF RWY EXIT

After CAT II/IIIA landing pilots are requested to inform about vacation of RWY and ILS critical area. While proceeding down the RWY to the point of exit, the pilot will pick up the TWY centerline lights running parallel to the RWY centerline lights and follow them off the active RWY. These lights will alternate yellow and green to indicate to the pilot that the ACFT is still within the ILS critical area. When TWY centerline lights change to all green this indicates that the ACFT is moving out of the ILS critical area. Arriving ACFT are met by FOLLOW ME on crossing of TWY C with TWY B or on crossing of TWY B with TWY C1 (C2) and taxi under its escort to the indicated ACFT stand. In case of the airfield surveillance radar being out of operation the FOLLOW ME meets the ACFT on TWY B.

The following standard taxi routings have been established for ACFT after landing:
RWY 36R - TWY A1 (A2, A3) - TWY B - TWY C- ACFT stand.

1.3.3. START-UP - TAXIING - HOLDING

Pilots shall request start-up clearance indicating the number of ACFT stand (Apron). Clearance for towing and taxiing out of the ACFT stand shall be requested when the ACFT is ready to carry it out immediately. When towing and engines start-up have been completed the pilot shall inform GND: "Ready to taxi." Taxiing of the ACFT shall be carried out at minimum engines power behind FOLLOW ME vehicle to RWY 18L/36R until TWY C (B). Then taxiing shall be continued on its own following green TWY centerline lights to holding position. In case of the airfield surveillance radar being out of operation the ACFT taxis under FOLLOW ME escort until line-up.

1.3.4. DETAILS OF HOLDING POSITION TO BE USED

Pilots shall report from CATII/IIIA holding position or other reporting points prescribed by ATC. It is prohibited to cross the holding position line (ILS critical area) designated by a pair of one-way directional elevated flashing yellow lights installed on both sides of a TWY and by controlled stop bars, red line non-directional lights inset in pavement, and also established day marking holding position on TWY A6. It is prohibited to cross (occupy) RWY or TWY during taxiing and towing without ATC clearance.

UKBB/KBP
BORYSPIL'

6 NOV 09

JEPPESEN
10-1P1

Eff 19 Nov

KYIV, UKRAINE
AIRPORT BRIEFING

1. GENERAL

1.4. TAXI PROCEDURES

1.4.1. GENERAL

Taxiing of code 4E ACFT via TWYs 12 and 14 is prohibited. Taxiing of code 4E ACFT via TWYs 13 and 18 and of code 4D ACFT via TWYs 12, 14 and 18 to be performed strictly on centerline and at safety speed with great CAUTION.

Taxiing and parking of ACFT at Apron M through the adjacent stands only with FOLLOW ME assistance.

Taxiing via taxiroutes K, T1 thru T4 and F only with FOLLOW ME assistance.

Taxiroute M MAX wingspan 213' / 65m.

Taxiroute K MAX wingspan 95' / 29m.

Taxiing via TWY C2 MAX wingspan 118' / 36m.

From Apron C towards TWY 16 via TWY to Maintenance Area by towing.

Taxiing via MAIN TWY M1 only with FOLLOW ME assistance.

1.5. PARKING INFORMATION

For Docking Guidance System graphics refer to 10-9 charts.

1.6. OTHER INFORMATION

Birds.

Engines start-up and running on idle thrust permitted on apron stands on request via GND.

UKBB/KBP
BORYSPIL'

6 NOV 09

JEPPESSEN
(10-1P2)

Eff 19 Nov

KYIV, UKRAINE
AIRPORT BRIEFING

2. ARRIVAL

2.1. NOISE ABATEMENT PROCEDURES

Landing restrictions:

RWY 36R/18L, 36L/18R - visual manoeuvring above Boryspil' city inside the sector R-005-R-055 between 2.7 and 6.5 DME BRL below 2470' are prohibited.

2.2. CAT II/III OPERATIONS

RWY 36R is approved for CAT II/III operations, special aircrew and ACFT certification required.

2.3. RWY OPERATIONS

Pilots are reminded that by leaving the RWY quickly, ATS will be able to guide ACFT on final using minimum radar separation. This guarantees optimal RWY utilization and minimizes the danger of a missed approach.

In order to reduce Runway Occupancy Times (ROT) pilots shall apply the following procedures:

- RWYs shall, as a rule, be LEFT via the high-speed turn-offs (HST),
- pilots should prepare their landings so as to be able to leave RWYs via HST or TWY in accordance with the following table,
- if no possibility to leave RWY via HST in accordance with the following table, pilot must report to ATC before turning on final.

ACFT							
	Light		Medium		Heavy		
RWY	Exit	Avbl RWY length	Exit	Avbl RWY length	Exit	Avbl RWY length	Total RWY length
18L	TWY A4	6562' 2000m	TWY A4	6562' 2000m	TWY A4	6562' 2000m	13,123' 4000m
					TWY A5	10,007' 3050m	
					TWY A6	13,123' 4000m	
18R	TWY 13	5741' 1750m	TWY 13	5741' 1750m	TWY 12	8793' 2680m	11,483' 3500m
					TWY 11	11,483' 3500m	
36L	TWY 13	5741' 1750m	TWY 13	5741' 1750m	TWY 14	8694' 2650m	11,483' 3500m
					TWY 15	11,483' 3500m	
36R	TWY A5	3117' 950m	TWY A3	6562' 2000m	TWY A3	9843' 3000m	13,123' 4000m
	TWY A3	6562' 2000m			TWY A2	10,007' 3050m	
					TWY A1	13,123' 4000m	

2.4. TAXI PROCEDURES

Arriving ACFT shall be met and escorted by FOLLOW ME to the designated stand.

Taxi guidelines may be invisible because of snow. Assistance from FOLLOW ME to be requested via GND.

UKBB/KBP
BORYSPIL'

6 NOV 09

JEPPESSEN
(10-1P3)

Eff 19 Nov

KYIV, UKRAINE
AIRPORT BRIEFING

3. DEPARTURE

3.1. NOISE ABATEMENT PROCEDURES

Take-off restrictions:

First 250m from THR RWY 18R/36L are not available for take-off.

3.2. DE-ICING

After towing, the de-icing procedure will take place at the ACFT stand or on apron positions (TWY). Coordinate with Transit 131.77.

3.3. START-UP PROCEDURES

Before start-up listen to ATIS. Contact Delivery for ATC clearance, if unavailable contact GND.

3.4. TAXI PROCEDURES


FOLLOW ME can be used on request by crews if visibility is 400m or less or by ATC clearance at night for ACFT to be led from stands to TWY 2 or TWY C, TWY B. Taxi guidelines may be invisible because of snow. Assistance from FOLLOW ME to be requested via GND.

UKBB/KBP
BORYSPIL'

JEPPesen
7 NOV 08 (10-1R) Eff 20 Nov

KYIV, UKRAINE

RADAR MINIMUM ALTITUDES




UKBB/KBP
BORYSPIL'

JEPPesen
25 APR 08 (10-2) Eff 8 May

KYIV, UKRAINE

RNAV STAR



**UKBB/KBP
BORYSPIL'**

JEPPesen

KYIV, UKRAINE
RNAV STAR

25 APR 08


(10-2A)

Eff 8 May**RNAV STAR**

KYIV, UKRAINE
RNAV STAR

25 APR 08

10-2B

Eff 8 May**RNAV STAR**

CHANGES: RNAV STARs renumbered & revised.


© JEPPESEN, 2002, 2008. ALL RIGHTS RESERVED.

**UKBB/KBP
BORYSPIL'**

KYIV, UKRAINE
RNAV STAR

25 APR 08

10-2B

Eff 8 May**RNAV STAR**

CHANGES: None.

© JEPPESEN, 2002, 2007. ALL RIGHTS RESERVED

UKBB/KBP
BORYSPIL'

JEPPesen


25 APR 08

10-2C

Eff 8 May

KYIV, UKRAINE

RNAV STAR



UKBB/KBP
BORYSPIL'

JEPPesen


24 APR 09

10-2D

Eff 7 May

KYIV, UKRAINE


STAR



UKBB/KBP
BORYSPIL'

JEPPesen
24 APR 09 10-2E Eff 7 May


KYIV, UKRAINE
STAR



UKBB/KBP
BORYSPIL'

JEPPesen
24 APR 09 10-2E Eff 7 May


KYIV, UKRAINE
STAR



UKBB/KBP
BORYSPIL'

JEPPesen
24 APR 09 10-2G Eff 7 May

KYIV, UKRAINE
STAR




CHANGES: STARs renumbered & revised.

© JEPPesen, 2004, 2009. ALL RIGHTS RESERVED.

UKBB/KBP
BORYSPIL'

JEPPesen
24 APR 09 10-3 Eff 7 May

KYIV, UKRAINE
SID



CHANGES: SIDs renumbered & revised.

© JEPPesen, 2002, 2009. ALL RIGHTS RESERVED.



UKBB/KBP
BORYSPIL'

JEPPESEN
24 APR 09 10-3C Ef

KYIV, UKRAINE

ATIS 126.7	KYIV Radar 120.9	<i>Apt Elev</i> 427'	Trans level: By ATC Trans alt: 10010' 1. Contact KYIV Radar when passing 1320'. 2. If unable to comply with SIDs advise ATC. 3. Monitor ATIS before requesting ATC clearance.
---------------	------------------------	-------------------------	---

KRABOR NINE BRAVO (KR 9B)
 KRABOR NINE FOXTROT (KR 9F)
 SOLOVIIVKA ONE JULIETT (SL 1J)
 TRYPILLIA ONE KILO (TR 1K)
 RWY 18R DEPARTURES
 TO SOUTHWEST & WEST



CHANGES: SIDs renumbered, reindexed & revised; SID SL 1J established.

© JEPPESEN, 2002, 2009. ALL RIGHTS RESERVED



UKBB/KBP
BORYSPIL'

JEPPESSEN
24 APR 09 (10-3D) Eff 7 May

KYIV, UKRAINE **SID**

ATIS 126.7	KYIV Radar 120.9	<i>Apt Elev</i> 427'	Trans level: By ATC Trans alt: 10010' 1. Contact KYIV Radar when passing 1320'. 2. If unable to comply with SIDs advise ATC. 3. Monitor ATIS before requesting ATC clearance.	
----------------------	-------------------------------	--------------------------------	---	--

BOHDANIVKA NINE CHARLIE (BO 9C)
 KUROS NINE CHARLIE (KUROS 9C) [KUROS9C]
 PII NINE CHARLIE (PI 9C)
 YAHOTYN ONE LIMA (JA 1L)
 RWY 36R DEPARTURES
 TO NORTH, EAST & SOUTHEAST




CHANGES: SIDs renumbered, revised & transferred.

© JEPPESEN, 2007, 2009. ALL RIGHTS RESERVED.

UKBB/KBP
BORYSPIL'

JEPPesen
24 APR 09 10-3E Eff 7 May

KYIV, UKRAINE
SID




CHANGES: SIDs completely revised.

© JEPPesen, 2007, 2009. ALL RIGHTS RESERVED.

UKBB/KBP
BORYSPIL'

JEPPesen
24 APR 09 10-3F Eff 7 May

KYIV, UKRAINE
SID



CHANGES: New chart.


© JEPPesen, 2009. ALL RIGHTS RESERVED.

UKBB/KBP
BORYSPIL'

JEPPesen
24 APR 09 10-3G Eff 7 May

KYIV, UKRAINE

SID




CHANGES: New chart.

© JEPPESEN, 2009. ALL RIGHTS RESERVED.

UKBB/KBP
Apt Elev 427'
N50 20.7 E030 53.6

JEPPesen
6 NOV 09 10-9 Eff 19 Nov

KYIV, UKRAINE
BORYSPIL'



CHANGES: Apron. Taxiways. Notes transferred to 10-1P pages.

© JEPPESEN, 2000, 2009. ALL RIGHTS RESERVED.

UKBB/KBP

JEPPESSEN
6 NOV 09 10-9A Eff 19 Nov

KYIV, UKRAINE
BORYSPIL'

ADDITIONAL RUNWAY INFORMATION				USABLE LENGTHS			
RWY				LANDING BEYOND		TAKE-OFF	WIDTH
				Threshold	Glide Slope		
18L		HIRL (60m) CL (15m) HIALS PAPI-L (3.0°)	RVR		12,139' 3700m		197' 60m
36R		HIRL (60m) CL (15m) HIALS-II TDZ PAPI-L (3.0°)	RVR				
18R		HIRL (50m) HIALS	RVR		10,511' 3204m	10,663' 3250m ①	207' 63m
36L					10,268' 3130m		

① First 820'/250m unusable for take-off.

JAR-OPS

TAKE-OFF ①


	Rwys 18L/36R LVP must be in force			LVP must be in force	All Rwys	
	Approved Operators HIRL, CL & mult. RVR req	RL, CL & mult. RVR req	RL & CL	RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A						
B	125m	150m	200m	250m	400m	500m
C						
D	150m	200m	250m	300m		

① Operators applying U.S. Ops Specs: CL required below 300m; approved guidance system required below 150m.

UKBB/KBP

JEPPESSEN
6 NOV 09 10-9B Eff 19 Nov

KYIV, UKRAINE
BORYSPIL'




UKBB/KBP

JEPPESSEN
6 NOV 09 (10-9C) Eff 19 Nov

KYIV, UKRAINE
BORYSPIL'

VISUAL NOSE-IN DOCKING GUIDANCE SYSTEM



Pilot shall stop abeam appropriate acft type sign board when only black side appears visible.

WARNING: In case of missing correct position or any doubt in AGNIS serviceability, stop immediately and call for ground service assistance.

UKBB/KBP
BORYSPIL'

JEPPESEN
25 APR 08 11-1

KYIV, UKRAINE
ILS or NDB Rwy 18L



BRIEFING STRIP TM	ATIS	KYIV Radar (APP)				BORYSPIL' Tower	Ground	
	126.7	125.72	124.67	128.17	120.9	119.3	118.05	
	LOC IBI	Final Apt Crs 177°	GS LOM	ILS DA(H)	Apt Elev 427' RWY 410'			
	111.3		1181' (771')	610' (200')				
	NDB BI		Minimum Alt D10.7 BRP	NDB MDA(H)				
310		2470' (2060')	790' (380')					

MISSED APCH: ① Climb on rwy heading to 2470', then as directed.

MISSED APCH RADIO COMM FAILURE: ②Climb on rwy heading to 2470', then turn LEFT to CY NDB climbing to 6070'.

Alt Set: hPa (MM on req)	Rwy Elev: 15 hPa	Trans level: By ATC	Trans alt: 10010'
--------------------------	------------------	---------------------	-------------------

FT/METER CONVERSION	
10010'	- 3050m
6070'	- 1850m
2960'	- 900m
2470'	- 750m
1190'	- 360m



<i>Gnd speed-Kts</i>	70	90	100	120	140	160		Refer to Missed apch above
<i>ILS GS 3.00° or</i>	377	484	538	646	753	861		
<i>NDB Descent Gradient 5.2%</i>								
<i>MAP at LMM</i>								

JAR-OPS		STRAIGHT-IN LANDING RWY 18L				CIRCLE-TO-LAND 1	
ILS		LOC (GS out)		NDB		Not authorized East of apt	
DA(H) 610' (200')				MDA(H) 790' (380')			
FULL		ALS out		ALS out		Max Kts.	MDA(H) VIS
A	RVR 550m	RVR 1000m	NOT APPLICABLE	RVR 900m	RVR 1500m	100	910' (500') 1500m
B				RVR 1000m	RVR 1800m	135	930' (520') 1600m
C				RVR 1400m	RVR 2000m	180	1030' (620') 2400m
D						205	1130' (720') 3600m


1 Circling height based on rwy 18L thresh elev of 410'

UKBB/KBP
BORYSPIL'

JEPPESSEN
25 APR 08 11-4



KYIV, UKRAINE
ILS or NDB Rwy 36R

ATIS	KYIV Radar (APP)					BORYSPIL' Tower	Ground
126.7	125.72	124.67	128.17	120.9	119.3	118.05	
LOC INO 109.7	Final Aptch Crs 357°		GS LOM 1198' (776')	ILS DA(H) Refer to Minimums		Apt Elev 427'	
NDB NO 310			Minimum Alt D1.8 BRP 1810' (1388')	NDB MDA(H) 790' (368')		RWY 422'	



MISSED APCH: ① Climb on rwy heading to 2470', then as directed.
MISSED APCH RADIO COMM FAILURE: ② Climb on rwy heading to 2470', then turn RIGHT to CY NDB climbing to 6070'.

Alt Set: hPa (MM on req) Rwy Elev: 15 hPa Trans level: By ATC Trans alt: 10010'



Gnd speed-Kts	70	90	100	120	140	160	HIALS-II	
ILS GS 3.00° or NDB Descent Gradient 5.2%	377	484	538	646	753	861	PAPI	Refer to Missed apch above

JAR-OPS				STRAIGHT-IN LANDING RWY 36R				CIRCLE-TO-LAND ①			
ILS DA(H) ABC: 622' (200') D: 627' (205')		LOC (GS out)		NDB MDA(H) 790' (368')		Not authorized East of apt		Max Kts		VIS	
FULL		ALS out		ALS out				100		920' (498') 1500m	
A								135		930' (508') 1600m	
B		RVR 550m		RVR 1000m		RVR 1000m		180		1030' (608') 2400m	
C		RVR 1000m		NOT APPLICABLE		RVR 1400m		205		1130' (708') 3600m	
D		RVR 600m									

① Circling height based on rwy 36R thresh elev of 422'.

CHANGES: Minimums.


© JEPPESSEN, 2001, 2008. ALL RIGHTS RESERVED.

UKBB/KBP
BORYSPIL'

JEPPESSEN
25 APR 08 11-4A



KYIV, UKRAINE
CAT II ILS Rwy 36R

ATIS	KYIV Radar (APP)					BORYSPIL' Tower	Ground
126.7	125.72	124.67	128.17	120.9	119.3	118.05	
LOC INO 109.7	Final Aptch Crs 357°		GS LOM 1198' (776')	CAT II ILS RA 104' DA(H) 522' (100')		Apt Elev 427'	
NDB NO 310			Minimum Alt D1.8 BRP 1810' (1388')	NDB MDA(H) 790' (368')		RWY 422'	



MISSED APCH: ① Climb on rwy heading to 2470', then as directed.
MISSED APCH RADIO COMM FAILURE: ② Climb on rwy heading to 2470', then turn RIGHT to CY NDB climbing to 6070'.

Alt Set: hPa (MM on req) Rwy Elev: 15 hPa Trans level: By ATC Trans alt: 10010'
Special Aircrew & Acft Certification required.



Gnd speed-Kts	70	90	100	120	140	160	HIALS-II	
GS 3.00°	377	484	538	646	753	861	PAPI	Refer to Missed apch above

JAR-OPS				STRAIGHT-IN LANDING RWY 36R				CIRCLE-TO-LAND ①			
ILS DA(H) ABC: 622' (200') D: 627' (205')		LOC (GS out)		NDB MDA(H) 790' (368')		Not authorized East of apt		Max Kts		VIS	
FULL		ALS out		ALS out				100		920' (498') 1500m	
A		RVR 550m		RVR 1000m		RVR 1000m		135		930' (508') 1600m	
B		RVR 1000m		NOT APPLICABLE		RVR 1400m		180		1030' (608') 2400m	
C		RVR 1000m		NOT APPLICABLE		RVR 1400m		205		1130' (708') 3600m	
D		RVR 600m									

① Operators applying U.S. Ops Specs: Autoland or HGS required below RVR 350m.

CHANGES: Minimums.

© JEPPESSEN, 2001, 2008. ALL RIGHTS RESERVED.

UKBB/KBP
BORYSPIL'



JEPPesen
12 SEP 08 (13-1) Eff 25 Sep

KYIV, UKRAINE
VOR DME Rwy 18L

ATIS	KYIV Radar (APP)				BORYSPIL' Tower	Ground
126.7	125.72	124.67	128.17	120.9	119.3	118.05
VOR BRP 115.9	Final Apch Crs 177°	Minimum Alt D10.7 2470' (2060')	MDA(H) 810' (400')	Apt Elev 427'	RWY 410'	

MISSED APCH: ① Climb on rwy heading to 2470', then as directed.
MISSED APCH RADIO COMM FAILURE: ② Climb on rwy heading to 2470', then turn LEFT to CY NDB climbing to 6070'.

Alt Set: hPa (MM on req) Rwy Elev: 15 hPa Trans level: By ATC Trans alt: 10010'



Gnd speed-Kts	70	90	100	120	140	160	Refer to Missed apch above	
Descent Gradient 5.39% or Descent angle [3.09°]	383	492	547	656	765	875		

MAP at MM/D5.0

JAR-OPS STRAIGHT-IN LANDING RWY 18L				CIRCLE-TO-LAND ①			
MDA(H) 810' (400')				Not authorized East of apt			
ALS out				Max Kts			
RVR 900m				MDA(H) 910' (500')		VIS 1500m	
RVR 1000m				135 930' (520')		1600m	
RVR 1400m				180 1030' (620')		2400m	
RVR 2000m				205 1130' (720')		3600m	

① Circling height based on rwy 18L thresh elev of 410'.

CHANGES: None.

© JEPPesen, 2002, 2008. ALL RIGHTS RESERVED.

UKBB/KBP
BORYSPIL'



JEPPesen
12 SEP 08 (13-2) Eff 25 Sep

KYIV, UKRAINE
VOR DME Rwy 36R

ATIS	KYIV Radar (APP)				BORYSPIL' Tower	Ground
126.7	125.72	124.67	128.17	120.9	119.3	118.05
VOR BRP 115.9	Final Apch Crs 357°	Minimum Alt D1.8 1810' (1388')	MDA(H) 790' (368')	Apt Elev 427'	RWY 422'	

MISSED APCH: ① Climb on rwy heading to 2470', then as directed.
MISSED APCH RADIO COMM FAILURE: ② Climb on rwy heading to 2470', then turn RIGHT to CY NDB climbing to 6070'.

Alt Set: hPa (MM on req) Rwy Elev: 15 hPa Trans level: By ATC Trans alt: 10010'



Gnd speed-Kts	70	90	100	120	140	160	Refer to Missed apch above	
Descent Gradient 5.24% or Descent angle [3.00°]	372	478	531	637	743	849		

MAP at D1.6 after VOR

JAR-OPS STRAIGHT-IN LANDING RWY 36R				CIRCLE-TO-LAND ①			
MDA(H) 790' (368')				Not authorized East of apt			
ALS out				Max Kts			
RVR 900m				MDA(H) 920' (498')		VIS 1500m	
RVR 1000m				135 930' (508')		1600m	
RVR 1400m				180 1030' (608')		2400m	
RVR 2000m				205 1130' (708')		3600m	

① Circling height based on rwy 36R thresh elev of 422'.

CHANGES: Altitude at VOR.

© JEPPesen, 2002, 2008. ALL RIGHTS RESERVED.