

ADD = Added chart, REV = Revised chart, DEL = Deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
-----	-----------------	-------	----------	----------

No revision activity since Disc 22-2010

TERMINAL CHART NOTAMs

No Chart NOTAMs for Airport UASK

UASK (Ust-Kamenogorsk)**General Info**

Ust-Kamenogorsk, KAZ

N 50° 02.2' E 82° 29.6' Mag Var: 7.0°E

Elevation: 938'

Public, IFR, Control Tower, Customs, Landing Fee

Fuel: Jet A-1

Repairs: Major Airframe, Major Engine

Time Zone Info: GMT+6:00 no DST

Runway Info

Runway 12-30 8235' x 138' asphalt

Runway 12 (124.0°M) TDZE 932'

Lights: Edge, ALS


Runway 30 (304.0°M) TDZE 938'

Lights: Edge, ALS

Communications InfoUst-Kamenogorsk Tower **134.5** MF**Notebook Info**

UASK/UKK UST-KAMENOGORSK

JEPPesen UST-KAMENOGORSK, KAZAKHSTAN
6 NOV 09 **(10-1R)** Eff 19 Nov **RADAR MINIMUM ALTITUDES**



UASK/UKK

UST-KAMENOGORSK

26 MAR 10

10-2

Eff 8 Apr



JEPPESEN UST-KAMENOGORSK, KAZAKHSTAN



STAR

Apt Elev
938'


Alt Set: MM (hPa on request) QNH on request
Trans level: FL59 Trans alt: 4880' (**3942'**)

(QFE)


ABOTO 2A, ABOTO 2B
ADARO 2A, ADARO 2B
BANOV 2A, BANOV 2B
DEVNA 2A, DEVNA 2B
RWYS 12, 30 ARRIVALS



ADARO
N50 47.1 E081 52.7



BANOV
N50 37.1 E083 09.3




(IAF Rwy 12)
***708 U**
N50 03.0 E082 28.2
At FL59

(IAF Rwy 30)
***708 S**
N50 01.3 E082 31.2
At FL59

DEVNA
N50 06.8 E083 36.3

DEVNA 2A
DEVNA 2B

ABOTO 2A
ABOTO 2B



FL CONVERSION
FL59 **FL1800m**

ALT/HEIGHT CONVERSION
QNH (QFE)
4880' (**3942' - 1200m**)

ABOTO
N49 25.7 E083 05.4

UASK/UKK

UST-KAMENOGORSK


JEPPESEN UST-KAMENOGORSK, KAZAKHSTAN

26 MAR 10

10-2A

Eff 8 Apr

STAR



UASK/UKK

UST-KAMENOGORSK

26 MAR 10


10-3

Eff 8 Apr

SID



JEPPESSEN UST-KAMENOGORSK, KAZAKHSTAN



Apt Elev
938'

QNH on request (QFE)
Trans level: FL59 Trans alt: 4880' (**3948'**)

**ABOTO 2C, BANOV 2C, DEVNA 2C
LASNA 2C, LASNA 1E
RWY 12 DEPARTURES
TO NORTHEAST, EAST & SOUTH**

① LASNA 2C:
If unable to cross US at or above FL148
continue climbing to FL148 over US.

***345 US**
N50 04.1 E082 26.2

LASNA 2C
At or above
FL148
①

BANOV 2C
LASNA 2C
LASNA 1E
Turn at
1920' (**988'**)

UA(R)-AREA

At
2910' (**1978'**)

ALT/HEIGHT CONVERSION
QNH (QFE)
1920' (**988'** - 300m)
2910' (**1978'** - 600m)
4880' (**3948'** - 1200m)

FL CONVERSION
FL59 **FL1800m**
FL148 **FL4500m**

LASNA
N49 26.0 E081 53.3



ABOTO
N49 25.7
E083 05.4

SID	ROUTING
ABOTO 2C	Climb to 2910' (1978'), turn RIGHT, 179° track, intercept 139° bearing from US to ABOTO.
BANOV 2C	Climb to 1920' (988'), turn LEFT, 353° track, intercept 033° bearing from US to BANOV.
DEVNA 2C	Climb to 2910' (1978'), turn LEFT, 039° track, intercept 079° bearing from US to DEVNA.
LASNA 2C	Climb to 1920' (988'), turn LEFT to US, 203° bearing to LASNA.
LASNA 1E ②	Climb to 1920' (988'), turn RIGHT, 243° track, intercept 203° bearing from US to LASNA.
② Not available when UA(R)-AREA is active.	

UASK/UKK

UST-KAMENOGORSK

26 MAR 10


(10-3A)

Eff 8 Apr

SID



UST-KAMENOGORSK, KAZAKHSTAN



Apt Elev
938'


QNH on request (QFE)
Trans level: FL59 Trans alt: 4880' (3942')

**ABOTO 2D, ABOTO 1H, BANOV 2D
DEVNA 2D, LASNA 2D, LASNA 1H**

**RWY 30 DEPARTURES
TO NORTHEAST, EAST & SOUTH**

① LASNA 2D:

If unable to cross SI at or above FL148
continue climbing to FL148 over SI.



ALT/HEIGHT CONVERSION
QNH (QFE)
2260' (1322' - 400m)
4880' (3942' - 1200m)

FL CONVERSION
FL59 FL1800m
FL148 FL4500m

SID	ROUTING
ABOTO 2D	Climb to 2260' (1322'), turn RIGHT to SI, turn LEFT, 142° bearing to ABOTO.
ABOTO 1H ②	Climb to 2260' (1322'), turn LEFT, 102° track, intercept 142° bearing from SI to ABOTO.
BANOV 2D	Climb to 2260' (1322'), turn RIGHT, 065° track, intercept 025° bearing from SI to BANOV.
DEVNA 2D	Climb to 2260' (1322'), turn RIGHT, 114° track, intercept 074° bearing from SI to DEVNA.
LASNA 2D	Climb to 2260' (1322'), turn RIGHT to SI, 210° bearing to LASNA.
LASNA 1H ②	Climb to 2260' (1322'), turn LEFT, 170° track, intercept 210° bearing from SI to LASNA.
② Not available when UA(R)-AREA is active.	

UASK/UKK

UST-KAMENOGORSK



JEPPESEN UST-KAMENOGORSK, KAZAKHSTAN

26 MAR 10

10-3B


Eff 8 Apr

SID

Apt Elev
938'

QNH on request (QFE)


Trans level: FL59 Trans alt: 4880' (3948')



ADARO 2C
LIRNA 2C
LIRNA 1E
NOKNA 2C
NOKNA 1E
RWY 12 DEPARTURES
TO WEST & NORTHWEST

ALT/HEIGHT CONVERSION
QNH (QFE)
1920' (988' - 300m)
4880' (3948' - 1200m)

FL CONVERSION
FL59 FL1800m



SID	ROUTING
ADARO 2C	Climb to 1920' (988'), turn LEFT, 287° track, intercept 327° bearing from US to ADARO.
LIRNA 2C	Climb to 1920' (988'), turn LEFT to US, turn RIGHT, 274° bearing to LIRNA.
LIRNA 1E ①	Climb to 1920' (988'), turn RIGHT, 314° track, intercept 274° bearing from US to LIRNA.
NOKNA 2C	Climb to 1920' (988'), turn LEFT to US, 249° bearing to NOKNA.
NOKNA 1E ①	Climb to 1920' (988'), turn RIGHT, 289° track, intercept 249° bearing from US to NOKNA.
① Not available when UA(R)-AREA is active.	

UASK/UKK

UST-KAMENOGORSK

26 MAR 10

10-3C

Eff 8 Apr




JEPPesen UST-KAMENOGORSK, KAZAKHSTAN

SID

Apt Elev
938'

QNH on request (QFE)

Trans level: FL59 Trans alt: 4880' (3942')




**ADARO 2D, LIRNA 2D, NOKNA 2D
RWY 30 DEPARTURES
TO WEST & NORTHWEST**

ADARO ▲
N50 47.1 E081 52.7



ALT/HEIGHT CONVERSION
QNH (QFE)
2260' (1322' - 400m)
4880' (3942' - 1200m)

FL CONVERSION
FL59 FL1800m



***345 SI**
N50 00.4 E082 32.9

SID	ROUTING
ADARO 2D	Climb to 2260' (1322'), turn RIGHT, 354° track, intercept 324° bearing from SI to ADARO.
LIRNA 2D	Climb to 2260' (1322'), turn LEFT, 248° track, intercept 278° bearing from SI to LIRNA.
NOKNA 2D	Climb to 2260' (1322'), turn LEFT, 214° track, intercept 254° bearing from SI to NOKNA.

UASK/UKK

Apt Elev **939'**
N50 02.2 E082 29.7

15 AUG 08

(10-9)


Eff 28 Aug



JEPPESSEN

UST-KAMENOGORSK, KAZAKHSTAN

UST-KAMENOGORSK



ADDITIONAL RUNWAY INFORMATION

RWY		USABLE LENGTHS		TAKE-OFF	WIDTH
		Threshold	Landing Beyond		
12	HIRL (60m) HIALS PAPI-L (angle 3.0°)		7165' 2184m 7067' 2154m		138' 42m
30	Grass runway				164' 50m

TAKE-OFF

AIR CARRIER (JAA)
All Rwys

	DAY		NIGHT
	RL	RCLM	RL
A			
B		400m 1	400m 1
C	400m 1		
D		500m	400m

1 LVP must be in force: 300m.

CHANGES: ATIS withdrawn.

© JEPPESSEN, 2002, 2008. ALL RIGHTS RESERVED.

UASK/UKK


15 AUG 08

10-9A

Eff 28 Aug

JEPPESEN UST-KAMENOGORSK, KAZAKHSTAN

UST-KAMENOGORSK



Taxiing on Twys 1 and 2 is strictly along the markings at reduced speed and with the crew's good lookout.

UASK/UKK

12 MAR 10 **JEPPESEN**
10-9S**UST-KAMENOGORSK, KAZAKHSTAN**
UST-KAMENOGORSK**Standard**

STRAIGHT-IN RWY		A	B	C	D
12	ILS	1132' (200')	1132' (200')	1162' (230')	1162' (230')
		800m	800m	900m	900m
	<i>ALS out</i>	1200m	1200m	1200m	1200m
	2 NDB ❶	1560' (628')	1560' (628')	1560' (628')	1560' (628')
		2500m	2500m	2500m	2500m
	NDB ❶ ❷	1950' (1018')	1950' (1018')	1950' (1018')	1950' (1018')
		3000m	3000m	5000m	5000m
	NDB ❸	1950' (1018')	1950' (1018')	1950' (1018')	1950' (1018')
		4300m	4300m	5000m	5000m
	<i>ALS out</i>	5000m	5000m	5000m	5000m
30	ILS	1138' (200')	1138' (200')	1168' (230')	1168' (230')
		800m	800m	900m	900m
	<i>ALS out</i>	1200m	1200m	1200m	1200m
	2 NDB ❶	1550' (612')	1550' (612')	1550' (612')	1550' (612')
		2500m	2500m	2500m	2500m
	NDB ❶ ❷	2850' (1912')	2850' (1912')	2850' (1912')	2850' (1912')
		10000m	10000m	10000m	10000m
	NDB ❸	2850' (1912')	2850' (1912')	2850' (1912')	2850' (1912')
		10000m	10000m	10000m	10000m

❶ Continuous Descent Final Approach.

❷ With FMS.

❸ W/o FMS.

TAKE-OFF RWY 12, 30

DAY			NIGHT
RL	RCLM	NIL	RL
A B C D	400m ❶	500m	400m ❶
			400m
	500m		

❶ LVP must be in force: 300m.

UASK/UKK
UST-KAMENOGORSK

JEPPESEN

(11-2)

26 MAR 10

Eff 8 Apr

UST-KAMENOGORSK, KAZAKHSTAN

ILS Y Rwy 12

UST-KAMENOGORSK Tower

134.5

LOC

IUS

*Final
Apch Crs*

124°

GS

.OM

1696' (7

ILS

DA(

References

4. 5/ 030'


t Elev 938

RWY 932'


MISSED APCH: Climb STRAIGHT AHEAD to 1920' (988'), then turn LEFT (MAX 225 KT) onto 304° climbing to 3890' (2958'), then as directed.

Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 59 Trans alt: 4880'(**3948'**)
1. RADAR required. 2. WARNING: Heavy turbulence and windshear are possible on final.

MSA
U Lctr



ALT/HEIGHT CONVERSION	
QNH	(QFE)
4880'	(3948' - 1200m)
3890'	(2958' - 900m)
2910'	(1978' - 600m)
1920'	(988' - 300m)



<i>Gnd speed-Kts</i>	70	90	100	120	140	160
<i>Gs</i> 3.00°	377	484	538	646	753	861

HIALS
PAPI :
.....

1920'
(988')

	ILS	STR
$DA(H)$	AB: 1132'(200')	
	CD: 1162'(230')	

STRAIGHT-IN LANDING RWY 12

LOC (GS out)

FULL

ALS out

A

A	
B	

	D
	C

C

800m

1200m

NOT
AUTHORIZED

PANS OPS

CHANGES: Missed approach.

© JEPPESEN, 2002, 2010. ALL RIGHTS RESERVED.

UASK/UKK
UST-KAMENOGORSK

JEPPesen

(11-3)



26 MAR 10
Eff 8 Apr

UST-KAMENOGORSK, KAZAKHSTAN
ILS DME Z Rwy 30

BRIEFING STRIP

UST-KAMENOGORSK Tower					
134.5					
LOC ISI 109.7	Final ApcH Crs 304°	GS LOM 1663'(725')	ILS DA(H) Refer to Minimums	Apt Elev 938' RWY 938'	
MISSED APCH: Climb on 304° to 2260' (1322') or above, then turn RIGHT to LMM. Climb initially to 3900' (2962'), then as directed.					
MISSED APCH WITH COMM FAILURE: Climb to FL 59 to LMM and join holding.					
Missed approach turn limited to MAX 225 KT.					
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 59 Trans alt: 4880'(3942')					
1. ILS DME reads zero at rwy 30 thresh. 2. Initial approach restricted to MAX 195 KT.					

MSA
S Lctr



		0		0.6		2.1							
Gnd speed-Kts		70	90	100	120	140	160					HIALS	
Gs 3.00°		377	484	538	646	753	861					PAPI	
												Refer to Missed Apch above	

STRAIGHT-IN LANDING RWY 30					
ILS		LOC (GS out)			
DA(H) AB: 1138'(200')					
CD: 1168'(230')					
FULL		ALS out			
A	800m	1200m	NOT AUTHORIZED		
B					
C	900m				
D					


PANS OPS


UASK/UKK
UST-KAMENOGORSK

JEPPESEN
11-4 26 MAR 10
Eff 8 Apr


UST-KAMENOGORSK, KAZAKHSTAN
ILS DME Y Rwy 30

BRIEFING STRIP

UST-KAMENOGORSK Tower					
LOC ISI	Final Apch Crs	GS LOM	ILS DA(H) Refer to Minimums	Apt Elev 938'	
109.7	304°	1663' (725')		RWY 938'	
MISSED APCH: Climb STRAIGHT AHEAD to 2260' (1322), then turn RIGHT (MAX 225 KT) onto 124° climbing to 4220' (3282'), then as directed.					
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 59 Trans alt: 4880' (3942') 1. RADAR required. 2. ILS DME reads zero at rwy 30 thresh.					



ALT/HEIGHT CONVERSION	
QNH	(QFE)
4880'	(3942' - 1200m)
4220'	(3282' - 1000m)
3900'	(2962' - 900m)
2910'	(1972' - 600m)
2260'	(1322' - 400m)



Gnd speed-Kts	70	90	100	120	140	160	HIALS PAPI 2260' (1322')
GS 3.00°	377	484	538	646	753	861	

ILS		STRAIGHT-IN LANDING RWY 30			
DA(H)		AB: 1138'(200')	LOC (GS out)		
		CD: 1168'(230')			
FULL		ALS out			
A	800m	1200m	NOT AUTHORIZED		
B					
C	900m				
D					

PANS OPS

UASK/UKK
UST-KAMENOGORSK

JEPPESEN
16-1 26 MAR 10
Eff 8 Apr

UST-KAMENOGORSK, KAZAKHSTAN
2 NDB Rwy 12

BRIEFING STRIP


UST-KAMENOGORSK Tower

134.5


NDB U 708	Final Apch Crs 124°	Minimum Alt N50 05.2 E082 24.1 2250' (1318')	MDA(H) 1560' (628')	Apt Elev 938' RWY 932'
MISSED APCH: Climb STRAIGHT AHEAD to 1920' (988'), then turn LEFT (MAX 225 KT) onto 304° climbing to 3890' (2958'), then as directed.				
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 59 Trans alt: 4880' (3948') 1. RADAR required. 2. WARNING: Heavy turbulence and windshear are possible on final.				

163°
4600' 7400'
054° 271°
5500' 6800'
355°

MSA
U Lctr



ALT/HEIGHT CONVERSION	
QNH	(QFE)
4880'	(3948' - 1200m)
3890'	(2958' - 900m)
2250'	(1318' - 400m)
1920'	(988' - 300m)
1700'	(768' - 235m)
1550'	(618' - 190m)
1170'	(238' - 75m)



Gnd speed-Kts	70	90	100	120	140	160	HTALS PAPI Refer to Missed Apch above
Descent angle 3.00°	372	478	531	637	743	849	
MAP at LMM							

STRAIGHT-IN LANDING RWY 12	
MDA(H) 1560' (628')	
ALS out	
2500m	
A	
B	
C	
D	

PANS OPS

UASK/UKK
UST-KAMENOGORSK



JEPPesen


(16-2)

26 MAR 10
Eff 8 Apr


UST-KAMENOGORSK, KAZAKHSTAN
NDB Rwy 12

BRIEFING STRIP

UST-KAMENOGORSK Tower					
134.5					
Lctr U 708	Final Apch Crs 124°	Minimum Alt No FAF	MDA(H) 1950' (1018')	Apt Elev 938' RWY 932'	MSA U Lctr
MISSED APCH: Climb on 124° to 2580' (1648') or above. After passing LMM maintain 124° for 1 1/2 Min, then turn LEFT to LMM. Climb initially to 3890' (2958'), then as directed.					
MISSED APCH WITH COMM FAILURE: Climb to FL 59 to LMM and join holding. Missed approach turn limited to MAX 225 KT.					
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 59 Trans alt: 4880' (3948') 1. WARNING: Heavy turbulence and windshear are possible on final. 2. Initial approach restricted to MAX 195 KT.					



ALT/HEIGHT CONVERSION	
QNH	(QFE)
4880'	(3948' - 1200m)
3890'	(2958' - 900m)
2580'	(1648' - 500m)



Gnd speed-Kts	70	90	100	120	140	160	HIALS PAPI Refer to Missed Apch above
Descent angle 3.00°	372	478	531	637	743	849	
MAP at LMM							

STRAIGHT-IN LANDING RWY 12			
MDA(H) 1950'(1018')			
		ALS out	
A	3000m		
B			
C	5000m		
D			

PANS OPS

UASK/UKK
UST-KAMENOGORSK

JEPPESSEN

26 MAR 10

Eff 8 Apr

UST-KAMENOGORSK, KAZAKHSTAN
2 NDB Rwy 30

UST-KAMENOGORSK Tower

134.5

ND

9

708

Final
Anch Crs

304°

Minimum Alt

N49 58.4 E082 36.6

2910' (1972')

1. *Journal of the American Medical Association*, 1997; 277: 1039-1043.

 $MDA(H)$

50' (612')

[illegible]

Apt Elev 938'



RWY 938'

MISSED APCH: Climb STRAIGHT AHEAD to 2260' (1322), then turn RIGHT (MAX 225 KT) onto 124° climbing to 4220' (3282'), then as directed.


Alt Set: MM (hPa on req) QNH on req (**QFE**) Trans level: FL 59 Trans alt: 4880'(**3942'**)

1. RADAR required. 2. **WARNING:** Heavy turbulence and windshear are possible on final

MSA S Lctr



Pass LMM not below 1210' (272').



<i>Gnd speed-Kts</i>	70	90	100	120	140	160
<i>Descent angle</i> 3.50°	434	557	619	743	867	991
<i>MAP at LMM</i>						

HIALS
PAPI :
—
:
:
:

2260'
(1322')

STRAIGHT-IN LANDING RWY 30

 $MDA_{(H)} 1550' (612')$

ALS out

2500m

UASK/UKK
UST-KAMENOGORSK



JEPPesen

(16-4)

26 MAR 10

Eff 8 Apr

UST-KAMENOGORSK, KAZAKHSTAN

NDB Rwy 30

UST-KAMENOGORSK Tower

134.5

BRIEFING STRIP


Lctr S	Final Apch Crs	Minimum Alt No FAF	MDA(H)	Apt Elev
708	304°	No FAF	2850'(1912')	938'
				RWY 938'

MISSED APCH: Climb on track 304° to 3900' (2962'). After passing LMM maintain 304° for 1 1/2 Min, then turn RIGHT to LMM, then as directed.


MISSED APCH WITH COMM FAILURE: Climb to FL 59 to LMM and join holding. Missed approach turn limited to MAX 225 KT.

Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 59 Trans alt: 4880' (3942')


WARNING: Heavy turbulence and windshear are possible on final. 2. Initial approach restricted to MAX 195 KT.



MSA
S Lctr



ALT/HEIGHT CONVERSION	QNH	(QFE)
4880'	(3942' - 1200m)	
3900'	(2962' - 900m)	



Gnd speed-Kts	70	90	100	120	140	160	HIALS	3900'
Descent angle	3.00°	372	478	531	637	743	PAPI	(2962') or above
MAP at LMM								

STRAIGHT-IN LANDING RWY 30

MDA(H) **2850'(1912')**

ALS out

A		
B		
C		
D		

PANS OPS

CHANGES: Missed approach.

© JEPPESEN, 2009, 2010. ALL RIGHTS RESERVED.