

Page 1

Changed chart(s) since Disc 26-2010

ADD = Added chart, REV = Revised chart, DEL = Deleted chart.

| ACT | PROCEDURE IDENT | INDEX | REV DATE | EFF DATE |
|-----|-----------------|-------|----------|----------|
|-----|-----------------|-------|----------|----------|

No revision activity since Disc 26-2010

## **TERMINAL CHART NOTAMs**

**No Chart NOTAMs for Airport USSS**

**General Info**

Yekaterinburg, RUS

N 56° 44.6' E 60° 48.3' Mag Var: 13.4°E

Elevation: 766'

Public, IFR, Control Tower, Customs

Fuel: Jet A-1

Repairs: Minor Airframe, Minor Engine

Time Zone Info: GMT+5:00 uses DST

**Runway Info**

Runway 08L-26R 9856' x 148' asphalt

Runway 08R-26L 9928' x 174' concrete

Runway 08L (76.0°M) TDZE 736'

Lights: Edge, ALS

Runway 08R (80.0°M) TDZE 735'

Lights: Edge, ALS

Runway 26L (260.0°M) TDZE 761'

Lights: Edge, ALS

Displaced Threshold Distance 1066'

Runway 26R (256.0°M) TDZE 764'


Lights: Edge, ALS

Displaced Threshold Distance 820'

**Communications Info**ATIS **127.8**Koltsovo Tower **120.0**Koltsovo Ground Control **119.0**Koltsovo Approach Control **125.9**Koltsovo Radar **118.7****Notebook Info**

**USSS/SVX**  
**KOLTSOVO**

**JEPPESSEN YEKATERINBURG, RUSSIA**  
20 AUG 10 **10-2** **Eff 26 Aug** **RNAV STAR**




USSS/SVX  
KOLTSOVO

20 AUG 10

(10-2A)


**Eff 26 Aug****RNAV STAR**

**JEPPESSEN** YEKATERINBURG, RUSSIA



**USSS/SVX**  
**KOLTSOVO**

**JEPPESSEN YEKATERINBURG, RUSSIA**  
20 AUG 10 **10-2B** **Eff 26 Aug** **RNAV STAR**



USSS/SVX  
KOLTSOVO


20 AUG 10

(10-2C)

**Eff 26 Aug****RNAV STAR**

**JEPPESEN**


**YEKATERINBURG, RUSSIA**




**USSS/SVX**  
**KOLTSOVO**

**JEPPESSEN** **YEKATERINBURG, RUSSIA**  
20 AUG 10 **(10-2D)** **Eff 26 Aug** **STAR**

ATIS **127.8** *Apt Elev* **766'** Alt Set: MM (hPa on request) QNH on request **(QFE)**  
Trans level: FL49  
FL59 if pressure is less than 733mm (977.3 hPa)  
Trans alt: 3720' **(2984')**



**AR 1K, ASLIM 1K [ASLIMK]**  
**TAKRA 1K [TAKR1K]**  
**RWY 08L ARRIVALS**  
**FROM NORTHEAST & SOUTH**






USSS/SVX  
 KOLTSOVO


**JEPPesen** YEKATERINBURG, RUSSIA  
 20 AUG 10 **10-2E** Eff 26 Aug

**STAR**



**USSS/SVX**  
**KOLTSOVO**


**JEPPESEN** **YEKATERINBURG, RUSSIA**  
20 AUG 10 **10-2F** **Eff 26 Aug** **STAR**



USSS/SVX  
 KOLTSOVO


**JEPPesen** YEKATERINBURG, RUSSIA  
 20 AUG 10 **10-2G** Eff 26 Aug

**STAR**



**USSS/SVX**  
**KOLTSOVO**


**JEPPESSEN YEKATERINBURG, RUSSIA**  
20 AUG 10 **10-2H** **Eff 26 Aug** **STAR**



**USSS/SVX**  
**KOLTSOVO**


**JEPPESSEN** **YEKATERINBURG, RUSSIA**  
 20 AUG 10 **(10-2J)** **Eff 26 Aug**

**STAR**



USSS/SVX  
KOLTSOVO

**JEPPESSEN** YEKATERINBURG, RUSSIA  
20 AUG 10 (10-2K) Eff 26 Aug **STAR**



**CHANGES:** STAR TH 4N replaced by ASLIM 4N.

© JEPPESEN, 2008, 2010. ALL RIGHTS RESERVED.

USSS/SVX  
KOLTSOVO

20 AUG 10

10-2L

**Eff 26 Aug**

**JEPPesen** YEKATERINBURG, RUSSIA


**STAR**

ATIS  
127.8

*Apt Elev*  
**766'**

Alt Set: MM (hPa on request) QNH on request **(QFE)**  
Trans level: FL49  
FL59 if pressure is less than 733mm (977.3 hPa)  
Trans alt: 3720' **(2959')**

MH 4N, MH 4R  
MORIK 4N [MORI4N]  
MORIK 4R [MORI4R]  
NEBIS 4N [NEBI4N]  
NEBIS 4R [NEBI4R]  
RWY 26L ARRIVALS  
FROM SOUTHWEST & WEST



**CHANGES:** None.

© JEPPESEN, 2008, 2010. ALL RIGHTS RESERVED.

**USSS/SVX**  
**KOLTSOVO**

20 AUG 10

10-3

Eff 26 Aug

**SID**



**YEKATERINBURG, RUSSIA**


Apt Elev  
**766'**

QNH on request (QFE)

Trans level: FL49


FL59 if pressure is less than 733mm (977.3 hPa)

Trans alt: 3720' (2984')



**AR 1A, ASLIM 1A [ASLI1A]**  
**MIKUS 1A [MIKU1A]**  
**MORIK 1A [MORI1A]**  
**SOPUS 1A [SOPU1A]**  
**RWY 08L DEPARTURES**

**HOLDING OVER AR**



**ARTEMOVSKY**  
**195 AR**  
N57 20.0 E061 55.0  
Between  
FL59 & FL187

**LIPOK**  
N57 01.1 E061 13.0  
At or above  
FL59

**SOPUS**  
N57 08.1 E062 00.2  
Between  
FL59 & FL187


**MORIK**  
N56 47.0 E060 08.0  
At or above  
FL59

**KOLTSOVO**  
D 113.2 EKB  
N56 44.6 E060 47.9

At 1730' (994')  
but not further  
than 5.4 DME

**ALT/HEIGHT CONVERSION**  
QNH (QFE)  
1730' (994' - 300m)  
3720' (2984' - 900m)

**FL CONVERSION**  
FL49 FL1500m  
FL59 FL1800m  
FL187 FL5700m



**MIKUS**  
N56 03.0 E059 35.0  
Between  
FL59 & FL187

**KOSAR**  
N56 28.9 E060 21.1  
At or above  
FL59

**LARIK**  
N56 24.1 E061 10.9  
At or above  
FL49

**ASLIM**  
N55 54.0 E061 44.0  
Between  
FL49 & FL187



**USSS/SVX**  
**KOLTSOVO**

20 AUG 10

(10-3A)

Eff 26 Aug

**SID**



**JEPPesen**

**YEKATERINBURG, RUSSIA**


Apt Elev  
**766'**

QNH on request (QFE)

Trans level: FL49


FL59 if pressure is less than 733mm (977.3 hPa)

Trans alt: 3720' (2985')



**AR 2B, ASLIM 2B [ASLI2B]**  
**MIKUS 2B [MIKU2B]**  
**MORIK 2B [MORI2B]**  
**SOPUS 2B [SOPU2B]**  
**RWY 08R DEPARTURES**

**HOLDING OVER AR**



**ARTEMOVSKY**  
**195 AR**  
N57 20.0 E061 55.0  
Between  
FL59 & FL187

**LIPOK**  
N57 01.1 E061 13.0  
At or above  
FL59

**SOPUS**  
N57 08.1  
E062 00.2  
Between  
FL59 & FL187


**MORIK**  
N56 47.0 E060 08.0  
At or above  
FL59

**KOLTSOVO**  
**113.2 EKB**  
N56 44.6 E060 47.9

At 1720' (985')  
but not further  
than 5.4 DME

| ALT/HEIGHT CONVERSION | (QFE)          |
|-----------------------|----------------|
| 1720'                 | (985' - 300m)  |
| 3720'                 | (2985' - 900m) |

| FL CONVERSION |         |
|---------------|---------|
| FL49          | FL1500m |
| FL59          | FL1800m |
| FL187         | FL5700m |




NOT TO SCALE

**USSS/SVX**  
**KOLTSOVO**


**JEPPESSEN YEKATERINBURG, RUSSIA**  
20 AUG 10 **10-3B** **Eff 26 Aug** **SID**

*Apt Elev*  
**766'**

QNH on request **(QFE)**  
Trans level: FL49  
FL59 if pressure is less than 733MM (977.3 hPa)  
Trans alt: 3720' **(2956')**  
Noise abatement procedures should be applied according to Flight Manual.



**AR 3D, ASLIM 3D[ASLI3D]**  
**MIKUS 3D [MIKU3D]**  
**MORIK 3D [MORI3D]**  
**SOPUS 3D[SOPU3D]**  
**RWY 26R DEPARTURES**



| ALT/HEIGHT CONVERSION |                |
|-----------------------|----------------|
| QNH                   | (QFE)          |
| 1750'                 | (986' - 300m)  |
| 3720'                 | (2956' - 900m) |

| FL CONVERSION |         |
|---------------|---------|
| FL49          | FL1500m |
| FL59          | FL1800m |
| FL187         | FL5700m |



**USSS/SVX**  
**KOLTSOVO**

20 AUG 10

(10-3C)

Eff 26 Aug

**SID**



**JEPPESSEN**

**YEKATERINBURG, RUSSIA**

Apt Elev  
**766'**


QNH on request **(QFE)**

Trans level: FL49

FL59 if pressure is less than 733MM (977.3 hPa)

Trans alt: 3720' **(2959')**

Noise abatement procedures should be applied according to Flight Manual.




**AR 4D, ASLIM 4D [ASLI4D]**

**MIKUS 4D [MIKU4D]**

**MORIK 4D [MORI4D]**

**SOPUS 4D [SOPU4D]**

**RWY 26L DEPARTURES**



| ALT/HEIGHT CONVERSION |                |
|-----------------------|----------------|
| QNH                   | (QFE)          |
| 1750'                 | (989' - 300m)  |
| 3720'                 | (2959' - 900m) |

| FL CONVERSION |         |
|---------------|---------|
| FL49          | FL1500m |
| FL59          | FL1800m |
| FL187         | FL5700m |




**USSS/SVX**

 Apt Elev **766'**  
 N56 44.6 E060 48.3

19 NOV 10

(10-9)

**JEPPesen**
**YEKATERINBURG, RUSSIA**
**KOLTSOVO**

**ADDITIONAL RUNWAY INFORMATION**

|     |            |       |                        | USABLE LENGTHS |             | TAKE-OFF | WIDTH |
|-----|------------|-------|------------------------|----------------|-------------|----------|-------|
| RWY |            |       |                        | LANDING BEYOND |             |          |       |
|     |            |       |                        | Threshold      | Glide Slope |          |       |
| 08L | HIRL (57m) | HIALS | PAPI-L (angle 3.0°) ①  |                |             | ②        | 148'  |
| 26R | HIRL (57m) | HIALS | PAPI-L (angle 3.17°) ① | 9036' 2754m    | 8185' 2495m |          | 45m   |
| 08R | HIRL (60m) | HIALS | PAPI-L (angle 2.67°) ① | 9682' 2951m    | 8953' 2729m | ②        | 174'  |
| 26L | HIRL (60m) | HIALS | PAPI-L (angle 2.83°) ① | 8862' 2701m    | 7768' 2368m |          | 53m   |
|     |            |       |                        |                |             |          |       |

① Use by B747 acft prohibited.

**② TAKE-OFF RUN AVAILABLE**
**RWY 08L:**

 From rwy head 9856' (3004m)  
 twy A int 9154' (2790m)  
 twy B int 7073' (2156m)

**RWY 08R:**

 From rwy head 9682' (2951m)  
 twy L int 7434' (2266m)

**RWY 26R:**

 From rwy head 9856' (3004m)  
 twy E int 8835' (2693m)  
 twy C int 5709' (1740m)

**RWY 26L:**

 From rwy head 9928' (3026m)  
 twy N int 8419' (2566m)  
 twy M int 5197' (1584m)

**TAKE-OFF**
**AIR CARRIER (JAA)**
**All Rwys**
**LVP must be in force**

 RCLM (DAY only)  
 or RL

 RCLM (DAY only)  
 or RL

|   |      |      |
|---|------|------|
| A |      |      |
| B | 250m | 400m |
| C |      |      |
| D | 300m |      |


CHANGES: Intersection TORA rwy 08R/26L established.

© JEPPESEN, 2000, 2010. ALL RIGHTS RESERVED.

USSS/SVX

19 NOV 10 **JEPPESEN**  
(10-9A)

YEKATERINBURG, RUSSIA  
KOLTSOVO



Stand 52 available for engines run-up, coordinates N56 44.8 E060 48.6.  
Stands 28 thru 30, 49 and 59 thru 61 available for helicopters.

USSS/SVX


**JEPPesen**  
19 FEB 10 **10-9S**
**YEKATERINBURG, RUSSIA**  
KOLTSOVO
**Standard**

| STRAIGHT-IN RWY |                | A                    | B                    | C                    | D                    |
|-----------------|----------------|----------------------|----------------------|----------------------|----------------------|
| <b>08L</b>      | ILS            | <b>936'</b> (200')   | <b>936'</b> (200')   | <b>936'</b> (200')   | <b>936'</b> (200')   |
|                 | <i>FULL</i>    | <b>R550m</b>         | <b>R550m</b>         | <b>R550m</b>         | <b>R550m</b>         |
|                 | <i>Limited</i> | R750m                | R750m                | R750m                | R750m                |
|                 | <i>ALS out</i> | R1200m               | R1200m               | R1200m               | R1200m               |
|                 | LOC            | NOT<br>AUTH          | NOT<br>AUTH          | NOT<br>AUTH          | NOT<br>AUTH          |
|                 | NDB ❶ ❷        | <b>1500'</b> (764')  | <b>1500'</b> (764')  | <b>1500'</b> (764')  | <b>1500'</b> (764')  |
|                 |                | <b>C2900m</b>        | <b>C2900m</b>        | <b>C2900m</b>        | <b>C2900m</b>        |
|                 | <i>ALS out</i> | C3600m               | C3600m               | C3600m               | C3600m               |
|                 | NDB ❸          | <b>1920'</b> (1184') | <b>1920'</b> (1184') | <b>1920'</b> (1184') | <b>1920'</b> (1184') |
|                 |                | <b>C4800m</b>        | <b>C4800m</b>        | <b>C5000m</b>        | <b>C5000m</b>        |
|                 | <i>ALS out</i> | C5000m               | C5000m               | C5000m               | C5000m               |
| <b>08R</b>      | ILS            | <b>935'</b> (200')   | <b>935'</b> (200')   | <b>935'</b> (200')   | <b>935'</b> (200')   |
|                 | <i>FULL</i>    | <b>R550m</b>         | <b>R550m</b>         | <b>R550m</b>         | <b>R550m</b>         |
|                 | <i>Limited</i> | R750m                | R750m                | R750m                | R750m                |
|                 | <i>ALS out</i> | R1200m               | R1200m               | R1200m               | R1200m               |
|                 | LOC            | NOT<br>AUTH          | NOT<br>AUTH          | NOT<br>AUTH          | NOT<br>AUTH          |
|                 | NDB ❶ ❹        | <b>1070'</b> (335')  | <b>1070'</b> (335')  | <b>1070'</b> (335')  | <b>1070'</b> (335')  |
|                 |                | <b>R800m</b>         | <b>R800m</b>         | <b>R800m</b>         | <b>R800m</b>         |
|                 | <i>ALS out</i> | R1500m               | R1500m               | R1500m               | R1500m               |
|                 | NDB ❺          | <b>1740'</b> (1005') | <b>1740'</b> (1005') | <b>1740'</b> (1005') | <b>1740'</b> (1005') |
|                 |                | <b>C4300m</b>        | <b>C4300m</b>        | <b>C4500m</b>        | <b>C4500m</b>        |
|                 | <i>ALS out</i> | C5000m               | C5000m               | C5000m               | C5000m               |
| <b>26L</b>      | ILS            | <b>961'</b> (200')   | <b>961'</b> (200')   | <b>961'</b> (200')   | <b>961'</b> (200')   |
|                 | <i>FULL</i>    | <b>R550m</b>         | <b>R550m</b>         | <b>R550m</b>         | <b>R550m</b>         |
|                 | <i>Limited</i> | R750m                | R750m                | R750m                | R750m                |
|                 | <i>ALS out</i> | R1200m               | R1200m               | R1200m               | R1200m               |
|                 | LOC            | NOT<br>AUTH          | NOT<br>AUTH          | NOT<br>AUTH          | NOT<br>AUTH          |
|                 | RNAV ❶         | <b>1260'</b> (499')  | <b>1260'</b> (499')  | <b>1260'</b> (499')  | <b>1260'</b> (499')  |
|                 |                | <b>R1500m</b>        | <b>R1500m</b>        | <b>R1500m</b>        | <b>R1500m</b>        |
|                 | <i>ALS out</i> | R1500m               | R1500m               | C2300m               | C2300m               |
|                 | NDB ❶          | <b>1240'</b> (479')  | <b>1240'</b> (479')  | <b>1240'</b> (479')  | <b>1240'</b> (479')  |
|                 |                | <b>R1500m</b>        | <b>R1500m</b>        | <b>R1500m</b>        | <b>R1500m</b>        |
|                 | <i>ALS out</i> | R1500m               | R1500m               | C2200m               | C2200m               |
| <b>26R</b>      | ILS            | <b>964'</b> (200')   | <b>964'</b> (200')   | <b>964'</b> (200')   | <b>964'</b> (200')   |
|                 | <i>FULL</i>    | <b>R550m</b>         | <b>R550m</b>         | <b>R550m</b>         | <b>R550m</b>         |
|                 | <i>Limited</i> | R750m                | R750m                | R750m                | R750m                |
|                 | <i>ALS out</i> | R1200m               | R1200m               | R1200m               | R1200m               |
|                 | LOC            | NOT<br>AUTH          | NOT<br>AUTH          | NOT<br>AUTH          | NOT<br>AUTH          |
|                 | RNAV ❶         | <b>1260'</b> (496')  | <b>1260'</b> (496')  | <b>1260'</b> (496')  | <b>1260'</b> (496')  |
|                 |                | <b>R1500m</b>        | <b>R1500m</b>        | <b>R1500m</b>        | <b>R1500m</b>        |
|                 | <i>ALS out</i> | R1500m               | R1500m               | C2300m               | C2300m               |
|                 | NDB ❶          | <b>1220'</b> (456')  | <b>1220'</b> (456')  | <b>1220'</b> (456')  | <b>1220'</b> (456')  |
|                 |                | <b>R1400m</b>        | <b>R1400m</b>        | <b>R1400m</b>        | <b>R1400m</b>        |
|                 | <i>ALS out</i> | R1500m               | R1500m               | C2100m               | C2100m               |

❶ Continuous Descent Final Approach

❷ with D4.9    ❸ w/o D4.9

❹ with D5.1    ❺ w/o D5.1

USSS/SVX

 **JEPPESEN**  
19 FEB 10 **10-9S1**

**YEKATERINBURG, RUSSIA**  
KOLTSOVO

**Standard**

**TAKE-OFF RWY 08L/R, 26L/R**

| LVP must be in Force |                          |                          |                   |
|----------------------|--------------------------|--------------------------|-------------------|
|                      | RCLM (DAY only)<br>or RL | RCLM (DAY only)<br>or RL | NIL<br>(DAY only) |
| A                    | 250m                     | 400m                     | 500m              |
| B                    |                          |                          |                   |
| C                    |                          |                          |                   |
| D                    | 300m                     |                          |                   |

USSS/SVX


**JAA MINIMUMS**  
**YEKATERINBURG RUSSIA**  
**KOLTSOVO**

| STRAIGHT-IN RWY |                     | A                       | B                       | C                       | D                       |
|-----------------|---------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| 08L             | ILS                 | <b>936'</b> (200')      | <b>936'</b> (200')      | <b>936'</b> (200')      | <b>936'</b> (200')      |
|                 |                     | <b>R550m</b>            | <b>R550m</b>            | <b>R550m</b>            | <b>R550m</b>            |
|                 | ALS out             | R1000m                  | R1000m                  | R1000m                  | R1000m                  |
|                 | LOC                 | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       |
|                 | NDB                 | <b>1500'</b> (764')     | <b>1500'</b> (764')     | <b>1500'</b> (764')     | <b>1500'</b> (764')     |
|                 | with FAF<br>ALS out | <b>R1200m</b><br>R1500m | <b>R1400m</b><br>R1500m | <b>R1400m</b><br>R2000m | <b>R1800m</b><br>R2000m |
|                 | NDB                 | <b>1920'</b> (1184')    | <b>1920'</b> (1184')    | <b>1920'</b> (1184')    | <b>1920'</b> (1184')    |
|                 | w/o FAF<br>ALS out  | <b>R1200m</b><br>R1500m | <b>R1400m</b><br>R1500m | <b>R1400m</b><br>R2000m | <b>R1800m</b><br>R2000m |
| 08R             | ILS                 | <b>935'</b> (200')      | <b>935'</b> (200')      | <b>935'</b> (200')      | <b>935'</b> (200')      |
|                 |                     | <b>R550m</b>            | <b>R550m</b>            | <b>R550m</b>            | <b>R550m</b>            |
|                 | ALS out             | R1000m                  | R1000m                  | R1000m                  | R1000m                  |
|                 | LOC                 | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       |
|                 | NDB                 | <b>1070'</b> (335')     | <b>1070'</b> (335')     | <b>1070'</b> (335')     | <b>1070'</b> (335')     |
|                 | with FAF<br>ALS out | <b>R900m</b><br>R1500m  | <b>R1000m</b><br>R1500m | <b>R1000m</b><br>R1800m | <b>R1400m</b><br>R2000m |
|                 | NDB                 | <b>1740'</b> (1005')    | <b>1740'</b> (1005')    | <b>1740'</b> (1005')    | <b>1740'</b> (1005')    |
|                 | w/o FAF<br>ALS out  | <b>R1200m</b><br>R1500m | <b>R1400m</b><br>R1500m | <b>R1400m</b><br>R2000m | <b>R1800m</b><br>R2000m |
| 26L             | ILS                 | <b>961'</b> (200')      | <b>961'</b> (200')      | <b>961'</b> (200')      | <b>961'</b> (200')      |
|                 |                     | <b>R550m</b>            | <b>R550m</b>            | <b>R550m</b>            | <b>R550m</b>            |
|                 | ALS out             | R1000m                  | R1000m                  | R1000m                  | R1000m                  |
|                 | LOC                 | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       |
|                 | RNAV                | <b>1260'</b> (499')     | <b>1260'</b> (499')     | <b>1260'</b> (499')     | <b>1260'</b> (499')     |
|                 |                     | <b>R1000m</b>           | <b>R1200m</b>           | <b>R1200m</b>           | <b>R1600m</b>           |
|                 | ALS out             | R1500m                  | R1500m                  | R2000m                  | R2000m                  |
|                 | NDB                 | <b>1240'</b> (479')     | <b>1240'</b> (479')     | <b>1240'</b> (479')     | <b>1240'</b> (479')     |
|                 |                     | <b>R1000m</b>           | <b>R1200m</b>           | <b>R1200m</b>           | <b>R1600m</b>           |
|                 | ALS out             | R1500m                  | R1500m                  | R2000m                  | R2000m                  |
| 26R             | ILS                 | <b>964'</b> (200')      | <b>964'</b> (200')      | <b>964'</b> (200')      | <b>964'</b> (200')      |
|                 |                     | <b>R550m</b>            | <b>R550m</b>            | <b>R550m</b>            | <b>R550m</b>            |
|                 | ALS out             | R1000m                  | R1000m                  | R1000m                  | R1000m                  |
|                 | LOC                 | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       | NOT<br>AUTHORIZED       |
|                 | RNAV                | <b>1260'</b> (496')     | <b>1260'</b> (496')     | <b>1260'</b> (496')     | <b>1260'</b> (496')     |
|                 |                     | <b>R1000m</b>           | <b>R1200m</b>           | <b>R1200m</b>           | <b>R1600m</b>           |
|                 | ALS out             | R1500m                  | R1500m                  | R2000m                  | R2000m                  |
|                 | NDB                 | <b>1220'</b> (456')     | <b>1220'</b> (456')     | <b>1220'</b> (456')     | <b>1220'</b> (456')     |
|                 |                     | <b>R1000m</b>           | <b>R1200m</b>           | <b>R1200m</b>           | <b>R1600m</b>           |
|                 | ALS out             | R1500m                  | R1500m                  | R2000m                  | R2000m                  |



USSS/SVX



**JAA MINIMUMS**  
**YEKATERINBURG, RUSSIA**  
KOLTSOVO

**TAKE-OFF RWY 08L/R, 26L/R**


| LVP must be in Force |                          |                          |                   |
|----------------------|--------------------------|--------------------------|-------------------|
|                      | RCLM (DAY only)<br>or RL | RCLM (DAY only)<br>or RL | NIL<br>(DAY only) |
| A                    | 250m                     | 400m                     | 500m              |
| B                    |                          |                          |                   |
| C                    |                          |                          |                   |
| D                    | 300m                     |                          |                   |



**USSS/SVX**  
**KOLTSOVO**

**JEPPESSEN**  
29 JAN 10 **11-1** Eff 11 Feb

**YEKATERINBURG, RUSSIA**  
**ILS DME Rwy 08L**

BRIEFING STRIP

|                                                                                                                                  |                                |                          |                             |                                                                                     |
|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------|-----------------------------|-------------------------------------------------------------------------------------|
| ATIS<br>127.8                                                                                                                    | KOLTSOVO Approach (R)<br>125.9 | KOLTSOVO Radar<br>118.7  | KOLTSOVO Tower<br>120.0     | Ground<br>119.0                                                                     |
| LOC<br>IKO<br>*111.7                                                                                                             | Final<br>Apch Crs<br>076°      | GS<br>OM<br>1442' (706') | ILS<br>DA(H)<br>936' (200') | Apt Elev 766'<br>RWY 736'                                                           |
| <b>MISSED APCH:</b> Climb on 076° to 1730' (994'), then turn RIGHT onto 256° climbing to 2710' (1974'), then according to chart. |                                |                          |                             |  |
| Alt Set: MM (hPa on req)    QNH on req (QFE)    Trans level: FL 49 ①    Trans alt: 3720' (2984')                                 |                                |                          |                             |                                                                                     |



|               |       |     |     |     |     |     |       |                      |         |               |
|---------------|-------|-----|-----|-----|-----|-----|-------|----------------------|---------|---------------|
| Gnd speed-Kts | 70    | 90  | 100 | 120 | 140 | 160 | HIALS | 1730' (994') on 076° | 256° RT | 2710' (1974') |
| GS            | 3.00° | 377 | 484 | 538 | 646 | 753 | 861   |                      |         |               |

| STRAIGHT-IN LANDING RWY 08L |         |              |                |  |  |
|-----------------------------|---------|--------------|----------------|--|--|
| ILS                         |         | LOC (GS out) |                |  |  |
| DA(H) 936' (200')           |         |              |                |  |  |
| FULL                        | ALS out |              |                |  |  |
| A                           |         |              |                |  |  |
| B                           |         |              |                |  |  |
| C                           | 800m    | 1200m        | NOT AUTHORIZED |  |  |
| D                           |         |              |                |  |  |

PANS OPS



**USSS/SVX**  
**KOLTSOVO**

**JEPPesen**  
29 JAN 10 **(11-2)** Eff 11 Feb


**YEKATERINBURG, RUSSIA**  
**ILS Rwy 08R**

BRIEFING STRIP

|                                                                                                                                  |                                |                           |                             |                           |
|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------|-----------------------------|---------------------------|
| ATIS<br>127.8                                                                                                                    | KOLTSOVO Approach (R)<br>125.9 | KOLTSOVO Radar<br>118.7   | KOLTSOVO Tower<br>120.0     | Ground<br>119.0           |
| LOC<br>IEL<br>*109.9                                                                                                             | Final<br>Apch Crs<br>080°      | GS<br>LOM<br>1375' (640') | ILS<br>DA(H)<br>935' (200') | Apt Elev 766'<br>RWY 735' |
| <b>MISSED APCH:</b> Climb on 080° to 1720' (985'), then turn RIGHT onto 260° climbing to 2710' (1975'), then according to chart. |                                |                           |                             |                           |
| Alt Set: MM (hPa on req)    QNH on req (QFE)    Trans level: FL 49 ①    Trans alt: 3720' (2985')                                 |                                |                           |                             |                           |



| ALT/HEIGHT CONVERSION | (QFE)          |
|-----------------------|----------------|
| 3720'                 | (2985' - 900m) |
| 2710'                 | (1975' - 600m) |
| 2380'                 | (1645' - 500m) |
| 1720'                 | (985' - 300m)  |



| Gnd speed-Kts | 70    | 90  | 100 | 120 | 140 | 160 | HIALS | 1720' (985') on 080° | 260° RT | 2710' (1975') |
|---------------|-------|-----|-----|-----|-----|-----|-------|----------------------|---------|---------------|
| GS            | 2.67° | 336 | 432 | 480 | 576 | 671 | 767   |                      |         |               |

| STRAIGHT-IN LANDING RWY 08R |         |              |                |  |  |
|-----------------------------|---------|--------------|----------------|--|--|
| ILS                         |         | LOC (GS out) |                |  |  |
| DA(H) 935' (200')           |         |              |                |  |  |
| FULL                        | ALS out |              |                |  |  |
| A                           |         |              |                |  |  |
| B                           |         |              |                |  |  |
| C                           | 800m    | 1200m        | NOT AUTHORIZED |  |  |
| D                           |         |              |                |  |  |


PANS OPS



**USSS/SVX**  
**KOLTSOVO**

**JEPPesen**  
29 JAN 10 **(11-3)** Eff 11 Feb

**YEKATERINBURG, RUSSIA**  
**ILS Rwy 26L**

BRIEFING STRIP

|                                                                                                                                 |                                       |                                  |                                    |                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------------|------------------------------------|----------------------------------------------------------------------------------------------------|
| ATIS<br><b>127.8</b>                                                                                                            | KOLTSOVO Approach (R)<br><b>125.9</b> | KOLTSOVO Radar<br><b>118.7</b>   | KOLTSOVO Tower<br><b>120.0</b>     | Ground<br><b>119.0</b>                                                                             |
| LOC<br>IED<br><b>*109.5</b>                                                                                                     | Final<br>Apch Crs<br><b>260°</b>      | GS<br>LOM<br><b>1663' (902')</b> | ILS<br>DA(H)<br><b>961' (200')</b> | Apt Elev <b>766'</b><br>RWY <b>761'</b>                                                            |
| <b>MISSED APCH:</b> Climb on 260° to 1750' (989'), then turn LEFT onto 080° climbing to 2730' (1969'), then according to chart. |                                       |                                  |                                    | <br>MSA EKB VOR |
| Alt Set: MM (hPa on req)                                                                                                        |                                       | QNH on req (QFE)                 |                                    | Trans level: FL 49 <b>1</b>                                                                        |
|                                                                                                                                 |                                       |                                  |                                    | Trans alt: 3720' ( <b>2959'</b> )                                                                  |



| Gnd speed-Kts | 70    | 90  | 100 | 120 | 140 | 160 | HIALS | 1750' (989') on 260° | 080° LT | 2730' (1969') |
|---------------|-------|-----|-----|-----|-----|-----|-------|----------------------|---------|---------------|
| GS            | 2.83° | 356 | 457 | 508 | 610 | 711 | 813   |                      |         |               |

| STRAIGHT-IN LANDING RWY 26L |         |              |                |  |  |
|-----------------------------|---------|--------------|----------------|--|--|
| ILS                         |         | LOC (GS out) |                |  |  |
| DA(H) 961' (200')           |         |              |                |  |  |
| FULL                        | ALS out |              |                |  |  |
| A                           |         |              |                |  |  |
| B                           |         |              |                |  |  |
| C                           | 800m    | 1200m        | NOT AUTHORIZED |  |  |
| D                           |         |              |                |  |  |


PANS OPS



**USSS/SVX**  
**KOLTSOVO**

**JEPPesen**  
29 JAN 10 **11-4** Eff 11 Feb

**YEKATERINBURG, RUSSIA**  
**ILS DME Rwy 26R**

BRIEFING STRIP

|                                                                                                                                 |                                       |                                  |                                    |                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------------|------------------------------------|-----------------------------------------------------------------------------------------------------------|
| ATIS<br><b>127.8</b>                                                                                                            | KOLTSOVO Approach (R)<br><b>125.9</b> | KOLTSOVO Radar<br><b>118.7</b>   | KOLTSOVO Tower<br><b>120.0</b>     | Ground<br><b>119.0</b>                                                                                    |
| LOC<br>IEU<br><b>*110.5</b>                                                                                                     | Final<br>Apch Crs<br><b>256°</b>      | GS<br>LOM<br><b>1568' (804')</b> | ILS<br>DA(H)<br><b>964' (200')</b> | Apt Elev <b>766'</b><br>RWY <b>764'</b>                                                                   |
| <b>MISSED APCH:</b> Climb on 256° to 1750' (986'), then turn LEFT onto 076° climbing to 2740' (1976'), then according to chart. |                                       |                                  |                                    | <br><b>MSA EKB VOR</b> |
| Alt Set: MM (hPa on req)                                                                                                        |                                       | QNH on req (QFE)                 |                                    | Trans level: FL 49 ①                                                                                      |
|                                                                                                                                 |                                       |                                  |                                    | Trans alt: 3720' ( <b>2956'</b> )                                                                         |



| Gnd speed-Kts | 70    | 90  | 100 | 120 | 140 | 160 | HIALS | 1750' (986') on 256° | 076° LT | 2740' (1976') |
|---------------|-------|-----|-----|-----|-----|-----|-------|----------------------|---------|---------------|
| GS            | 3.17° | 398 | 511 | 568 | 682 | 796 | 909   |                      |         |               |

| STRAIGHT-IN LANDING RWY 26R |         |              |                |  |  |
|-----------------------------|---------|--------------|----------------|--|--|
| ILS                         |         | LOC (GS out) |                |  |  |
| DA(H) 964' (200')           |         |              |                |  |  |
| FULL                        | ALS out |              |                |  |  |
| A                           |         |              |                |  |  |
| B                           |         |              |                |  |  |
| C                           | 800m    | 1200m        | NOT AUTHORIZED |  |  |
| D                           |         |              |                |  |  |

PANS OPS

**USSS/SVX**  
**KOLTSOVO**


**JEPPESSEN**  
29 JAN 10  
Eff 11 Feb (12-1)

**YEKATERINBURG, RUSSIA**  
**RNAV (GNSS) Rwy 26L**


BRIEFING STRIP

|                                                                                                                                                                                           |                                  |                                              |                        |                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------------------------------|------------------------|-----------------------------------------|
| ATIS                                                                                                                                                                                      | KOLTSOVO Approach (R)            | KOLTSOVO Radar                               | KOLTSOVO Tower         | Ground                                  |
| 127.8                                                                                                                                                                                     | 125.9                            | 118.7                                        | 120.0                  | 119.0                                   |
| RNAV                                                                                                                                                                                      | Final<br>Apch Crs<br><b>260°</b> | Minimum Alt<br><b>SS414</b><br>2410' (1649') | MDA(H)<br>1260' (499') | Apt Elev <b>766'</b><br>RWY <b>761'</b> |
| <b>MISSED APCH:</b> Climb STRAIGHT AHEAD on track 260° to SS416,<br>then turn LEFT climbing to 2730' (1969'), then proceed via<br>SS419 to SS412, then according to chart or as directed. |                                  |                                              |                        | <br>MSA ARP                             |

Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 49 ① Trans alt: 3720' (2959')



|                |              |              |              |               |               |               |
|----------------|--------------|--------------|--------------|---------------|---------------|---------------|
| DIST to RW26L  | 1.6          | 2.2          | 2.7          | 3.2           | 3.8           | 4.3           |
| ALTITUDE (HAT) | 1340' (579') | 1500' (739') | 1670' (909') | 1850' (1089') | 2010' (1249') | 2190' (1429') |



|               |       |     |     |     |     |     |
|---------------|-------|-----|-----|-----|-----|-----|
| Gnd speed-Kts | 70    | 90  | 100 | 120 | 140 | 160 |
| Descent angle | 3.05° | 378 | 486 | 540 | 648 | 755 |
| MAP at RW26L  |       |     |     |     |     |     |

|                             |       |
|-----------------------------|-------|
| STRAIGHT-IN LANDING RWY 26L |       |
| MDA(H) 1260' (499')         |       |
| ALS out                     |       |
| A                           | 800m  |
| B                           | 1600m |
| C                           | 1200m |
| D                           | 2400m |

PANS OPS








**USSS/SVX**  
**KOLTSOVO**

**JEPPESEN**  
29 JAN 10 **(16-1)** Eff 11 Feb

**YEKATERINBURG, RUSSIA**  
**NDB Rwy 08L**

BRIEFING STRIP

|                                                                                                                                |                                |                                     |                                        |                           |
|--------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-------------------------------------|----------------------------------------|---------------------------|
| ATIS<br>127.8                                                                                                                  | KOLTSOVO Approach (R)<br>125.9 | KOLTSOVO Radar<br>118.7             | KOLTSOVO Tower<br>120.0                | Ground<br>119.0           |
| Lctr<br>U<br>*749                                                                                                              | Final<br>Apch Crs<br>076°      | Minimum Alt<br>D4.9<br>2380'(1644') | MDA(H)<br>(CONDITIONAL)<br>1500'(764') | Apt Elev 766'<br>RWY 736' |
| <b>MISSED APCH:</b> Climb on 076° to 1730'(994'), then turn RIGHT onto 256° climbing to 2710'(1974'), then according to chart. |                                |                                     |                                        |                           |
| Alt Set: MM (hPa on req)    QNH on req (QFE)    Trans level: FL 49 ①    Trans alt: 3720' (2984')                               |                                |                                     |                                        |                           |



|               |       |     |     |     |     |     |       |                      |         |               |
|---------------|-------|-----|-----|-----|-----|-----|-------|----------------------|---------|---------------|
| Gnd speed-Kts | 70    | 90  | 100 | 120 | 140 | 160 | HIALS | 1730' (994') on 076° | 256° RT | 2710' (1974') |
| Descent angle | 3.65° | 452 | 581 | 646 | 775 | 904 | 1034  | PAPI                 |         |               |

| STRAIGHT-IN LANDING RWY 08L |         |                     |         |
|-----------------------------|---------|---------------------|---------|
| with FAF                    |         | w/o FAF             |         |
| MDA(H) 1500'(764')          |         | MDA(H) 1920'(1184') |         |
|                             | ALS out |                     | ALS out |
| A                           | 2400m   | 3200m               | 3200m   |
| B                           |         |                     |         |
| C                           | 2800m   | 3600m               | 4000m   |
| D                           | 3600m   | 4000m               | 4400m   |

PANS OPS






**USSS/SVX**  
**KOLTSOVO**

**JEPPesen**  
29 JAN 10 **(16-2)** Eff 11 Feb

**YEKATERINBURG, RUSSIA**  
**2 NDB Rwy 08R**

BRIEFING STRIP

|                                                                                                                                  |                                       |                                                   |                                               |                                         |
|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------------------|-----------------------------------------------|-----------------------------------------|
| ATIS<br><b>127.8</b>                                                                                                             | KOLTSOVO Approach (R)<br><b>125.9</b> | KOLTSOVO Radar<br><b>118.7</b>                    | KOLTSOVO Tower<br><b>120.0</b>                | Ground<br><b>119.0</b>                  |
| NDB<br>WP<br><b>*467</b>                                                                                                         | Final<br>Apch Crs<br><b>080°</b>      | Minimum Alt<br><b>D5.1</b><br><b>2380'(1645')</b> | MDA(H)<br>(CONDITIONAL)<br><b>1070'(335')</b> | Apt Elev <b>766'</b><br><b>RWY 735'</b> |
| <b>MISSED APCH:</b> Climb on 080° to 1720' (985'), then turn RIGHT onto 260° climbing to 2710' (1975'), then according to chart. |                                       |                                                   |                                               |                                         |
| Alt Set: MM (hPa on req)    QNH on req (QFE)    Trans level: FL 49 <b>1</b> Trans alt: 3720' ( <b>2985'</b> )                    |                                       |                                                   |                                               |                                         |



|               |       |     |     |     |     |     |       |                      |         |               |
|---------------|-------|-----|-----|-----|-----|-----|-------|----------------------|---------|---------------|
| Gnd speed-Kts | 70    | 90  | 100 | 120 | 140 | 160 | HIALS | 1720' (985') on 080° | 260° RT | 2710' (1975') |
| Descent angle | 3.34° | 414 | 532 | 591 | 709 | 827 | 946   | PAPI                 |         |               |

| STRAIGHT-IN LANDING RWY 08R |         |                     |         |
|-----------------------------|---------|---------------------|---------|
| with FAF                    |         | w/o FAF             |         |
| MDA(H) 1070'(335')          |         | MDA(H) 1740'(1005') |         |
|                             | ALS out |                     | ALS out |
| A                           |         |                     |         |
| B                           | 1200m   | 3200m               |         |
| C                           |         | 4000m               | 4800m   |
| D                           | 1600m   | 4400m               |         |


PANS OPS



**USSS/SVX**  
**KOLTSOVO**

**JEPPesen**  
29 JAN 10 **(16-3)** Eff 11 Feb

**YEKATERINBURG, RUSSIA**  
**2 NDB Rwy 26L**

BRIEFING STRIP

|                                                                                                                                 |                                  |                                      |                         |                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------|----------------------------------|--------------------------------------|-------------------------|----------------------------------------------------------------------------------------------------|
| ATIS<br>127.8                                                                                                                   | KOLTSOVO Approach (R)<br>125.9   | KOLTSOVO Radar<br>118.7              | KOLTSOVO Tower<br>120.0 | Ground<br>119.0                                                                                    |
| NDB<br>ED<br>* <b>786</b>                                                                                                       | Final<br>Apch Crs<br><b>260°</b> | Minimum Alt<br>D6.0<br>2410' (1649') | MDA(H)<br>1240' (479')  | Apt Elev 766'<br>RWY <b>761'</b>                                                                   |
| <b>MISSED APCH:</b> Climb on 260° to 1750' (989'), then turn LEFT onto 080° climbing to 2730' (1969'), then according to chart. |                                  |                                      |                         | <br>MSA EKB VOR |
| Alt Set: MM (hPa on req)                                                                                                        |                                  | QNH on req (QFE)                     |                         | Trans level: FL 49 ①                                                                               |
|                                                                                                                                 |                                  |                                      |                         | Trans alt: 3720' (2959')                                                                           |



|                     |       |     |     |     |     |                        |       |                      |               |
|---------------------|-------|-----|-----|-----|-----|------------------------|-------|----------------------|---------------|
| RWY 26L <b>761'</b> |       |     |     |     |     | TO DISPLACED THRESHOLD |       |                      |               |
| Gnd speed-Kts       | 70    | 90  | 100 | 120 | 140 | 160                    | HIALS | 1750' (989') on 260° | 080°          |
| Descent angle       | 3.07° | 380 | 489 | 543 | 652 | 760                    | 869   | PAPI                 | 2730' (1969') |

|                             |       |  |  |         |  |  |  |
|-----------------------------|-------|--|--|---------|--|--|--|
| STRAIGHT-IN LANDING RWY 26L |       |  |  |         |  |  |  |
| MDA(H) 1240' (479')         |       |  |  | ALS out |  |  |  |
| A                           |       |  |  |         |  |  |  |
| B                           | 1600m |  |  | 2400m   |  |  |  |
| C                           |       |  |  |         |  |  |  |
| D                           | 2000m |  |  |         |  |  |  |


PANS OPS



**USSS/SVX**  
**KOLTSOVO**

**JEPPesen**  
29 JAN 10 **(16-4)** Eff 11 Feb

**YEKATERINBURG, RUSSIA**  
**2 NDB Rwy 26R**

BRIEFING STRIP

|                                                                                                                                 |                                  |                                             |                                                            |                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------------------|------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| ATIS<br>127.8                                                                                                                   | KOLTSOVO Approach (R)<br>125.9   | KOLTSOVO Radar<br>118.7                     | KOLTSOVO Tower<br>120.0                                    | Ground<br>119.0                                                                                        |
| NDB<br>KU<br>* <b>370</b>                                                                                                       | Final<br>Apch Crs<br><b>256°</b> | Minimum Alt<br><b>D5.1</b><br>2410' (1646') | MDA(H)<br>1220' (456')<br>Apt Elev 766'<br>RWY <b>764'</b> |  <p>MSA EKB VOR</p> |
| <b>MISSED APCH:</b> Climb on 256° to 1750' (986'), then turn LEFT onto 076° climbing to 2740' (1976'), then according to chart. |                                  |                                             |                                                            |                                                                                                        |
| Alt Set: MM (hPa on req)    QNH on req ( <b>QFE</b> )    Trans level: FL 49 <b>1</b> Trans alt: 3720' ( <b>2956'</b> )          |                                  |                                             |                                                            |                                                                                                        |



|                     |       |     |     |     |     |                        |      |  |
|---------------------|-------|-----|-----|-----|-----|------------------------|------|--|
| RWY 26R <b>764'</b> |       |     |     |     |     | TO DISPLACED THRESHOLD |      |  |
| Gnd speed-Kts       | 70    | 90  | 100 | 120 | 140 | 160                    |      |  |
| Descent angle       | 3.58° | 444 | 570 | 634 | 760 | 887                    | 1014 |  |
|                     |       |     |     |     |     |                        |      |  |

|                             |       |  |  |       |  |  |  |
|-----------------------------|-------|--|--|-------|--|--|--|
| STRAIGHT-IN LANDING RWY 26R |       |  |  |       |  |  |  |
| MDA(H) 1220' (456')         |       |  |  |       |  |  |  |
| ALS out                     |       |  |  |       |  |  |  |
| A                           |       |  |  |       |  |  |  |
| B                           | 1300m |  |  | 2100m |  |  |  |
| C                           |       |  |  |       |  |  |  |
| D                           | 2000m |  |  | 2400m |  |  |  |

PANS OPS