

ADD = Added chart, REV = Revised chart, DEL = Deleted chart.

No revision activity since Disc 09-2011

TERMINAL CHART NOTAMs

No Chart NOTAMs for Airport USUU

General Info

Kurgan, RUS

N 55° 28.5' E 65° 25.0' Mag Var: 12.7°E

Elevation: 239'

Public, IFR, Control Tower, No Customs

Time Zone Info: GMT+5:00 uses DST

Runway Info

Runway 02-20 8533' x 138' asphalt

Runway 02 (18.0°M) TDZE 237'

Lights: Edge, ALS

Runway 20 (198.0°M) TDZE 233'

Lights: Edge, ALS

Communications InfoKurgan Tower **124.0** Non-EnglishKurgan Tower **120.3** Non-EnglishKurgan Approach Control **124.0** Non-EnglishKurgan Approach Control **120.3** Non-EnglishKurgan Transit Operations **131.7** Non-English**Notebook Info**

USUU/KRO
KURGAN

JEPPESEN
4 JUN 10 **10-2**

KURGAN, RUSSIA
STAR


*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL39
FL49 if pressure is at or below 753mm (1003.9 hPa)
Trans alt: 2870' **(2633')**


BAGER Ø2A (BAG Ø2A), BAGER Ø2B (BAG Ø2B)
RWY 02 ARRIVALS
FROM NORTH
CAT C & D

FOR RUSSIAN USERS ONLY




FL CONVERSION	
FL59	FL 1800m
FL49	FL 1500m
FL39	FL 1200m

ALT/HEIGHT CONVERSION	
QNH	(QFE)
2870'	(2633' - 800m)
1880'	(1643' - 500m)



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF RD, enter STAR as follows:
from BAGER perform teardrop entry:
overfly RD, 168° track for 1,5 MIN, turn onto RD and perform RIGHT hand racetrack approach;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying RD.
- IF ASR OUT, descend as instructed by ATC.



**USUU/KRO
KURGAN**



JEPPESSEN
4 JUN 10 (10-2A)

KURGAN, RUSSIA

*KURGAN Approach (Russian) 120.3 124.0X	<i>Apt Elev</i> 239'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL39 FL49 if pressure is at or below 753mm (1003.9 hPa) Trans alt: 2870' (2637') Final turn to be performed with descent.
--	--------------------------------	--

**BAGER 20A (BAG 20A)
RWY 20 ARRIVAL
FROM NORTH**

FOR RUSSIAN USERS ONLY



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF UN, then perform racetrack approach;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying UN;
- IF ASR OUT, descend as instructed by ATC.
- track 018°: CAT A&B 2 MIN
CAT C&D 1.5 MIN.

FL CONVERSION	
FL59	<i>FL1800m</i>
FL49	<i>FL1500m</i>
FL39	<i>FL1200m</i>

ALT/HEIGHT CONVERSION
QNH (QFE)
2870' (2637' - 800m)
1550' (1317' - 400m)

USUU/KRO
KURGAN

JEPPESSEN
4 JUN 10 **(10-2B)**

KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X


Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL39
FL49 if pressure is at or below 753mm (1003.9 hPa)
Trans alt: 2870' **(2633')**


ARLAD Ø2A (ARL Ø2A)
DONUS Ø2A (DON Ø2A)①, MILSU Ø2A (MLS Ø2A)
RWY 02 ARRIVALS
FROM EAST & SOUTH

CAT C & D

FOR RUSSIAN USERS ONLY




① Execute noise abatement procedures.



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF RD, enter STAR as follows:
- from MILSU or ARLAD, after overflying RD, perform parallel entry into racetrack by turning LEFT onto 198° (outbound leg), proceed for 1,5 MIN, then turn LEFT onto RD, cross at 2870' (2633'), then perform RIGHT hand racetrack approach;
- from DONUS perform RIGHT hand racetrack approach
- IN THE EVENT OF LOST COMMS, descend for approach after overflying RD.
- IF ASR OUT, descend as instructed by ATC.



FL CONVERSION

FL69 **FL2100m**
FL59 **FL1800m**
FL49 **FL1500m**
FL39 **FL1200m**

ALT/HEIGHT CONVERSION

QNH **(QFE)**
2870' **(2633' - 800m)**
1880' **(1643' - 500m)**

USUU/KRO
KURGAN

JEPPESSEN
4 JUN 10 **(10-2C)**



KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL39
FL49 if pressure is at or below 753mm (1003.9 hPa)
Trans alt: 2870' **(2637')**
Final turn to be performed with descent.


ARLAD 20A (ARL 20A)
DONUS 20A (DON 20A)①, MILSU 20A (MLS 20A)
RWY 20 ARRIVALS
FROM EAST & SOUTH
FOR RUSSIAN USERS ONLY



① Execute noise abatement procedures.

LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF UN, enter STAR as follows:
- from MILSU or ARLAD, after overflying UN, perform direct entry into racetrack by turning LEFT onto outbound leg;
- from DONUS perform teardrop entry: overfly UN and turn RIGHT onto 048°;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying UN.
- IF ASR OUT, descend as instructed by ATC;
- track 018° or 048° 1,5 MIN.




FL CONVERSION

FL69 **FL2100m**
FL59 **FL1800m**
FL49 **FL1500m**
FL39 **FL1200m**

ALT/HEIGHT CONVERSION

QNH **(QFE)**
2870' **(2637' - 800m)**
1880' **(1647' - 500m)**
1550' **(1317' - 400m)**



USUU/KRO
KURGAN

JEPPESEN
4 JUN 10 **(10-2D)**

KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL39
FL49 if pressure is at or below 753mm (1003.9 hPa)
Trans alt: 2870' **(2633')**
Final turn to be performed with descent.


BEKAT Ø2A (BKT Ø2A), BEKAT Ø2B (BKT Ø2B) ①
OKUNA Ø2A (OKN Ø2A), OKUNA Ø2B (OKN Ø2B) ①
TABES Ø2A (TAB Ø2A), TABES Ø2B (TAB Ø2B) ①

RWY 02 ARRIVALS



FROM WEST

CAT C & D

FOR RUSSIAN USERS ONLY



**HOLDING
OVER RD**



FL CONVERSION


FL69 **FL2100m**
FL49 **FL1500m**
FL39 **FL1200m**

ALT/HEIGHT CONVERSION


QNH **(QFE)**
2870' **(2633' - 800m)**
2210' **(1973' - 600m)**
1880' **(1643' - 500m)**

LOST COMMS AND ASR OUT PROCEDURES:

-commence approach by overflying IAF RD,
then perform RIGHT hand racetrack approach;
-IN THE EVENT OF LOST COMMS, descend
for approach after overflying RD.
-IF ASR OUT, descend as instructed by ATC.

USUU/KRO
KURGAN**JEPPESSEN**
4 JUN 10 **10-2E****KURGAN, RUSSIA****STAR***KURGAN Approach
(Russian)
120.3 124.0X**Apt Elev**
239'Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL39
FL49 if pressure is at or below 753mm (1003.9 hPa)
Trans alt: 2870' **(2637')**
Final turn to be performed with descent.**BEKAT 20A (BKT 20A), BEKAT 20B (BKT 20B)**
OKUNA 20A (OKN 20A), OKUNA 20B (OKN 20B)
TABES 20A (TAB 20A), TABES 20B (TAB 20B)
RWY 20 ARRIVALS**FROM WEST****CAT C & D****FOR CAT A & B REFER TO CHART 10-2F**
FOR RUSSIAN USERS ONLY**FL CONVERSION**FL69 **FL2100m**
FL49 **FL1500m**
FL39 **FL1200m****ALT/HEIGHT CONVERSION**QNH **(QFE)**
2870' **(2637' - 800m)**
1880' **(1647' - 500m)**
1550' **(1317' - 400m)****LOST COMMS AND ASR OUT PROCEDURES:**

- commence approach by overflying IAF UN,
- then perform racetrack approach;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying UN.
- IF ASR OUT, descend as instructed by ATC;
- track 018°: 1.5 MIN.

**NOT TO SCALE**

**USUU/KRO
KURGAN**

JEPPESSEN
4 JUN 10 10-2F

KURGAN, RUSSIA


STAR

*KURGAN Approach
(Russian)

120.3 124.0X

Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL39
FL49 if pressure is at or below 753mm (1003.9 hPa)
Trans alt: 2870' **(2637')**
Final turn to be performed with descent.



BEKAT 20A (BKT 20A), BEKAT 20B (BKT 20B)
OKUNA 20A (OKN 20A), OKUNA 20B (OKN 20B)
TABES 20A (TAB 20A), TABES 20B (TAB 20B)

RWY 20 ARRIVALS

FROM WEST


CAT A & B

FOR RUSSIAN USERS ONLY

FL CONVERSION		ALT/HEIGHT CONVERSION (QFE)	
FL69	FL2100m	QNH 2870'	(2637' - 800m)
FL49	FL1500m	1880'	(1647' - 500m)
FL39	FL1200m	1550'	(1317' - 400m)

LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF UN, then perform racetrack approach;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying UN.
- IF ASR OUT, descend as instructed by ATC; track 018°; 2 MIN.



USUU/KRO
KURGAN

JEPPESEN
4 JUN 10 **10-3**

KURGAN, RUSSIA
SID



*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

QNH on request (**QFE**)
Trans level: FL39
FL49 if pressure is at or below 753mm (1003.9 hPa)
Trans alt: 2870' (**2633'**)
Once airborne, ensure noise abatement while climbing to 2210' (**1973'**).

ARLAD Ø2C (ARL Ø2C), BAGER Ø2C (BAG Ø2C)
DONUS Ø2C (DON Ø2C), MILSU Ø2C (MLS Ø2C)
RWY 02 DEPARTURES
TO NORTH, EAST & SOUTH

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION	
QNH	(QFE)
900'	(663' - 200m)
2210'	(1973' - 600m)
2870'	(2633' - 800m)

FL CONVERSION	
FL39	FL 1200m
FL49	FL 1500m
FL59	FL 1800m
FL69	FL 2100m

USUU/KRO
KURGAN

JEPPESEN
4 JUN 10 **(10-3A)**

KURGAN, RUSSIA
SID


*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

QNH on request **(QFE)**
Trans level: FL39
FL49 if pressure is at or below 753mm (1003.9 hPa)
Trans alt: 2870' **(2637')**
Once airborne, ensure noise abatement while climbing to 2210' **(1977')**.

ARLAD 20C (ARL 20C), BAGER 20C (BAG 20C)
DONUS 20C (DON 20C), MILSU 20C (MLS 20C)
RWY 20 DEPARTURES
TO NORTH, EAST & SOUTH

FOR RUSSIAN USERS ONLY



BAGER

N56 00.7 E065 23.8

At or above
FL69



BAG 20C

30

ARL 20C
BAG 20C
MLS 20C
Turn at 890'
(657')

*708 UN
N55 31.1 E065 27.6
At or above
FL39

MILSU
N55 38.3 E066 19.4
At or above
FL69


RITOS
N55 55.1
E068 01.3

60
060°

ABALI
N55 32.7
E068 01.3

57
074°

ARLAD
N55 30.6 E066 21.8
At or above
FL69



DON 20C

DONUS
N54 59.8 E064 56.1
At or above
FL59



NOT TO SCALE

ALT/HEIGHT CONVERSION
QNH (QFE)
890' **(657' - 200m)**
2210' **(1977' - 600m)**
2870' **(2637' - 800m)**

FL CONVERSION
FL39 **FL 1200m**
FL49 **FL 1500m**
FL59 **FL 1800m**
FL69 **FL 2100m**

USUU/KRO
KURGAN

JEPPESEN
4 JUN 10 **(10-3B)**

KURGAN, RUSSIA
SID



*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

QNH on request **(QFE)**
Trans level: FL39
FL49 if pressure is at or below 753mm (1003.9 hPa)
Trans alt: 2870' **(2633')**
Once airborne, ensure noise abatement while climbing to 2210' **(1973')**.

OKUNA 02C (OKN 02C)① , OKUNA 02D (OKN 02D)①②
TABES 02D (TAB 02D)②
RWY 02 DEPARTURES
TO WEST

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION	
QNH	(QFE)
900'	(663' - 200m)
2210'	(1973' - 600m)
2870'	(2633' - 800m)

FL CONVERSION	
FL39	FL 1200m
FL49	FL 1500m
FL59	FL 1800m



**USUU/KRO
KURGAN**



JEPPESEN
4 JUN 10 (10-3C)

KURGAN, RUSSIA
SID

*KURGAN Approach (Russian) 120.3 124.0X	<i>Apt Elev</i> 239'	QNH on request (QFE) Trans level: FL39 FL49 if pressure is at or below 753mm (1003.9 hPa) Trans alt: 2870' (2637') Once airborne, ensure noise abatement while climbing to 2210' (1977') .
--	--------------------------------	--

OKUNA 20C (OKN 20C)❶, OKUNA 20D (OKN 20D)❶❷
 TABES 20C (TAB 20C), TABES 20D (TAB 20D)❶
 RWY 20 DEPARTURES
 TO WEST

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION
QNH (QFE)
890' (657' - 200m)
2210' (1977' - 600m)
2870' (2637' - 800m)

FL CONVERSION

FL39	<i>FL 1200m</i>
FL49	<i>FL 1500m</i>
FL59	<i>FL 1800m</i>



USUU/KRO
 Apt Elev **239'**
 N55 28.5 E065 25.0


JEPPESSEN
 4 JUN 10 **(10-9)**

KURGAN, RUSSIA
 KURGAN

*KURGAN Tower (TWR/GND)

120.3 Russian only

FOR RUSSIAN USERS ONLY



ADDITIONAL RUNWAY INFORMATION

					USABLE LENGTHS			WIDTH
					LANDING BEYOND		TAKE-OFF	
RWY					Threshold	Glide Slope		
02	RL	ALS	PAPI (angle 3.00°)	RVR				138'
20	RL	ALS	PAPI (angle 2.67°)	RVR				42m
02	Grass runway							230'
20								70m
07								197'
25								60m

TAKE-OFF

AIR CARRIER (JAA)
Main rwy 02/20

LVP must be in force
 RCLM (DAY only)
 or RL

RCLM (DAY only)
 or RL

A
B
C
D

250m


300m

400m

USUU/KRO


JEPPESEN
4 JUN 10 (10-9A)

KURGAN, RUSSIA
KURGAN




USUU/KRO
KURGANJEPPESSEN
4 JUN 10 (11-1)KURGAN, RUSSIA
ILS or 2 NDB Rwy 02

BRIEFING STRIP


*KURGAN Approach (ASR) Russian only 120.3 124.0X				*KURGAN Tower (TWR/GND) 120.3 Russian only	
LOC IRD *110.9	Final Apch Crs 018°	GS LOM 975' (738')	ILS DA(H) Refer to Minimums	Apt Elev 239' RWY 237'	
NDB RD *708		Minimum Alt 5.3 NM RDP 1880' (1643')	NDB MDA(H) 650' (413')		
MISSED APCH: Climb to 900'(663'), then turn RIGHT onto 198° climbing to 1880'(1643'), then proceed with racetrack, or as directed.					
Alt Set: MM (hPa on req)		QNH on req (QFE)	Trans level: FL 39 1	Trans alt: 2870'(2633')	

ALT/HEIGHT CONVERSION

QNH	(QFE)
2870' (2633' - 800m)	
1880' (1643' - 500m)	
1010' (773' - 235m)	
900' (663' - 200m)	
500' (263' - 80m)	



NDB Apch: Pass LMM not below 500' (263').



PANS OPS

STRAIGHT-IN LANDING RWY 02									
ILS		LOC (GS out)	2 NDB		RD LOM		R LMM MDA(H)		
DA(H)	AB: 437' (200')		MDA(H) 650' (413')		MDA(H) 1060' (823')		AB: 1060' (823')		
CD: 467' (230')							CD: 1230' (993')		
FULL		ALS out	ALS out		ALS out		ALS out		
A	1200m		NOT AUTH	RVR 1500m VIS 1600m		RVR 1500m VIS 1600m		RVR 1500m VIS 1600m	
RVR 1800m VIS 2000m						RVR 1800m VIS 2000m			
C				RVR 1800m VIS 2000m		4000m		4800m	
D						4400m			

CHANGES: New procedure.

© JEPPESSEN, 2010. ALL RIGHTS RESERVED.

