

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
-----	-----------------	-------	----------	----------

No revision activity since Disc 11-2011

TERMINAL CHART NOTAMS

Chart NOTAMs for Airport UTAK

Type: Terminal

Effectivity: Temporary

Begin Date: Immediately

End Date: Until Further Notice

Rwy 16/34 renamed 16L/34R. New rwy 16R/34L located parallel to 16L/34R 623'(190m) to the west, dimensions 11483'(3500m) x 148'(45m).

UTAK (Turkmenbashi)**General Info**

Turkmenbashi, TKM

N 40° 03.8' E 53° 00.4' Mag Var: 4.7°E

Elevation: 279'

Public, IFR, Control Tower, Customs, Landing Fee

Fuel: Jet A-1

Repairs: Minor Airframe, Minor Engine

Time Zone Info: GMT+5:00 no DST

Runway Info

Runway 16-34 8202' x 144' concrete

Runway 16 (162.0°M) TDZE 230'

Lights: Edge, ALS

Runway 34 (342.0°M) TDZE 279'

Lights: Edge, ALS

Communications InfoTurkmenbashi Start Tower **124.0**Turkmenbashi Taxiing Ground Control **121.7**Turkmenbashi Krug Radar **120.0****Notebook Info**

UTAK/KRW
TURKMENBASHI

24 JUN 05


JEPPESEN

10-2

Eff 7 Jul

TURKMENBASHI, TURKMENISTAN

STAR



UTAK/KRW
TURKMENBASHI

24 JUN 05




TURKMENBASHI, TURKMENISTAN


Eff 7 Jul**STAR**

Apt Elev
279'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL49 Trans alt: 3240' (2961')



**AGMAL 4, BEGLI 4
RWY 34 ARRIVALS
FOR ACFT WITH SPEED MORE THAN 165 KT**



CHANGES: Direction reference in chart heading withdrawn.


© JEPPESEN SANDERSON, INC., 2002, 2005. ALL RIGHTS RESERVED.

UTAK/KRW
TURKMENBASHI


JEPPESEN **TURKMENBASHI, TURKMENISTAN**
16 SEP 05 **(10-2B)** **Eff 29 Sep** **STAR**

Apt Elev
279'

Alt set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL49 Trans alt: 3240' **(3010')**



KERUL 2, METKA 2
RWY 16 ARRIVALS
FOR ACFT WITH SPEED MORE THAN 165 KT



FL CONVERSION	
FL69	FL2100m
FL49	FL1500m
ALT/HEIGHT CONVERSION	
QNH	(QFE)
3240'	(3010' - 900m)
1870'	(1640' - 500m)

CHANGES: TABAB established.


© JEPPESEN SANDERSON, INC., 2002, 2005. ALL RIGHTS RESERVED.

UTAK/KRW
TURKMENBASHI

JEPPESEN **TURKMENBASHI, TURKMENISTAN**
16 SEP 05 **(10-2C)** **Eff 29 Sep** **STAR**

Apt Elev
279'

Alt set: MM (hPa on request) QNH on request (QFE)
Trans level: FL49 Trans alt: 3240' (**2961'**)



KERUL
N41 51.5 E052 08.4

KERUL 4, METKA 4
RWY 34 ARRIVALS
FOR ACFT WITH SPEED MORE THAN 165 KT

TABAB
N40 54.2 E052 36.5

D32.4 KRS
N40 35.6 E052 45.5

At or above
FL69

METKA
N40 43.5 E051 30.0

D32.4 KRS
N40 21.0 E052 23.2

At or above
FL69



NOT TO SCALE

FL CONVERSION
FL69 **FL2100m**
FL49 **FL1500m**

ALT/HEIGHT CONVERSION
QNH (QFE)
3240' (**2961' - 900m**)
2250' (**1971' - 600m**)
1920' (**1641' - 500m**)

D9.8 KRS
N39 55.5 E052 57.2
(KRS R-188)

At 2250'
(1971')

D10.4 KRS
N39 54.9 E052 57.7
(KRS R-185)

At 2250'
(1971')

TURKMENBASHI
D112.3 KRS
N40 05.1 E053 00.0



TURKMENBASHI
***610 WZ**
N40 01.1 E053 01.3



Intercept
final at
1920'
(1641')

D10.3 KRS
N39 54.8 E053 00.9
(KRS R-171)

At 1920'
(1641')

UTAK/KRW
TURKMENBASHI

24 JUN 05




TURKMENBASHI, TURKMENISTAN


Eff 7 Jul**STAR**

Apt Elev
279'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL49 Trans alt: 3240' (**3010'**)



**AGMAL 2B, BEGLI 2B
RWY 16 ARRIVALS
FOR ACFT WITH SPEED 165 KT OR LESS**



UTAK/KRW
TURKMENBASHI

JEPPESEN


TURKMENBASHI, TURKMENISTAN

24 JUN 05

10-2E

Eff 7 Jul

STAR




UTAK/KRW
TURKMENBASHI


JEPPesen **TURKMENBASHI, TURKMENISTAN**
16 SEP 05 **10-2F** **Eff 29 Sep** **STAR**

Apt Elev
279'

Alt set: MM (hPa on request) QNH on request (QFE)
Trans level: FL49 Trans alt: 3240' (**3010'**)



KERUL 2B, METKA 2B
RWY 16 ARRIVALS
FOR ACFT WITH SPEED 165 KT OR LESS



FL CONVERSION
FL69 **FL2100m**
FL49 **FL1500m**

ALT/HEIGHT CONVERSION
QNH (QFE)
3240' (**3010' - 900m**)
1870' (**1640' - 500m**)

UTAK/KRW
TURKMENBASHI


16 SEP 05

TURKMENBASHI, TURKMENISTAN


Eff 29 Sep**STAR**

Apt Elev
279'

Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL49 Trans alt: 3240' **(2961')**



**KERUL 4D, METKA 4D
RWY 34 ARRIVALS
FOR ACFT WITH SPEED 165 KT OR LESS**



NOT TO SCALE

FL CONVERSION	
FL69	<i>FL2100m</i>
FL49	<i>FL1500m</i>

ALT/HEIGHT CONVERSION	
QNH	(<i>QFE</i>)
3240'	<i>(2961' - 900m)</i>
2250'	<i>(1971' - 600m)</i>
1920'	<i>(1641' - 500m)</i>

UTAK/KRW
TURKMENBASHI

16 SEP 05

JEPPESSEN

10-3

Eff 29 Sep

TURKMENBASHI, TURKMENISTAN



SID

Apt Elev
 279'

QNH on request (QFE)

Trans level: FL49 Trans alt: 3240' (2961')

AGMAL 1, AGMAL 3, BEGLI 1, BEGLI 3
RWYS 16, 34 DEPARTURES



FL CONVERSION	
FL49	FL1500m
FL69	FL2100m

ALT/HEIGHT CONVERSION (QFE)	
940'	(661' - 200m)
970'	(691' - 210m)
1270'	(991' - 300m)
3240'	(2961' - 900m)

These SIDs require a minimum climb gradient of 280' per NM (4.6%) up to 970' (691').


Gnd speed-KT	75	100	150	200	250	300
280' per NM	349	466	699	932	1165	1398

UTAK/KRW
TURKMENBASHI


JEPPESEN **TURKMENBASHI, TURKMENISTAN**
16 SEP 05 **(10-3A)** **Eff 29 Sep** **SID**

Apt Elev
279'

QNH on request **(QFE)**
Trans level: FL49 Trans alt: 3240' **(2961')**



KERUL 1, KERUL 3
METKA 1, METKA 3
RWYS 16, 34 DEPARTURES



ALT/HEIGHT CONVERSION	
QNH	(QFE)
940'	(661' - 200m)
970'	(691' - 210m)
1270'	(991' - 300m)
3240'	(2961' - 900m)

FL CONVERSION	
FL49	FL1500m
FL69	FL2100m

These SIDs require a minimum climb gradient of 280' per NM (4.6%) up to 970' **(691')**.

Gnd speed-KT	75	100	150	200	250	300
280' per NM	349	466	699	932	1165	1398

UTAK/KRW


Apt Elev **279'**
N40 03.8 E053 00.4

12 JAN 07

(10-9)

JEPPesen TURKMENBASHI, TURKMENISTAN

TURKMENBASHI



ADDITIONAL RUNWAY INFORMATION

RWY			USABLE LENGTHS		WIDTH
			LANDING BEYOND		
			Threshold	Glide Slope	TAKE-OFF
16 34	RL (60m) ALS			7191' 2192m	8038' 2450m
				7286' 2221m	①
16 34	Grass runway				262' 80m
②					262' 80m

① TAKE-OFF RUN AVAILABLE

RWY 34:

From rwy head 8038' (2450m)
twy 3 int 6398' (1950m)

② Undesignated runway.

TAKE-OFF

AIR CARRIER (JAA)			
Main rwy 16		Main rwy 34	
DAY	NIGHT	DAY	NIGHT
RCLM or RL	RL	RCLM or RL	RL
A	80m - 1200m	400m ①	400m ①
B	400m	400m	400m
C			
D	500m	500m	700m

① LVP must be in force: VIS 300m.

CHANGES: Minimums.

© JEPPESEN SANDERSON, INC., 2002, 2007. ALL RIGHTS RESERVED.

UTAK/KRW**JEPPESEN**
8 APR 11 **10-9S****TURKMENBASHI, TURKMENISTAN**
TURKMENBASHI**Standard**

STRAIGHT-IN RWY		A	B	C	D
16	ILS	492' (262') R1200m	492' (262') R1200m	492' (262') R1200m	492' (262') R1200m
	ALS out	R1300m	R1300m	R1300m	R1300m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	2 NDB ❶ ❷	560' (330') R1300m	560' (330') R1700m	630' (400') R2000m	630' (400') R2000m
	ALS out	R1500m	R1700m	R2000m	R2000m
34	ILS	541' (262') R1200m	541' (262') R1200m	541' (262') R1200m	541' (262') R1200m
	ALS out	R1300m	R1300m	R1300m	R1300m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	2 NDB ❶	680' (401') 1700m	780' (501') 2700m	780' (501') 2700m	780' (501') 2700m
	ALS out	1900m	2700m	2700m	2700m

❶ Continuous Descent Final Approach.

❷ B737 acft: MDA(H) 1050'(820') 4000m.

TAKE-OFF RWY 16, 34

Rwy 16				Rwy 34			
DAY		NIGHT RL		DAY		NIGHT RL	
RCLM or RL	NIL			RCLM or RL	NIL		
A	ceiling 80m - 1200m	ceiling 80m - 1200m	ceiling 80m - 1200m	400m ❶	500m	400m ❶	
B	400m		400m	400m		400m	
C	500m	500m	700m	500m		700m	
D							

❶ LVP must be in force: VIS 300m.

UTAK/KRW**JEPPESEN**
3 OCT 08 **10-9X****JAA MINIMUMS****TURKMENBASHI, TURKMENISTAN**
TURKMENBASHI

STRAIGHT-IN RWY		A	B	C	D
16	ILS	492' (262')	492' (262')	492' (262')	492' (262')
		1200m	1200m	1200m	1200m
	LOC	NOT AUTHORIZED			
34	2 NDB ❶	560' (330')	560' (330')	630' (400')	630' (400')
		1300m	1700m	2000m	2000m
	<i>ALS out</i>	1500m	1700m	2000m	2000m
34	ILS	541' (262')	541' (262')	541' (262')	541' (262')
		1200m	1200m	1200m	1200m
	LOC	NOT AUTHORIZED			
2 NDB		680' (401')	780' (501')	780' (501')	780' (501')
		1700m	2700m	2700m	2700m

❶ B737 acft: MDA(H) 1050' (820'), 4000m.

TAKE-OFF RWY 16, 34

Rwy 16				Rwy 34		
	DAY		NIGHT	DAY		NIGHT
	RCLM or RL	NIL	RL	RCLM or RL	NIL	RL
A	ceil 80m - 1200m	ceil 80m - 1200m	ceil 80m - 1200m	400m ❶	500m	400m ❶
B	400m	500m	400m	400m		400m
C	500m		700m	500m		700m
D						

❶ LVP must be in force: VIS 300m.


UTAK/KRW TURKMENBASHI

14 MAR 08 (11-1)

JEPPESEN TURKMENBASHI, TURKMENISTAN ILS or 2 NDB Rwy 16



BRIEFING STRIP

TURKMENBASHI Krug (R) 120.0		TURKMENBASHI Start (TWR) 124.0		Ground 121.7
LOC ICO * 110.3	Final Apch Crs 162°	GS LOM 951' (721')	ILS DA(H) 492' (262')	Apt Elev 279' RWY 230'
NDB CO * 610		Minimum Alt LOM 960' (730')	NDB MDA(H) Refer to Minimums	



MISSED APCH: Climb on 162° to 1220' (990'), then turn LEFT onto 342° climbing to 2200' (1970'), then according to chart.

Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 49 Trans alt: 3240' (3010')
During firing within the undesignated restricted area right-hand traffic pattern will be available by ATC.



Gnd speed-Kts	70	90	100	120	140	160	ALS	1220' (990')	162°	342°	2200' (1970')
ILS GS 3.00° or NDB Descent Grad 5.2%	377	484	538	646	753	861					

STRAIGHT-IN LANDING RWY 16				NDB	
ILS		LOC (GS out)		MDA(H)	
DA(H) 492' (262')				AB: 560' (330')	
FULL				CD: 630' (400')	
ALS out				ALS out	
A	1200m	NOT AUTHORIZED		1600m	
B				1700m	
C					
D				2000m	

B737 acft: MDA(H) 1050' (820'), 4000m.

CHANGES: None.


© JEPPESEN, 2002, 2007. ALL RIGHTS RESERVED.

UTAK/KRW TURKMENBASHI

14 MAR 08 (11-2)



JEPPESEN TURKMENBASHI, TURKMENISTAN ILS or 2 NDB Rwy 34

BRIEFING STRIP

TURKMENBASHI Krug (R) 120.0		TURKMENBASHI Start (TWR) 124.0		Ground 121.7	
LOC IWZ *108.5	Final Apch Crs 342°	GS LOM 1132' (853')	ILS DA(H) 541' (262')	Apt Elev 279'	
NDB WZ *610		Minimum Alt LOM 1240' (961')	NDB MDA(H) Refer to Minimums	RWY 279'	

MISSED APCH: Climb on 342° to 940' (661'), then turn LEFT onto 162° climbing to 2250' (1971'), then according to chart.

Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 49 Trans alt: 3240' (2961')
1. Heavy turbulence with down-drafts may be expected on final. 2. NDB apch: Final desc after LOM 430'/NM.



940' (661') on 342°	162°	2250' (1971')
---------------------	------	---------------

STRAIGHT-IN LANDING RWY 34		NDB	
ILS	LOC (GS out)	MDA(H)	ALS out
DA(H) 541' (262')		A: 680' (401')	
FULL		BCD: 780' (501')	
ALS out			
A	1200m	NOT AUTHORIZED	1700m
B			
C			
D			
			2700m