

List of pages in this Trip Kit

Trip Kit Index

Airport Information For UMII

Terminal Charts For UMII

Revision Letter For Cycle 08-2012

Change Notices

Notebook

General Information

Location: Viciebsk Blr
IATA Code: VTB
Lat/Long: N55° 07.6' E030° 21.0'
Elevation: 682 ft

Airport Use: Public
Magnetic Variation: 8.2°E

Fuel Types: Jet, Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0244 Z
Sunset: 1711 Z,

Runway Information

Runway: 05
Length x Width: 8550 ft x 138 ft
Surface Type: asphalt
TDZ-Elev: 629 ft
Lighting: Edge, ALS

Runway: 15
Length x Width: 1804 ft x 79 ft
Surface Type: grass
TDZ-Elev: 702 ft

Runway: 23
Length x Width: 8550 ft x 138 ft
Surface Type: asphalt
TDZ-Elev: 678 ft
Lighting: Edge, ALS

Runway: 33
Length x Width: 1804 ft x 79 ft
Surface Type: grass
TDZ-Elev: 679 ft

Communication Information


ATIS 126.525 Non-English
ATIS 119.425
Viciebsk Tower 120.4

*ATIS
119.42
(Russian **126.52**)

Apt Elev
682'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL50
FL60 if pressure is less than 733mm (977.3 hPa)
Trans alt: 3640' (**3011'**)

RWY 05 ARRIVALS



RATIN
N55 16.8 E030 51.7
Between
FL130 & FL50

***524 WS**
N55 06.2 E030 16.5

VICIEBSK
D 112.7 VTB
N55 07.5 E030 21.1

Intercept final at
2270' (**1641'**)

D9.7 VTB
N55 02.0 E030 07.3
(VTB R-227)

A+ 2270' (**1641'**)

D9.8 VTB
N55 01.6 E030 07.5
(VTB R-225)

A+ 2270' (**1641'**)

D9.8 VTB
N55 01.5 E030 07.6
(VTB R-224)

A+ 2270' (**1641'**)

D5.2 VTB
N55 02.4 E030 20.0

A+ 2270' (**1641'**)

D9.7 VTB
N54 59.7 E030 11.2

A+ 2270' (**1641'**)



ALT/HEIGHT CONVERSION
QNH (QFE)
3640' (3011' - 900m)
2270' (1641' - 500m)

DINPU
N54 25.6 E030 15.8
Between
FL130 & FL50


RUMIK
N54 27.6 E030 32.3
Between
FL130 & FL50

*ATIS
119.42
(Russian **126.52**)

Apt Elev
682'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL50
FL60 if pressure is less than 733mm (977.3 hPa)
Trans alt: 3640' (**3011'**)

RWY 05 ARRIVALS




ALT/HEIGHT CONVERSION
QNH (QFE)
3640' (3011' - 900m)
2270' (1641' - 500m)


*ATIS
119.42
(Russian **126.52**)

Apt Elev
682'

Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL50
FL60 if pressure is less than 733mm (977.3 hPa)
Trans alt: 3640' **(3011')**



RWY 05 ARRIVALS



ALT/HEIGHT CONVERSION

QNH (QFE)

3640' (3011' - 900m)

2600' (1971' - 600m)



2270' (1641' - 500m)


*ATIS
119.42
(Russian 126.52)

Apt Elev
682'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL50
FL60 if pressure is less than 733mm (977.3 hPa)
Trans alt: 3640' (2962')


RWY 23 ARRIVALS





Apt Elev
682'

QNH on request (QFE)
Trans level: FL50
FL60 if pressure is less than 733mm (977.3 hPa)
Trans alt: 3640' (3011')



RWY 05 DEPARTURES

ALT/HEIGHT CONVERSION	
QNH	(QFE)
1290'	(661' - 200m)
2270'	(1641' - 500m)
3640'	(3011' - 900m)



KODON
N55 14.4 E029 10.9
Between
FL50 & FL130

VALTA
N55 08.5 E029 10.6
Between
FL50 & FL130

SIVRU
N55 01.9 E029 11.3
Between
FL50 & FL130

KOSAN
N54 46.5 E029 16.6
Between
FL50 & FL130

LAPKI
N54 40.5 E029 28.9
Between
FL50 & FL130

NELOK
N54 34.1 E029 48.5
Between
FL50 & FL130

DINPU
N54 25.6 E030 15.8
Between
FL50 & FL130

RUMIK
N54 27.6 E030 32.3
Between
FL50 & FL130

D5.2 VTB
N55 02.4 E030 20.0
At 2270' (1641')

VICIEBSK
D 112.7 VTB
N55 07.5 E030 21.1

***524 WS**
N55 06.2 E030 16.5

OLAGO
N55 48.0 E030 29.4
(VTB R-358/D40.9)
Between
FL50 & FL130

RATIN
N55 16.8 E030 51.7
(VTB R-054/D19.9)
Between
FL50 & FL130

OGUTA
N55 11.5 E030 57.9
(VTB R-070/D21.5)
Between
FL70 & FL130


Apt Elev
682'

QNH on request (QFE)

Trans level: FL50

FL60 if pressure is less than 733mm (977.3 hPa)

Trans alt: 3640' (2962')



RWY 23 DEPARTURES

ALT/HEIGHT CONVERSION

QNH

(QFE)

1340' (662' - 200m)

2320' (1642' - 500m)

3640' (2962' - 900m)



KODON

N55 14.4 E029 10.9

Between
FL50 & FL130

D40.8 272°

VALTA

N55 08.5 E029 10.6

Between
FL50 & FL130

D40.5 264°

SIVRU

N55 01.9 E029 11.3

Between
FL50 & FL130

D40.5 254°

KOSAN

N54 46.5 E029 16.6
(VTB R-233/D42.8)

Between
FL50 & FL130

LAPKI

N54 40.5 E029 28.9

Between
FL50 & FL130

NELOK

N54 34.1 E029 48.5

Between
FL50 & FL130

DINPU

N54 25.6 E030 15.8

Between
FL50 & FL130

OLAGO

N55 48.0 E030 29.4

Between
FL50 & FL130

*524 UU

N55 09.0 E030 25.6

VICIEBSK

P 112.7 VTB

N55 07.5 E030 21.1

RATIN

N55 16.8 E030 51.7

Between
FL50 & FL130

D19.9 054°

D17 040°

D18 060°

OGUTA

N55 11.5 E030 57.9

(VTB R-070/
D21.5)

Between
FL70 & FL130

D12 054°

D12 171°

D12 157°

D12 109°

D12 060°

D12 054°

D12 040°

D12 031°

D12 019°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°

D12 006°


D12 006°

D12 006°

D12 006°

D12 006°

D12 006°



TAKE-OFF		
AIR CARRIER (JAA)		
All Rwys		
	LVP must be in force RCLM (DAY only) or RL	RCLM (DAY only) or RL
A	250m	400m
B		
C		
D	300m	

STRAIGHT-IN RWY		A	B	C	D
05	NDB ①	990' (361')	990' (361')	990' (361')	990' (361')
		R1500m	R1500m	R1500m	R1500m
	<i>ALS out</i>	R1700m	R1700m	R1700m	R1700m
23	ILS	911' (233')	921' (243')	931' (253')	941' (263')
		R1000m	R1000m	R1100m	R1100m
	<i>ALS out</i>	R1200m	R1300m	R1300m	R1300m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	NDB ①	1030' (352')	1030' (352')	1030' (352')	1030' (352')
		R1400m	R1400m	R1400m	R1400m
	<i>ALS out</i>	R1600m	R1600m	R1600m	R1600m

① Continuous Descent Final Approach.


TAKE-OFF RWY 05, 23			
LVP must be in Force			
RCLM (DAY only) or RL		RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		

STRAIGHT-IN RWY		A	B	C	D
05	NDB	990' (361')	990' (361')	990' (361')	990' (361')
		R1300m	R1400m	R1600m	R1800m
	<i>ALS out</i>	R1500m	R1500m	R1800m	R2000m
23	ILS	911' (233')	921' (243')	931' (253')	941' (263')
		R800m	R800m	R900m	R900m
	<i>ALS out</i>	R1000m	R1000m	R1200m	R1200m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	NDB	1030' (352')	1030' (352')	1030' (352')	1030' (352')
	<i>ALS out</i>	R1300m R1500m	R1400m R1500m	R1600m R1800m	R1800m R2000m

TAKE-OFF RWY 05, 23


LVP must be in Force			
RCLM (DAY only) or RL		RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		

*ATIS	119.42 (Russian) 126.52		*VICIEBSK Tower (APP/TWR)	120.4	*Ground	120.4
NDB WS *524	Final Apch Crs 054°	Minimum Alt LOM 1390' (761')	MDA(H) 990' (361')	Apt Elev 682'	RWY 629'	
MISSED APCH: Climb on 054° to 1290' (661'), then turn RIGHT onto 234° climbing to 2270' (1641'), then according to chart.						MSA ARP




Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 50 1 Trans alt: 3640' (3011')

1 FL 60, if pressure is less than 733 mm (977.3 hPa)



Pass LMM not below 900' (271').



ALS	1290' (661') on 054°	234°	2270' (1641')
PAPI		RT	

STRAIGHT-IN LANDING RWY 05

MDA(H) 990' (361')

ALS out

A		
B	1800m	
C		
D	2000m	

Chart changes since cycle 07-2012

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
VICIEBSK, (VICIEBSK - UMII)				
REV	RWY 05 ARRS (FROM EAST & ...	10-2	23 Mar 2012	05 Apr 2012
REV	RWY 05 ARRS (FROM SOUTHWE...	10-2A	23 Mar 2012	05 Apr 2012
REV	RWY 05 ARRS (FROM NORTHWE...	10-2B	23 Mar 2012	05 Apr 2012
REV	RWY 23 ARRS (FROM NORTH, ...	10-2C	23 Mar 2012	05 Apr 2012
REV	RWY 05 DEPS	10-3	23 Mar 2012	05 Apr 2012
REV	RWY 23 DEPS	10-3A	23 Mar 2012	05 Apr 2012

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport UMII