

List of pages in this Trip Kit

Trip Kit Index

Airport Information For UTAV

Terminal Charts For UTAV

Revision Letter For Cycle 08-2012

Change Notices

Notebook

General Information

Location: Turkmenabat Tkm
IATA Code: CRZ
Lat/Long: N39° 05.0' E063° 36.8'
Elevation: 630 ft

Airport Use: Public
Magnetic Variation: 4.7°E

Fuel Types: Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: No
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0103 Z
Sunset: 1427 Z,



Runway Information

Runway: 15
Length x Width: 9022 ft x 138 ft
Surface Type: asphalt
TDZ-Elev: 623 ft
Lighting: Edge, ALS

Runway: 33
Length x Width: 9022 ft x 138 ft
Surface Type: asphalt
TDZ-Elev: 630 ft
Lighting: Edge, ALS

Communication Information


Turkmenabat Start Tower 120.6 MF VHF-DF
Turkmenabat Taxiing Ground Control 131.7 MF
Turkmenabat Krug Radar 124.2 MF VHF-DF
Turkmenabat Transit Operations 131.7

Apt Elev
630'Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL39 Trans alt: 2280' (1657')
Crossings at airway exit points by ATC.CHARD 2, MANAT 2, XEGOK 2
RWY 15 ARRIVALS
FROM EASTHOLDING OVER
NQFL CONVERSION
FL39 FL1200mALT/HEIGHT CONVERSION
QNH (QFE)
2280' (1657' - 500m)
1940' (1317' - 400m)


Apt Elev
630'

Alt Set: MM (hPa on request) QNH on request
Trans level: FL39 Trans alt: 2280' (**1650'**)
Crossings at airway exit points by ATC.

(QFE)




CHARD 4, MANAT 4, XEGOK 4 RWY 33 ARRIVALS FROM EAST



Apt Elev
630'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL39 Trans alt: 2280' (1657')
Crossings at airway exit points by ATC.




EVOVU 2, ORTET 2, RUSEG 2
RWY 15 ARRIVALS
FROM SOUTH

① By ATC.




HOLDING OVER
NQ




FL CONVERSION
FL39 FL1200m

ALT/HEIGHT CONVERSION
QNH (QFE)
2280' (1657' - 500m)
1940' (1317' - 400m)



Apt Elev
630'


Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL39 Trans alt: 2280' (1650')
Crossings at airway exit points by ATC.



EVOVU 4, ORTET 4, RUSEG 4
RWY 33 ARRIVALS
FROM SOUTH


By ATC.

HOLDING OVER
UT



FL CONVERSION
FL39 FL1200m

ALT/HEIGHT CONVERSION
QNH (QFE)
2280' (1650' - 500m)
1950' (1320' - 400m)





DUTAR

Apt Elev
630'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL39 Trans alt: 2280' (1650')
Crossings at airway exit points by ATC.

ADMAX 4, ARLIT 4, SUXAS 4, UMKAT 4
RWY 33 ARRIVALS
FROM WEST

① By ATC.



HOLDING OVER
UT




FL CONVERSION
FL39 FL 1200m


ALT/HEIGHT CONVERSION
QNH (QFE)
2280' (1650' - 500m)
1950' (1320' - 400m)

Apt Elev
630'

QNH on request (QFE)
Trans level: FL39 Trans alt: 2280' (1650')
Crossings at airway entry points by ATC.




CHARD 1, CHARD 3
MANAT 1, MANAT 3
XEGOK 1, XEGOK 3
RWYS 15, 33 DEPARTURES
TO EAST



① By ATC.



FL CONVERSION
FL39 ***FL 1200m***



Apt Elev
630'



QNH on request (QFE)

Trans level: FL39 Trans alt: 2280' (1650')

Crossings at airway entry points by ATC.


ADMAX 1, ADMAX 3
ARLIT 1, ARLIT 3
SUXAS 1, SUXAS 3
UMKAT 1 ①, UMKAT 3 ①
RWYS 15, 33 DEPARTURES
TO WEST

① By ATC.



ALT/HEIGHT CONVERSION	
QNH	(QFE)
1290'	(660' - 200m)
1950'	(1320' - 400m)
2280'	(1650' - 500m)


FL CONVERSION	
FL39	FL1200m



ADDITIONAL RUNWAY INFORMATION					
RWY			USABLE LENGTHS		WIDTH
			Threshold	Landing Beyond	
15	33	ALS RL (60m)		8694' 2650m ①	138' 42m
15	33	Grass runway			262' 80m

① First 328'/100m unusable for take-off.

TAKE-OFF		
AIR CARRIER (JAA)		
All Rwy's		
	DAY RCLM or RL	NIGHT RL
A	400m	400m
B		
C	500m	700m
D		



Stands 7 thru 16
available for helicopters.

NOT TO SCALE

STRAIGHT-IN RWY		A	B	C	D
15	NDB ①	980'(357') R1400m	980'(357') R1500m	1020'(397') R1800m	1020'(397') R1800m
	ALS out	R1600m	R1600m	R1800m	R1800m
33	ILS	893'(263') R1100m	893'(263') R1100m	893'(263') R1100m	893'(263') R1100m
	ALS out	R1300m	R1300m	R1300m	R1300m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	NDB ①	980'(350') R1400m	980'(350') R1500m	1030'(400') R1800m	1030'(400') R1800m
	ALS out	R1600m	R1600m	R1800m	R1800m

① Continuous Descent Final Approach.


TAKE-OFF RWY 15, 33

	RCLM or RL	DAY NIL	NIGHT RL
A	400m	500m	400m
B			
C	500m		700m
D			

STRAIGHT-IN RWY		A	B	C	D
15	2 NDB	960' (337')	960' (337')	1020' (397')	1020' (397')
		1300m	1500m	1800m	1800m
	<i>ALS out</i>	1500m	1500m	1800m	2000m
33	ILS	893' (263')	893' (263')	893' (263')	893' (263')
		1000m	1000m	1000m	1000m
	<i>ALS out</i>	1200m	1200m	1200m	1200m
	LOC	NOT AUTHORIZED			
	2 NDB	980' (350')	980' (350')	1030' (400')	1030' (400')
		1300m	1500m	1800m	1800m
	<i>ALS out</i>	1500m	1500m	1800m	2000m

TAKE-OFF RWY 15, 33

DAY		NIGHT
RCLM or RL	NIL	RL
A	500m	400m
B		400m
C		700m
D		



TURKMENABAT, (TURKMENABAT - UTAV)

TERMINAL CHART CHANGE NOTICES

Chart Change Notices for Airport UTAV

Type: Terminal

Effectivity: Permanent

Begin Date: Immediately

End Date: No end date

(16-1) Until 30 JUN 12 IAP NDB Rwy 15 VIS raised to 2500m.

Chart Change Notices for Country TKM

Type: Gen Tmnl

Effectivity: Temporary

Begin Date: Immediately

End Date: Until Further Notice

Alt Set: QNH (QFE on request).