

List of pages in this Trip Kit

Trip Kit Index

Airport Information For USTR

Terminal Charts For USTR

Revision Letter For Cycle 08-2012

Change Notices

Notebook

General Information

Location: Tyumen Rus
IATA Code: TJM
Lat/Long: N57° 10.1' E065° 19.0'
Elevation: 379 ft

Airport Use: Public
Magnetic Variation: 14.5°E

Fuel Types: Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0019 Z
Sunset: 1457 Z,

Runway Information

Runway: 03
Length x Width: 9852 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 371 ft
Lighting: Edge, ALS

Runway: 12
Length x Width: 8871 ft x 164 ft
Surface Type: asphalt
TDZ-Elev: 314 ft
Lighting: Edge, ALS

Runway: 21
Length x Width: 9852 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 341 ft
Lighting: Edge, ALS


Runway: 30
Length x Width: 8871 ft x 164 ft
Surface Type: asphalt
TDZ-Elev: 343 ft
Lighting: Edge, ALS

Communication Information


ATIS 121.7
Tyumen Taxiing Tower 119.0
Tyumen Start Tower 118.2
Tyumen Approach Control 126.1
Tyumen Krug Radar 120.4

ATIS 121.7	Apt Elev 379'	Alt Set: MM (hPa on request) QNH on request Trans level: FL40 Trans alt: 2680' (2339') Flight crew shall request a permission to carry out GNSS approach procedure from APP controller when passing CRP of entry corridor.	(QFE)	2600' MSA ARP
---------------	------------------	--	-------	---------------------


ISKET 1G [ISKE1G], LEBED 1G [LEBE1G]
LITON 1G [LITO1G], NASDA 1G [NASD1G]
NASDA 2G [NASD2G]
RWY 21 RNAV ARRIVALS
RNAV (GNSS)
GLONASS AND/OR GPS REQUIRED




STAR	ROUTING
ISKET 1G	ISKET (FL80+) - TR216 - ANTIK (FL40) - TR215 (2310').
LEBED 1G	LEBED (FL60+) - ANTIK (FL40) - TR215 (2310').
LITON 1G	LITON (FL80+) - TR002 - ANTIK (FL40) - TR215 (2310').
NASDA 1G	NASDA (FL80+) - TR215 (2310').
NASDA 2G	NASDA (FL80+) - ANTIK (FL40) - TR215 (2310').





STAR	ROUTING
ISKET 3G	ISKET (FL60+) - TR002 (FL160-; FL40+) - TR344 (FL40) - TR343 (2340').
ISKET 4G	ISKET (FL60+) - TR002 (FL160-; FL40+) - TR003 (FL40-) - TR343 (2340').
LEBED 3G	LEBED (FL60+) - TR002 (FL160-; FL40+) - TR344 (FL40) - TR343 (2340').
LEBED 4G	LEBED (FL60+) - TR002 (FL160-; FL40+) - TR003 (FL40-) - TR343 (2340').
LITON 3G	LITON (FL60+) - TR002 (FL160-; FL40+) - TR344 (FL40) - TR343 (2340').
LITON 4G	LITON (FL60+) - TR002 (FL160-; FL40+) - TR003 (FL40-) - TR343 (2340').
NASDA 3G	NASDA (FL160-; FL60+) - TR344 (FL40) - TR343 (2340').
NASDA 4G	NASDA (FL160-; FL60+) - ANTİK (FL40+) - TR344 (FL40) - TR343 (2340').





Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL40 Trans alt: 2680' **(2339')**
Flight crew shall request a permission to carry out GNSS approach procedure from APP controller when passing CRP of entry corridor.



Direct distance from TR213 to:
Roshchino Apt **15 NM**



STAR	ROUTING
BUKOS 1G By ATC	BUKOS (FL170-; FL60+) - TR214 - TR213 (2310').
KEGIR 1G	KEGIR (FL90-; FL50+) - TR003 (FL150-; FL70+) - TR214 - TR213 (2310').

ATIS
121.7

Apt Elev
379'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2309')
Flight crew shall request a permission to carry out GNSS approach
procedure from APP controller when passing CRP of entry corridor.

**BUKOS 3G [BUKO3G]
KEGIR 3G [KEGI3G]
RWY 03 RNAV ARRIVALS**
RNAV (GNSS)
GLONASS AND/OR GPS REQUIRED



① Only for Russian users of airspace.

ALT/HEIGHT CONVERSION
QNH (QFE)
2680' (2309' - 700m)
2340' (1969' - 600m)

Direct distance to Roshchino Apt from:
TR343 13 NM
TR346 14 NM




STAR	ROUTING
BUKOS 3G By ATC	BUKOS (FL60+) - TR346 (2340').
KEGIR 3G	KEGIR (FL60+) - TR343 (2340').

ATIS
121.7

Apt Elev
379'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2337')
Flight crew shall request a permission to carry out GNSS approach
procedure from APP controller when passing CRP of entry corridor.

BUKOS 5G [BUKO5G]
KEGIR 5G [KEGI5G]
RWY 30 RNAV ARRIVALS
RNAV (GNSS)
GLONASS AND/OR GPS REQUIRED



ALT/HEIGHT CONVERSION
QNH (QFE)
2680' (2337' - 700m)
2320' (1977' - 600m)

① Only for Russian users of airspace.

Direct distance from TR303 to:
Roshchino Apt 13 NM



STAR	ROUTING
BUKOS 5G By ATC	BUKOS (FL170-; FL70+) - TR303 (2320').
KEGIR 5G	KEGIR (FL70) - TR303 (2320').

ATIS
121.7

Apt Elev
379'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2366')
Flight crew shall request a permission to carry out GNSS approach
procedure from APP controller when passing CRP of entry corridor.

BUKOS 7G [BUKO7G]
KEGIR 7G [KEGI7G]
RWY 12 RNAV ARRIVALS
RNAV (GNSS)
GLONASS AND/OR GPS REQUIRED



ALT/HEIGHT CONVERSION
QNH (QFE)
2680' (2366' - 700m)
2290' (1976' - 600m)

① Only for Russian users of airspace.


Direct distance from TR123 to:
Roshchino Apt 13 NM

STAR	ROUTING
BUKOS 7G By ATC	BUKOS (FL70+) - TR123 (2290').
KEGIR 7G	KEGIR (FL170-; FL60+) - TR123 (2290').


ATIS
121.7

Apt Elev
379'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2339')
Flight crew shall request a permission to carry out GNSS approach procedure from APP controller when passing CRP of entry corridor.



**ALAGI 1G [ALAG1G]
ALAGI 2G [ALAG2G]
GIBUL 1G [GIBU1G]
RWY 21 RNAV ARRIVALS**
RNAV (GNSS)
GLONASS AND/OR GPS REQUIRED



ALT/HEIGHT CONVERSION
QNH (QFE)
2680' (2339' - 700m)
2310' (1969' - 600m)




Direct distance from TR213 to:
Roshchino Apt 15 NM

STAR	ROUTING
ALAGI 1G	ALAGI (FL60+) - TR004 (FL40) - TR213 (2310').
ALAGI 2G	ALAGI (FL60+) - TR213 (2310').
GIBUL 1G	GIBUL (FL60+) - TR004 (FL40) - TR213 (2310').

ATIS
121.7

Apt Elev
379'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2309')
Flight crew shall request a permission to carry out GNSS approach procedure from APP controller when passing CRP of entry corridor.



**ALAGI 3G [ALAG3G]
GIBUL 3G [GIBU3G]
GIBUL 4G [GIBU4G]
RWY 03 RNAV ARRIVALS**
RNAV (GNSS)
GLONASS AND/OR GPS REQUIRED

GIBUL
N57 23.8 E063 45.7

At or above
FL70

078°

107°

34
GIBUL 4G
CORRIDOR 10

TR347
N57 07.0 E064 39.8

At or below
FL40

(IAF)
TR346
N57 01.1 E064 58.6

At 2340'
(1969')

ALAGI
N58 02.0 E064 46.9

At or above
FL60

155°
ALAGI 3G
CORRIDOR 12

TR004
N57 23.0 E065 01.0

At FL40

175°

91

(IAF)
TR345
N57 07.5 E064 56.8

At 2340'
(1969')




ALT/HEIGHT CONVERSION
QNH (QFE)
2680' (2309' - 700m)
2340' (1969' - 600m)


Direct distance to Roshchino Apt from:
TR345 12 NM
TR346 14 NM

STAR

ROUTING

ALAGI 3G	ALAGI (FL60+) - TR004 (FL40) - TR345 (2340').
GIBUL 3G	GIBUL (FL70+) - TR004 (FL40) - TR345 (2340').
GIBUL 4G	GIBUL (FL70+) - TR347 (FL40-) - TR346 (2340').






ATIS
121.7

Apt Elev
379'

Alt Set: MM (hPa on request) QNH on request
Trans level: FL40 Trans alt: 2680' (2309')

(QFE)



NA Ø3A, NA Ø3B, NA Ø3C
RWY 03 ARRIVALS



NASDA

N57 40.0 E066 11.9

At or above
FL80

ANTI-K
N57 19.0 E065 52.0

At or above
FL70

315 RN
N57 08.8 E065 14.1

Intercept
final at
1690'
(1319')

N57 04.9 E065 07.9

At 1690'
(1319')

N57 02.3 E065 10.9

At 2340'
(1969')

N57 01.9 E065 10.6
(002° brg to RN)

At 2340'
(1969')

ALT/HEIGHT CONVERSION

QNH	(QFE)
2680'	(2309' - 700m)
2340'	(1969' - 600m)
1690'	(1319' - 400m)


CHANGES: FL conversion. © JEPPESEN, 2003, 2011. ALL RIGHTS RESERVED.

ATIS
121.7


Apt Elev
379'

Alt Set: MM (hPa on request) QNH on request
Trans level: FL40 Trans alt: 2680' (2309')

(QFE)




BU 03A
ONLY FOR RUSSIAN USERS OF AIRSPACE
KE 03A
RWY 03 ARRIVALS
BY ATC





ALT/HEIGHT CONVERSION	
QNH	(QFE)
2680'	(2309' - 700m)
2340'	(1969' - 600m)
1690'	(1319' - 400m)






ATIS 121.7 Apt Elev 379' Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2339')

IS 21A, LB 21A, LI 21A, NA 21A, NA 21B RWY 21 ARRIVALS



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2680'	(2339' - 700m)
2310'	(1969' - 600m)
1660'	(1319' - 400m)

ATIS 121.7 Apt Elev 379' Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2339')




AL 21A, AL 21B ①, BU 21A ①
GI 21A ①, GI 21B ①, KE 21A
RWY 21 ARRIVALS

ALAGI

N58 02.0 E064 46.9

Between
FL160 & FL60

① By ATC.



GIBUL

N57 23.8 E063 45.7

Between
FL170 & FL70

TR004
N57 23.0 E065 01.0
At FL40

N57 19.0 E065 25.2
At 2310' (1969')

N57 19.7 E065 27.5
At 2310' (1969')


N57 19.1 E065 28.7
At 2310' (1969')

N57 16.5 E065 28.6
At 1660' (1319')

315 TM
N57 12.8 E065 22.1

Intercept
final at
1660' (1319')

ALT/HEIGHT CONVERSION	
QNH	(QFE)
2680'	(2339' - 700m)
2310'	(1969' - 600m)
1660'	(1319' - 400m)



BUKOS

N56 54.6 E064 37.7

At or above
FL40

TR003
N56 58.0 E065 20.0
At or above
FL70



KEGIR

N56 46.5 E065 20.4


② Only for Russian users of airspace.

ATIS
121.7




Apt Elev
379'

Alt Set: MM (hPa on request) QNH on request
Trans level: FL40 Trans alt: 2680' (2366')

(QFE)




RWY 12 ARRIVALS




ALT/HEIGHT CONVERSION
QNH (QFE)
2680' (2366' - 700m)
1630' (1316' - 400m)

© JEPPESEN, 2011. ALL RIGHTS RESERVED.

ATIS 121.7	Apt Elev 379'	Alt Set: MM (hPa on request) QNH on request Trans level: FL40 Trans alt: 2680' (2366')	(QFE)
---------------	------------------	---	-------




RWY 12 ARRIVALS



① Only for Russian users of airspace.

ALT/HEIGHT CONVERSION	
QNH	(QFE)
2680'	(2366' - 700m)
2290'	(1976' - 600m)
1630'	(1316' - 400m)







Apt Elev
379'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2339')



GR 1A, IS 1A, IS 1B, LB 1A, LB 1B
LI 1A, LI 1B, RO 1A
RWY 21 DEPARTURES



Apt Elev
379'


QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2309')

GR 2A ①, IS 2A, LB 2A, LI 2A, RO 2A
RWY 03 DEPARTURES



Apt Elev
379'


QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2339')



BN 1A, BN 1B, KE 1A ①, SA 1A ①, SA 1B ①
RWY 21 DEPARTURES

① By ATC.

SALER
N57 49.7 E064 08.3
At FL60



It is allowed to carry out the initial turn at an altitude less than 1000' (659'), in accordance with Flight Manual for the aircraft type in question notifying ATC unit.

BANAM
N57 07.3 E063 45.2
At or above FL80

51 BN 1A CORRIDOR 9
56 BN 1B CORRIDOR 9

MAX
160 KT

BN 1A, KE 1A,
SA 1A
Turn at
1000' (659')

MINIMUM
160 KT

At 1660'
(1319')

MAX
160 KT


KE 1A ①
CORRIDOR 7

KEGIR
N56 46.5 E065 20.4
At or above FL60

ALT/HEIGHT CONVERSION		
QNH	(QFE)	
1000'	(659' - 200m)	
1660'	(1319' - 400m)	
2680'	(2339' - 700m)	

Apt Elev
379'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2309')



BN 2A, KE 2A ①, KE 2B ①, SA 2A ①, SA 2B ①
RWY 03 DEPARTURES

① By ATC.


It is allowed to carry out the initial turn at an altitude less than 1030' (659'), in accordance with Flight Manual for the aircraft type in question notifying ATC unit.

② Warning: Aircraft with more than 160 KT should execute the initial turn with a radius not more than 1.9 NM.

SALER
N57 49.7 E064 08.3

TR004
N57 23.0 E065 01.0

At or above
FL60



BANAM

N57 07.3 E063 45.2

At or above
FL80

N57 08.3 E065 01.7

At or above
FL60

42 ← 256°
BN 2A
CORRIDOR 9

315 RN
N57 08.8 E065 14.1

25
KE 2A ①
CORRIDOR 7

KEGIR

N56 46.5 E065 20.4

At or above
FL60


TR003
N56 58.0 E065 20.0

165° → 11
CORRIDOR 7


ALT/HEIGHT CONVERSION	
QNH	(QFE)
1030'	(659' - 200m)
2680'	(2309' - 700m)

Apt Elev
379'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2301')



BU 1A, BU 2A
RWYS 21, 03 DEPARTURES
ONLY FOR RUSSIAN USERS OF AIRSPACE
BY ATC




It is allowed to carry out the initial turn at an altitude less than 1040' (661'), in accordance with Flight Manual for the aircraft type in question notifying ATC unit.

ALT/HEIGHT CONVERSION		
QNH	(QFE)	
1040'	(661' -	200m)
1700'	(1321' -	400m)
2680'	(2301' -	700m)

Apt Elev
379'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2366')

RWY 12 DEPARTURES




Apt Elev
379'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2337')


RWY 30 DEPARTURES

It is allowed to carry out the initial turn at an altitude less than 1000' (657'), except departures via CORRIDORS 3, 4, 5 and 6, in accordance with Flight Manual for the aircraft type in question notifying ATC unit.




Apt Elev
379'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2680' (2301')




RWYS 12, 30 DEPARTURES
ONLY FOR RUSSIAN USERS OF AIRSPACE
BY ATC



It is allowed to carry out the initial turn
at an altitude less than 1040' (661'), in
accordance with Flight Manual for the air-
craft type in question notifying ATC unit.

ALT/HEIGHT CONVERSION	
QNH	(QFE)
1040'	(661' - 200m)
2680'	(2301' - 700m)



ADDITIONAL RUNWAY INFORMATION


					USABLE LENGTHS			WIDTH
					LANDING BEYOND		TAKE-OFF	
RWY					Threshold	Glide Slope		
03	HIRL (60m)	HIALS	PAPI-L (angle 2.67°)	RVR		8572' 2613m	9524' 2903m❶	148'
21	HIRL (60m)	HIALS	PAPI-L (angle 2.67°)	RVR		8769' 2673m		45m
12	RL (50m)	ALS	PAPI-L (angle 2.67°)	RVR			8543' 2604m❶	164'
30	RL (50m)	ALS	PAPI-L (angle 3.00°)	RVR				50m

❶ First 328'/100m unusable for take-off.

TAKE-OFF

AIR CARRIER (JAA)
All Rwy's

	LVP must be in force RCLM (DAY only) or RL	RCLM (DAY only) or RL
A		
B	250m	400m
C		
D	300m	



INS COORDINATES

STAND No.	COORDINATES	STAND No.	COORDINATES
1	N57 10.7 E065 21.1	35 A	N57 11.3 E065 19.0
2	N57 10.7 E065 21.0	36	N57 11.3 E065 19.9
3	N57 10.8 E065 21.0	37	N57 11.4 E065 19.9
4, 5	N57 10.8 E065 20.0	38	N57 11.4 E065 19.8
6, 7	N57 10.8 E065 20.9	39 thru 41	N57 10.5 E065 21.3
8	N57 10.9 E065 20.9	42	N57 10.6 E065 21.3
9 thru 11	N57 10.9 E065 20.8	43 thru 45	N57 10.6 E065 21.2
12, 13	N57 10.9 E065 20.7	46 thru 49	N57 10.6 E065 21.1
17 thru 19	N57 10.0 E065 20.6	50, 51	N57 10.7 E065 21.0
20 thru 22	N57 11.0 E065 20.5	52 thru 54	N57 10.7 E065 20.0
23 thru 25	N57 11.1 E065 20.4	55	N57 10.7 E065 20.9
26 thru 28	N57 11.1 E065 20.3	56	N57 10.8 E065 20.9
29 thru 31	N57 11.2 E065 20.2		
32, 33	N57 11.2 E065 20.1		
34 thru 35	N57 11.3 E065 20.0		

STRAIGHT-IN RWY		A	B	C	D
03	ILS	571'(200')	571'(200')	571'(200')	571'(200')
	FULL	R550m	R550m	R550m	R550m
	Limited	R750m	R750m	R750m	R750m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	RNAV ①	680'(309')	680'(309')	680'(309')	680'(309')
		R750m	R750m	R750m	R750m
	ALS out	R1400m	R1400m	R1400m	R1400m
	NDB ①	730'(359')	730'(359')	730'(359')	730'(359')
		R1000m	R1000m	R1200m	R1200m
	ALS out	R1600m	R1600m	R1600m	R1600m
12	RNAV ①	660'(346')	660'(346')	660'(346')	660'(346')
		R1400m	R1400m	R1400m	R1400m
	ALS out	R1500m	R1500m	R1600m	R1600m
	NDB ①	670'(356')	670'(356')	670'(356')	670'(356')
		R1400m	R1400m	R1400m	R1400m
	ALS out	R1600m	R1600m	R1600m	R1600m
21	ILS	541'(200')	541'(200')	541'(200')	541'(200')
	FULL	R550m	R550m	R550m	R550m
	Limited	R750m	R750m	R750m	R750m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	RNAV ①	650'(309')	650'(309')	650'(309')	650'(309')
		R750m	R750m	R750m	R750m
	ALS out	R1400m	R1400m	R1400m	R1400m
	NDB ①	700'(359')	700'(359')	700'(359')	700'(359')
		R1000m	R1000m	R1200m	R1200m
	ALS out	R1600m	R1600m	R1600m	R1600m
30	RNAV ①	710'(366')	710'(366')	710'(366')	710'(366')
		R1500m	R1500m	R1500m	R1500m
	ALS out	R1500m	R1500m	R1700m	R1700m
	NDB	1050'(706')	1050'(706')	1050'(706')	1050'(706')
		C3300m	C3300m	C3500m	C3500m
	ALS out	C3500m	C3500m	C3700m	C3700m

① Continuous Descent Final Approach.

TAKE-OFF RWY 03, 12, 21, 30

LVP must be in Force			
RCLM (DAY only) or RL		RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		

STRAIGHT-IN RWY		A	B	C	D
03	ILS	571' (200')	571' (200')	571' (200')	571' (200')
		R550m	R550m	R550m	R550m
	<i>ALS out</i>	R1000m	R1000m	R1000m	R1000m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	RNAV	680' (309')	680' (309')	680' (309')	680' (309')
		R900m	R1000m	R1000m	R1400m
12	<i>ALS out</i>	R1500m	R1500m	R1800m	R2000m
	2 NDB	680' (309')	680' (309')	680' (309')	680' (309')
		R900m	R1000m	R1000m	R1400m
	<i>ALS out</i>	R1500m	R1500m	R1800m	R2000m
	RNAV	660' (346')	660' (346')	660' (346')	660' (346')
		R1300m	R1400m	R1600m	R1800m
21	<i>ALS out</i>	R1500m	R1500m	R1800m	R2000m
	2 NDB	640' (326')	640' (326')	640' (326')	640' (326')
		R1300m	R1400m	R1600m	R1800m
	<i>ALS out</i>	R1500m	R1500m	R1800m	R2000m
	ILS	541' (200')	541' (200')	541' (200')	541' (200')
		R550m	R550m	R550m	R550m
30	<i>ALS out</i>	R1000m	R1000m	R1000m	R1000m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	RNAV	650' (309')	650' (309')	650' (309')	650' (309')
		R900m	R1000m	R1000m	R1400m
	<i>ALS out</i>	R1500m	R1500m	R1800m	R2000m
	2 NDB	670' (329')	670' (329')	670' (329')	670' (329')
30		R900m	R1000m	R1000m	R1400m
	<i>ALS out</i>	R1500m	R1500m	R1800m	R2000m
	RNAV	710' (367')	710' (367')	710' (367')	710' (367')
		R1300m	R1400m	R1600m	R1800m
	<i>ALS out</i>	R1500m	R1500m	R1800m	R2000m
	NDB	1050' (707')	1050' (707')	1050' (707')	1050' (707')
		R1500m	R1500m	R2000m	R2000m

TAKE-OFF RWY 03, 12, 21, 30

LVP must be in Force			
RCLM (DAY only) or RL		RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		


BRIEFING STRIPTM


10


5.

PANS OPS

PS








USTR/TJM
ROSHCHINO

JEPPesen
4 NOV 11 (12-4) Eff 17 Nov

TYUMEN, RUSSIA
RNAV (GNSS) Rwy 30





BRIEFING STRIP

ATIS 121.7	TYUMEN Approach 126.1	TYUMEN Krug (SRE) 120.4	TYUMEN Start (PAR/TWR) 118.2	Ground 119.0
NDB XZ 290	Final Apch Crs 121°	Minimum Alt LOM 880' (566')	MDA(H) 640' (326') Apt Elev 379' RWY 314'	2600' MSA ARP
MISSED APCH: Climb on 121° to 980' (666'), then turn RIGHT onto 301° climbing to 2290' (1976'), then according to chart.				

Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 40 Trans alt: 2680' (2366')

ALT/HEIGHT CONVERSION

QNH	(QFE)
2680' (2366' - 700m)	
2290' (1976' - 600m)	
1630' (1316' - 400m)	
980' (666' - 200m)	
880' (566' - 170m)	
550' (236' - 70m)	



Gnd speed-Kts	70	90	100	120	140	160	ALS	980' (666') on 121°	301° RT	2290' (1976')
Descent Angle	2.70°	334	430	478	573	669	764			

STRAIGHT-IN LANDING RWY 12

MDA(H) 640' (326')

ALS out

A	RVR 1500m VIS 1600m	
B		
C		
D		



PANS OPS

BRIEFING STRIP TM

ATIS 121.7	TYUMEN Approach 126.1	TYUMEN Krug (SRE) 120.4	TYUMEN Start (PAR/TWR) 118.2	Ground 119.0
Lctr X 599	Final Apch Crs 301°	Minimum Alt No FAF	MDA(H) 1050' (707')	Apt Elev 379' RWY 343'
MISSED APCH: Turn LEFT onto 121° climbing to 2320' (1977'), then according to chart.				2600' MSA ARP
Alt Set: MM (hPa on req)	QNH on req (QFE)	Trans level: FL 40	Trans alt: 2680' (2337')	

ALT/HEIGHT CONVERSION

QNH	(QFE)
2680'	(2337' - 700m)
2320'	(1977' - 600m)
1660'	(1317' - 400m)
1000'	(657' - 200m)



Gnd speed-Kts	70	90	100	120	140	160	ALS	121°	2320' (1977')
Descent Angle	3.00°	372	478	531	637	743	849	LT	↑

STRAIGHT-IN LANDING RWY 30							
MDA(H) 1050' (707')							
ALS out							
A							
B	3200m						
C							
D	3600m						

PANS OPS

TYUMEN, (ROSHCHINO - USTR)

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport USTR

Chart Change Notices for Country RUS

Type: Gen Tmnl

Effectivity: Temporary

Begin Date: Immediately

End Date: Until Further Notice

The Russian CAA provided major changes for the AIRAC cycle effective 17 November 2011, including implementation of RVSM separation techniques and ICAO flight level system, airspace alignment and change of the existing coordinates standard to PZ-90.02. Also affected by the change are the countries of Afghanistan, Kazakhstan, Kyrgyzstan, Mongolia, Tajikistan, Turkmenistan, and Uzbekistan. We have also received late sources effective 17 November 2011. Please continue to refer to the notices published for the individual airports and our website. www.jepesen.com/eurasiachange.