

List of pages in this Trip Kit

Trip Kit Index

Airport Information For URMO

Terminal Charts For URMO

Revision Letter For Cycle 25-2012

Change Notices

Notebook

General Information

Location: Vladikavkaz Rus
IATA Code: OGZ
Lat/Long: N43° 12.3' E044° 36.4'
Elevation: 1673 ft

Airport Use: Public
Magnetic Variation: 6.7°E

Fuel Types: Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0434 Z
Sunset: 1335 Z,


Runway Information

Runway: 10
Length x Width: 9843 ft x 148 ft
Surface Type: concrete
TDZ-Elev: 1631 ft
Lighting: Edge, ALS

Runway: 28
Length x Width: 9843 ft x 148 ft
Surface Type: concrete
TDZ-Elev: 1673 ft
Lighting: Edge, ALS

Communication Information



ATIS 118.5
Vladikavkaz Start Tower 118.1
Vladikavkaz Krug Approach Control 125.2
Vladikavkaz Transit Operations 121.6



Apt Elev
1673'

QNH on request (QFE)
Trans level: FL60 Trans alt: 4300' (2627')


GORAK 3, GORAK 3A [GORAK3A] ①
ODRIK 3, POGUL 3, POGUL 3A [POGUL3A] ①
RWY 28 DEPARTURES



URMO/OGZ
Apt Elev 1673'
N43 12.3 E044 36.4

JEPPESEN
4 NOV 11 (10-9) Eff 17 Nov

VLADIKAVKAZ, RUSSIA
BESLAN



ADDITIONAL RUNWAY INFORMATION

			USABLE LENGTHS		TAKE-OFF	WIDTH
			Threshold	Landing Beyond Glide Slope		
10	28	RL (60m) ALS	RVR	8688' 2648m		148' 45m

TAKE-OFF

AIR CARRIER (JAA)
All Rwy's

LVP must be in force
RCLM (DAY only)
or RL

RCLM (DAY only)
or RL

A		
B	250m	400m
C		
D	300m	

STRAIGHT-IN RWY		A	B	C	D
10	ILS	1831'(200') R1000m	1831'(200') R1000m	1831'(200') R1000m	1831'(200') R1000m
	<i>ALS out</i>	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	NDB ❶	1990'(359') R1400m	1990'(359') R1400m	1990'(359') R1400m	1990'(359') R1400m
	<i>ALS out</i>	R1500m	R1500m	R1600m	R1600m
28	NDB ❶❷	2190'(517') C2100m	2190'(517') C2100m	2190'(517') C2100m	2190'(517') C2100m
	<i>ALS out</i>	C2400m	C2400m	C2400m	C2400m
	NDB ❸	2190'(517') C2300m	2190'(517') C2300m	2190'(517') C2500m	2190'(517') C2500m
	<i>ALS out</i>	C2600m	C2600m	C2800m	C2800m


❶ Continuous Descent Final Approach.

❷ with FMS.

❸ w/o FMS.

TAKE-OFF RWY 10, 28

LVP must be in Force		RCLM (DAY only) or RL	NIL (DAY only)
	RCLM (DAY only) or RL		
A	250m	400m	500m
B			
C			
D	300m		



5

A	2700m	
B		
C		
D	2800m	

© JEPPESEN, 1999, 2011. ALL RIGHTS RESERVED.

Chart changes since cycle 24-2012

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
VLADIKAVKAZ, (BESLAN - URMO)				

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport URMO