

List of pages in this Trip Kit

Trip Kit Index

Airport Information For URSS

Terminal Charts For URSS

Revision Letter For Cycle 25-2012

Change Notices

Notebook

General Information

Location: Sochi Rus
IATA Code: AER
Lat/Long: N43° 26.7' E039° 56.8'
Elevation: 90 ft

Airport Use: Public
Magnetic Variation: 6.5°E

Fuel Types: Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: No
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0453 Z
Sunset: 1353 Z,

Runway Information

Runway: 02
Length x Width: 8202 ft x 161 ft
Surface Type: concrete
TDZ-Elev: 50 ft
Lighting: Edge, ALS

Runway: 06
Length x Width: 9498 ft x 148 ft
Surface Type: concrete
TDZ-Elev: 39 ft
Lighting: Edge, ALS

Runway: 20
Length x Width: 8202 ft x 161 ft
Surface Type: concrete
TDZ-Elev: 90 ft
Lighting: Edge

Runway: 24
Length x Width: 9498 ft x 148 ft
Surface Type: concrete
TDZ-Elev: 87 ft
Lighting: Edge

Communication Information

ATIS 129.375
ATIS 126.2 Non-English
Sochi Taxiing Tower 119.0
Sochi Start Tower 124.6
Sochi Start Tower 124.0
Sochi Start Tower 121.2
Sochi Krug Tower 119.7
Sochi Approach Control 124.0
Sochi Approach Control 118.3
Sochi Transit Operations 131.9

ATIS
129.37 (Russian 126.2)Apt Elev
90'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL50 Trans alt: 3700' (3661')
GOTAM 2B, GUBOR 2B: During straight-in approach
pilots shall reach transition level 8.1 NM before the final
turn and 10.8 NM before intercepting the glide path.

GOTAM 2A [GOTA2A]

GOTAM 2B [GOTA2B]

GUBOR 2A [GUBO2A]

GUBOR 2B [GUBO2B]


BY ATC

RWY 06 ARRIVALS

- ② 135° to N43 26.6 E039 55.2 within
75.6 NM do not fly east below FL100.
③ 305° to N43 26.6 E039 55.2 within
24.3 NM do not fly east below FL120.

⚠ WARNING

Descend to FL160 abeam the mountain
CHUGUSH (ADL R-032/D20.5).
Further descending as instructed by ATC.

HOLDING OVER
ADL


D14.5 ADL

N43 22.1
E039 38.1
(ADL R-243)At 3000'
(2961')

D13.7 ADL

N43 27.0 E039 38.9



At FL50

761 SO
N43 26.0 E039 54.6
At or above
FL120

ALT/HEIGHT CONVERSION

QNH	(QFE)
3700'	(3661' - 1100m)
3000'	(2961' - 900m)
2010'	(1971' - 600m)

HOLDING OVER SO



① 11,000'

GOTAM

N44 21.9 E039 48.0

Between
FL200 & FL140

GUBOR

N43 52.9 E040 42.6
(ADL R-045/D41.4)Between
FL200 & FL160

BINOL

N43 40.9 E040 04.4
(ADL R-014/D14.5)Between
FL200 & FL130

ERMOL

N43 32.9 E040 00.1

GUBOR 2A

Between
FL200 & FL130


GUBOR 2B

Between
FL150 & FL130

SOCHI

D
(H) 112.7 ADL
N43 27.3 E039 57.7

Direct distance from
D8.2 ADL to:
Sochi Apt 8 NM



© JEPPESEN, 2012. ALL RIGHTS RESERVED.


ATIS
129.37 (Russian) 126.2Apt Elev
90'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL50 Trans alt: 3700' (3650')
TRAPI 4B: During straight-in approach pilots shall reach
transition level 8.1 NM before the final turn and 10.8 NM
before intercepting the glide path.

TRAPI 4A [TRAP4A]
BY ATC


TRAPI 4B [TRAP4B]

RWY 02 ARRIVALS



① 11,000'



- ② 135° to N43 26.6 E039 55.2 within
75.6 NM do not fly east below FL100.
③ 305° to N43 26.6 E039 55.2 within
24.3 NM do not fly east below FL120.




HOLDINGS OVER

SO

ADL

ALT/HEIGHT CONVERSION
QNH (QFE)

3700' (3650' - 1100m)
3010' (2960' - 900m)
2020' (1970' - 600m)



ATIS

129.37 (Russian 126.2)

Apt Elev
90'

Alt Set: MM (hPa on request) QNH on request (QFE)


Trans level: FL50 Trans alt: 3700' (3650')

GUKIN 4B: During straight-in approach pilots shall reach transition level 8.1 NM before the final turn and 10.8 NM before intercepting the glide path.


GUKIN 4A [GUKI4A]
BY ATC

GUKIN 4B [GUKI4B]

RWY 02 ARRIVALS




① 11,000'



- ② 135° to N43 26.6 E039 55.2 within 75.6 NM do not fly east below FL100.
③ 305° to N43 26.6 E039 55.2 within 24.3 NM do not fly east below FL120.

ALT/HEIGHT CONVERSION
QNH (QFE)
3700' (3650' - 1100m)
3010' (2960' - 900m)
2020' (1970' - 600m)






ATIS
129.37 (Russian 126.2)

Apt Elev
90'




Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL50 Trans alt: 3700' (3650')




GUKIN 6A [GUKI6A]
KOGUL 6A [KOGU6A]
LAMET 6A [LAME6A]
TRAPI 6A [TRAP6A]
RWY 02 ARRIVALS
BASED ON ARC VOR

- ① 7800' within 10 NM.
- ② 11,200' within 15 NM.
- ③ 9400' within 10 NM.


HOLDING OVER
ADL




© JEPPESEN, 2012. ALL RIGHTS RESERVED.

ATIS
129.37 (Russian 126.2)Apt Elev
90'Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL50 Trans alt: 3700' (3610')GOTAM 6C [GOTA6C]
GUBOR 6C [GUBO6C]
TRAPI 6C [TRAP6C]
RWYS 02, 06 ARRIVALS
BASED ON VOR

- ① 7800' within 10 NM.
- ② 11,200' within 15 NM.
- ③ 9400' within 10 NM.


ALT/HEIGHT CONVERSION
QNH (QFE)
3700' (3610' - 1100m)



Noise abatement procedure should be applied according to Flight Operation Manual.

[illegible]

11,000'



3700' (3610' - 1100m)



© JEPPESEN, 2012. ALL RIGHTS RESERVED.

Apt Elev
90'

QNH on request (QFE)

Trans level: FL50 Trans alt: 3700' (3610')

Noise abatement procedure should be applied according to Flight Operation Manual.

GOTAM 3B [GOTA3B]
GUBOR 3B [GUBO3B]
RWY 20 DEPARTURES

- ② 315° from N43 26.6 E039 55.2 within 75.6 NM do not fly east below FL100.
- ③ 125° from N43 26.6 E039 55.2 within 24.3 NM do not fly east below FL120.


ALT/HEIGHT CONVERSION
QNH (QFE)
3050' (2960' - 900m)
3700' (3610' - 1100m)

Apt Elev
90'


QNH on request (QFE)

Trans level: FL50 Trans alt: 3700' (3610')


Noise abatement procedure should be applied according to Flight Operation Manual.

MSA
ADL VOR

① 11,000'

TRAPI 3A [TRAP3A]
RWY 20 DEPARTURE

- ② 315° from N43 26.6 E039 55.2 within 75.6 NM do not fly east below FL100.
③ 125° from N43 26.6 E039 55.2 within 24.3 NM do not fly east below FL120.




ALT/HEIGHT CONVERSION
QNH (QFE)
750' (660' - 200m)
3700' (3610' - 1100m)

Apt Elev
90'

QNH on request (QFE)


Trans level: FL50 Trans alt: 3700' (3610')


Noise abatement procedure should be applied according to Flight Operation Manual.

MSA
ADL VOR

① 11,000'

GUKIN 3A [GUK13A], GUKIN 3B [GUK13B]
GUKIN 3C [GUK13C], LAMET 3A [LAME3A]
LAMET 3B [LAME3B], LAMET 3C [LAME3C]
RWY 20 DEPARTURES






Apt Elev
90'


QNH on request (QFE)

Trans level: FL50 Trans alt: 3700' (3613')


Noise abatement procedure should be applied according to Flight Operation Manual.



GUKIN 1B [GUK11B], LAMET 1A [LAME1A] LAMET 1B [LAME1B], TRAPI 1B [TRAP1B] RWY 24 DEPARTURES




Noise abatement procedure should be applied according to Flight Operation Manual.





© JEPPESEN, 2012. ALL RIGHTS RESERVED.

Noise abatement procedure should be applied according to Flight Operation Manual.



- 1 7800' within 10 NM.
- 2 11,200' within 15 NM.
- 3 9400' within 10 NM.



- 4 315° from N43 26.6 E039 55.2 within 75.6 NM do not fly east below FL100.
- 5 125° from N43 26.6 E039 55.2 within 24.3 NM do not fly east below FL120.


ALT/HEIGHT CONVERSION
QNH (QFE)
33700' (3610' - 1100m)

Apt Elev
90'

QNH on request (QFE)


Trans level: FL50 Trans alt: 3700' (3610')

Noise abatement procedure should be applied according to Flight Operation Manual.



GUKIN 5A [GUKI5A], LAMET 5A [LAME5A] TRAPI 5A [TRAP5A] RWY 20 DEPARTURES BASED ON VORDME

- 1 7800' within 10 NM.
- 2 11,200' within 15 NM.
- 3 9400' within 10 NM.



- 4 315° from N43 26.6 E039 55.2 within 75.6 NM do not fly east below FL100.
- 5 125° from N43 26.6 E039 55.2 within 24.3 NM do not fly east below FL120.


ALT/HEIGHT CONVERSION
QNH (QFE)
750' (660' - 200m)
3700' (3610' - 1100m)

Apt Elev
90'


QNH on request (QFE)

Trans level: FL50 Trans alt: 3700(3613')

Noise abatement procedure should be applied according to Flight Operation Manual.

LA 5B
RUMBA 5B [RUMB5B]
RWY 24 DEPARTURES
BASED ON VORDME

- 1 7800' within 10 NM.
2 11,200' within 15 NM.
3 9400' within 10 NM.



ALT/HEIGHT CONVERSION
QNH (QFE)
3700' (3613' - 1100m)

Apt Elev
90'

QNH on request (QFE)

Trans level: FL50 Trans alt: 3700' (3613')

Noise abatement procedure should be applied according to Flight Operation Manual.

GOTAM 5B [GOTA5B]
GUBOR 5B [GUBO5B]
RWY 24 DEPARTURES
BASED ON VORDME

- ① 7800' within 10 NM.
- ② 11,200' within 15 NM.
- ③ 9400' within 10 NM.

- ④ 315° from N43 26.6 E039 55.2 within 75.6 NM do not fly east below FL100.
- ⑤ 125° from N43 26.6 E039 55.2 within 24.3 NM do not fly east below FL120.


ALT/HEIGHT CONVERSION
QNH (QFE)
3700' (3613' - 1100m)

Apt Elev
90'

QNH on request (QFE)


Trans level: FL50 Trans alt: 3700' (3613')

Noise abatement procedure should be applied according to Flight Operation Manual.




GUKIN 5B [GUK15B], LAMET 5B [LAME5B]
TRAPI 5B [TRAP5B]
RWY 24 DEPARTURES
BASED ON VORDME

- 1 7800' within 10 NM.
- 2 11,200' within 15 NM.
- 3 9400' within 10 NM.



- 4 315° from N43 26.6 E039 55.2 within 75.6 NM do not fly east below FL100.
- 5 125° from N43 26.6 E039 55.2 within 24.3 NM do not fly east below FL120.

ALT/HEIGHT CONVERSION
QNH (QFE)
750' (663' - 200m)
3700' (3613' - 1100m)



ADDITIONAL RUNWAY INFORMATION

RWY					USABLE LENGTHS		TAKE-OFF	WIDTH
					LANDING	BEYOND		
02	RL (58m)	HIALS PAPI-L (angle 2.83°)	RVR	7874' 2400m	6963' 2122m	NA	NA	161' 49m
20	RL (58m)		RVR	NA		1		
06	RL (58m)	HIALS PAPI-L (angle 2.83°)	RVR	9219' 2810m	8247' 2514m	NA	NA	148' 45m
24	RL (58m)		RVR	NA		2		

TAKE-OFF RUN AVAILABLE

① RWY 20:

From rwy head 8202' (2500m)
twy N int 7808' (2380m)

② RWY 24:

From rwy head 9498' (2895m)
twy K int 8202' (2500m)
twy G int 7218' (2200m)

TAKE-OFF

AIR CARRIER (JAA)

Rwys 20, 24

LVP must be in force

RCLM (DAY only)
or RL

RCLM (DAY only)
or RL

A

B

C

D


250m

300m

400m

NOT TO SCALE

Exit from stands 2 thru 38 shall be carried out by towing.
 Stands 1 thru 4, 7, 22, 23 and 36 thru 38 are available for helicopters.



INS COORDINATES

STAND No.	COORDINATES	STAND No.	COORDINATES
1 thru 4	N43 26.5 E039 55.6	24 thru 26	N43 26.9 E039 56.5
5, 6	N43 26.5 E039 55.7	27 thru 29	N43 26.9 E039 56.6
7	N43 26.5 E039 55.8	30 thru 32	N43 26.9 E039 56.7
8	N43 26.6 E039 55.8	33	N43 26.9 E039 56.8
9 thru 11	N43 26.6 E039 55.9	34, 35	N43 27.0 E039 56.8
12 thru 14	N43 26.6 E039 56.0	36	N43 26.9 E039 56.9
15 thru 17	N43 26.7 E039 56.1	37	N43 27.0 E039 56.9
18, 19	N43 26.7 E039 56.2	38	N43 27.0 E039 57.0
20, 21	N43 26.7 E039 56.3		
22, 23	N43 26.8 E039 56.4		

STRAIGHT-IN RWY	A	B	C	D
02				
ILS ❶	559' (509') R1500m	559' (509') R1500m	575' (525') R1700m	575' (525') R1700m
ALS out	R1500m	R1500m	C2400m	C2400m
ILS ❷	592' (542') R1500m	592' (542') R1500m	608' (558') R1800m	608' (558') R1800m
ALS out	R1500m	R1500m	C2400m	C2400m
ILS ❸	674' (624') R1500m	674' (624') R1500m	690' (640') C2200m	690' (640') C2200m
ALS out	R1500m	R1500m	C2400m	C2400m
ILS ❹	805' (755') R1500m	805' (755') R1500m	805' (755') C2400m	821' (771') C2400m
ALS out	R1500m	R1500m	C2400m	C2400m
LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
VOR ❺❻	660' (610') R1500m	660' (610') R1500m	700' (650') C2300m	700' (650') C2300m
ALS out	R1500m	R1500m	C2400m	C2400m
VOR ❹❻	810' (760') R1500m	810' (760') R1500m	830' (780') C2400m	830' (780') C2400m
NDB ❻	1470' (1420') R1500m	1470' (1420') R1500m	1660' (1610') C2400m	1660' (1610') C2400m

- ❶ Missed apch climb gradient mim 5.0%
 ❷ Missed apch climb gradient mim 4.0%
 ❸ Missed apch climb gradient mim 3.0%
 ❹ Missed apch climb gradient mim 2.5%
 ❺ Missed apch climb gradient mim 4.8%
 ❻ Continuous Descent Final Approach.

STRAIGHT-IN RWY		A	B	C	D
06	ILS ❶	384'(345') R900m	384'(345') R900m	384'(345') R900m	400'(361') R1000m
	ALS out	R1500m	R1500m	R1600m	R1700m
	ILS ❷	466'(427') R1300m	466'(427') R1300m	482'(443') R1400m	499'(460') R1400m
	ALS out	R1500m	R1500m	C2100m	C2100m
	ILS ❸	515'(476') R1500m	515'(476') R1500m	548'(509') R1600m	564'(525') R1700m
	ALS out	R1500m	R1500m	C2400m	C2400m
	ILS ❹	548'(509') R1500m	548'(509') R1500m	564'(525') R1700m	597'(558') R1800m
	ALS out	R1500m	R1500m	C2400m	C2400m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	VOR ❺ ❹	NOT APPLICABLE	NOT APPLICABLE	570'(531') R1700m	570'(531') R1700m
	ALS out			C2400m	C2400m
	VOR ❻ ❹	540'(501') R1500m	540'(501') R1500m	NOT APPLICABLE	NOT APPLICABLE
	VOR ❼ ❹	600'(561') R1500m	600'(561') R1500m	650'(611') C2100m	650'(611') C2100m
	ALS out	R1500m	R1500m	C2400m	C2400m
	NDB ❼	700'(661') R1500m	700'(661') R1500m	1030'(991') C2400m	1030'(991') C2400m

- ❶ Missed apch climb gradient mim 5.0%
 ❷ Missed apch climb gradient mim 4.0%
 ❸ Missed apch climb gradient mim 3.0%
 ❹ Missed apch climb gradient mim 2.5%
 ❺ Missed apch climb gradient mim 4.3%
 ❻ Missed apch climb gradient mim 3.8%
 ❼ Continuous Descent Final Approach.

TAKE-OFF RWY 20, 24

LVP must be in Force			
	RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		

STRAIGHT-IN RWY		A	B	C	D
02	ILS ❶	559' (509')	559' (509')	575' (525')	575' (525')
		R800m	R800m	R800m	R800m
	ALS out	R1200m	R1200m	R1200m	R1200m
	ILS ❷	592' (542')	592' (542')	608' (558')	608' (558')
		R800m	R800m	R800m	R800m
	ALS out	R1200m	R1200m	R1200m	R1200m
	ILS ❸	674' (624')	674' (624')	690' (640')	690' (640')
		R800m	R800m	R800m	R800m
	ALS out	R1200m	R1200m	R1200m	R1200m
	ILS ❹	805' (755')	805' (755')	805' (755')	821' (771')
		R800m	R800m	R800m	R800m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	VOR ❺	660' (610')	660' (610')	700' (650')	700' (650')
		R1000m	R1200m	R1200m	R1600m
	ALS out	R1500m	R1500m	R2000m	R2000m
	VOR ❻	810' (760')	810' (760')	830' (780')	830' (780')
		R1200m	R1400m	R1400m	R1800m
	ALS out	R1500m	R1500m	R2000m	R2000m
	NDB	1470' (1420')	1470' (1420')	1660' (1610')	1660' (1610')
		R1200m	R1400m	R1400m	R1800m
	ALS out	R1500m	R1500m	R2000m	R2000m

- ❶ Missed apch climb gradient mim 5.0%
- ❷ Missed apch climb gradient mim 4.0%
- ❸ Missed apch climb gradient mim 3.0%
- ❹ Missed apch climb gradient mim 2.5%
- ❺ Missed apch climb gradient mim 4.8%

STRAIGHT-IN RWY		A	B	C	D
06	ILS ❶	384' (345')	384' (345')	384' (345')	400' (361')
		R800m	R800m	R800m	R800m
	ALS out	R1200m	R1200m	R1200m	R1200m
	ILS ❷	466' (427')	466' (427')	482' (443')	499' (460')
		R800m	R800m	R800m	R800m
	ALS out	R1200m	R1200m	R1200m	R1200m
	ILS ❸	515' (476')	515' (476')	548' (509')	564' (525')
		R800m	R800m	R800m	R800m
	ALS out	R1200m	R1200m	R1200m	R1200m
	ILS ❹	548' (509')	548' (509')	564' (525')	597' (558')
		R800m	R800m	R800m	R800m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	VOR ❺	NOT APPLICABLE	NOT APPLICABLE	570' (531')	570' (531')
	ALS out			R1200m R2000m	R1600m R2000m
	VOR ❻	540' (501')	540' (501')	NOT APPLICABLE	NOT APPLICABLE
	ALS out	R1000m R1500m	R1200m R1500m		
	VOR ❼	600' (561')	600' (561')	650' (611')	650' (611')
	ALS out	R1000m R1500m	R1200m R1500m	R1200m R2000m	R1600m R2000m
	NDB	700' (661')	700' (661')	1030' (991')	1030' (991')
	ALS out	R1200m R1500m	R1400m R1500m	R1400m R2000m	R1800m R2000m

- ❶ Missed apch climb gradient mim 5.0%
- ❷ Missed apch climb gradient mim 4.0%
- ❸ Missed apch climb gradient mim 3.0%
- ❹ Missed apch climb gradient mim 2.5%
- ❺ Missed apch climb gradient mim 4.3%
- ❻ Missed apch climb gradient mim 3.8%



TAKE-OFF RWY 20, 24		
LVP must be in Force		
	RCLM (DAY only) or RL	RCLM (DAY only) or RL
A		
B	250m	400m
C		
D	300m	500m

MAX 230 KT.

- 1 7800' within 10 NM.
- 2 11,200' within 15 NM.
- 3 9400' within 10 NM.

Trans alt: 3700' (**3650'**)

710' (660' - 200m)



HIALS
PAPI

Refer to
Missed Apch
above

FOR LANDING MINIMUMS SEE 11-1A

LANDING MINIMUMS									
STRAIGHT-IN LANDING RWY 02									
ILS									
Missed apch climb grad mim 5.0% DA(H)			Missed apch climb grad mim 4.0% DA(H)		Missed apch climb grad mim 3.0% DA(H)		Missed apch climb grad mim 2.5% DA(H)		
AB: 559' (509')			AB: 592' (542')		AB: 674' (624')		ABC: 805' (755')		
CD: 575' (525')			CD: 608' (558')		CD: 690' (640')		D: 821' (771')		
FULL		ALS out	FULL	ALS out	FULL	ALS out	FULL	ALS out	
A	RVR 1800m	2800m	2200m	3000m	3200m		3200m		
B	VIS 2000m								
C	2100m	2900m	2300m	3100m	3200m	3600m	3500m	4300m	
D							3600m	4400m	
STRAIGHT-IN LANDING RWY 02									
LOC (GS out)									
A	NOT AUTHORIZED								
B									
C									
D									

PANS OPS

LANDING MINIMUMS

STRAIGHT-IN LANDING RWY 06

ILS

Missed apch climb grad mim 5.0% DA(H)			Missed apch climb grad mim 4.0% DA(H)		Missed apch climb grad mim 3.0% DA(H)		Missed apch climb grad mim 2.5% DA(H)	
ABC: 384' (345') D: 400' (361')			AB: 466' (427') C: 482' (443') D: 499' (460')		AB: 515' (476') C: 548' (509') D: 564' (525')		AB: 548' (509') C: 564' (525') D: 597' (558')	
FULL		ALS out	FULL		FULL		FULL	
A	1000m	1800m	1500m		1800m		RVR 1800m VIS 2000m	
B			2300m		2600m		2800m	
C			RVR 1500m VIS 1600m	2400m	RVR 1800m VIS 2000m	2800m	2100m	2900m
D	1100m	1900m	1700m	2500m	2100m	2900m	2300m	3100m

STRAIGHT-IN LANDING RWY 06

LOC (GS out)


NDB

AB: 700' (661')
MDA(H) CD: 1030' (991')

ALS out

A	NOT AUTHORIZED	1200m	RVR 1500m VIS 1600m
B			
C		4000m	4800m
D		4400m	

MSA ADL VOR



MISSED APCH FIX

D13.5 / R-205


MHA 2020 (1970')

D18.3

193°


205°


025°




HIALS  PAPI	Refer to Missed Apch above
--	---



PANS OPS





ATIS 129.37 (126.2) (Russian)	SOCHI Approach 118.3 124.0X	SOCHI Krug (TWR) 119.7 124.0X	SOCHI Start (TWR) 121.2 124.0X	SOCHI Taxiing (TWR) 119.0
VOR ADL 112.7	Final Apch Crs 057°	Minimum Alt D8.2 2010' (1971')	MDA(H) Refer to Minimums Apt Elev 90' RWY 39'	
MISSED APCH: Climbing turn RIGHT onto 270° as early as possible. Intercept R-225, then proceed to holding at 2010' (1971'), or as directed.				MSA ADL VOR

Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 50 Trans alt: 3700' (3661')
Heavy turbulence with downdrafts to be expected on final.



Gnd speed-Kts	70	90	100	120	140	160	HIALS PAPI Refer to Missed Apch above
Descent Angle 2.83°	350	451	501	601	701	801	
5 MAP at D3.0 6 MAP at D3.3							

Missed apch climb grad mim 4.3%		Missed apch climb grad mim 3.8%		Missed apch climb grad mim 2.5%	
MDA(H) 570' (531')		MDA(H) 540' (501')		AB: 600' (561') CD: 650' (611')	
ALS out		ALS out		ALS out	
A	NOT APPLICABLE	1400m	2200m	RVR 1800m VIS 2000m	2800m
B	NOT APPLICABLE	1400m	2200m	RVR 1800m VIS 2000m	2800m
C	RVR 1500m VIS 1600m	2400m	NOT APPLICABLE	2400m	3200m
D	RVR 1800m VIS 2000m	2800m	NOT APPLICABLE	2400m	3200m




Chart changes since cycle 24-2012

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
SOCHI, (SOCHI - URSS)				
ADD	GOTAM & GUBOR 2A & 2B ARR...	10-2	07 Dec 2012	13 Dec 2012
DEL	RWY 02 ARRS (FROM NORTHEA...	10-2	07 Dec 2012	13 Dec 2012
ADD	GOTAM & GUBOR 4A & 4B ARR...	10-2A	07 Dec 2012	13 Dec 2012
DEL	RWY 02 ARRS (FROM SOUTH)	10-2A	07 Dec 2012	13 Dec 2012
DEL	RWY 02 ARRS (FROM WEST)	10-2B	07 Dec 2012	13 Dec 2012
ADD	TRAPI 2A & 2B ARRS	10-2B	07 Dec 2012	13 Dec 2012
DEL	RWY 02 ARRS (FROM NORTHWE...	10-2C	07 Dec 2012	13 Dec 2012
ADD	TRAPI 4A & 4B ARRS	10-2C	07 Dec 2012	13 Dec 2012
ADD	GUKIN 2A & 2B ARRS	10-2D	07 Dec 2012	13 Dec 2012
DEL	RWY 06 ARRS (FROM NORTHEA...	10-2D	07 Dec 2012	13 Dec 2012
ADD	GUKIN 4A & 4B ARRS	10-2E	07 Dec 2012	13 Dec 2012
DEL	RWY 06 ARRS (FROM SOUTH)	10-2E	07 Dec 2012	13 Dec 2012
ADD	KOGUL & LAMET 2A & 2B ARR...	10-2F	07 Dec 2012	13 Dec 2012
DEL	RWY 06 ARRS (FROM WEST)	10-2F	07 Dec 2012	13 Dec 2012
ADD	KOGUL & LAMET 4A & 4B ARR...	10-2G	07 Dec 2012	13 Dec 2012
DEL	RWY 06 ARRS (FROM NORTHWE...	10-2G	07 Dec 2012	13 Dec 2012
ADD	GUKIN, KOGUL, LAMET & TRA...	10-2H	07 Dec 2012	13 Dec 2012
ADD	GUKIN, KOGUL, LAMET & TRA...	10-2J	07 Dec 2012	13 Dec 2012
ADD	GOTAM, GUBOR & TRAPI 6C A...	10-2K	07 Dec 2012	13 Dec 2012
ADD	GUKIN, KOGUL, LAMET & TRA...	10-2L	07 Dec 2012	13 Dec 2012
ADD	LA & RUMBA 3A, 3B & 3C DE...	10-3	07 Dec 2012	13 Dec 2012
DEL	RWY 20 DEPS (TO NORTHWEST...	10-3	07 Dec 2012	13 Dec 2012
ADD	GOTAM & GUBOR 3B DEPS	10-3A	07 Dec 2012	13 Dec 2012
DEL	RWY 20 DEPS (TO NORTHEAST...	10-3A	07 Dec 2012	13 Dec 2012
DEL	RWY 20 DEPS (TO SOUTH)	10-3B	07 Dec 2012	13 Dec 2012
ADD	TRAPI 3A DEP	10-3B	07 Dec 2012	13 Dec 2012
ADD	GUKIN & LAMET 3A, 3B & 3C...	10-3C	07 Dec 2012	13 Dec 2012
DEL	RWY 20 DEPS (TO WEST)	10-3C	07 Dec 2012	13 Dec 2012
ADD	GUBOR & GOTAM 1C, LA & RU...	10-3D	07 Dec 2012	13 Dec 2012
DEL	RWY 24 DEPS (TO NORTHWEST...	10-3D	07 Dec 2012	13 Dec 2012
ADD	GUKIN, LAMET & TRAPI 1B, ...	10-3E	07 Dec 2012	13 Dec 2012
DEL	RWY 24 DEPS (TO SOUTH & W...	10-3E	07 Dec 2012	13 Dec 2012
ADD	LA & RUMBA 5A DEPS	10-3F	07 Dec 2012	13 Dec 2012
ADD	GOTAM & GUBOR 5A DEPS	10-3G	07 Dec 2012	13 Dec 2012
ADD	GUKIN, LAMET & TRAPI 5A D...	10-3H	07 Dec 2012	13 Dec 2012
ADD	LA & RUMBA 5B DEPS	10-3J	07 Dec 2012	13 Dec 2012
ADD	GOTAM & GUBOR 5B DEPS	10-3K	07 Dec 2012	13 Dec 2012
ADD	GUKIN, LAMET & TRAPI 5B D...	10-3L	07 Dec 2012	13 Dec 2012
REV	AIRPORT, AIRPORT INFO, TA...	10-9	07 Dec 2012	13 Dec 2012
REV	PARKING STANDS & COORDS	10-9A	07 Dec 2012	13 Dec 2012
REV	STANDARD MNMS	10-9S	07 Dec 2012	13 Dec 2012
ADD	STANDARD MNMS (CONTD)	10-9S1	07 Dec 2012	13 Dec 2012
REV	JAA MNMS	10-9X	07 Dec 2012	13 Dec 2012
ADD	JAA MNMS (CONTD)	10-9X1	07 Dec 2012	13 Dec 2012
REV	ILS DME RWY 02	11-1	07 Dec 2012	13 Dec 2012
REV	ILS DME MNMS	11-1A	07 Dec 2012	13 Dec 2012
REV	ILS DME OR NDB RWY 06	11-2	07 Dec 2012	13 Dec 2012
REV	ILS DME OR NDB MNMS	11-2A	07 Dec 2012	13 Dec 2012
ADD	VOR DME RWY 02	13-1	07 Dec 2012	13 Dec 2012
ADD	ARC VOR DME RWY 02	13-2	07 Dec 2012	13 Dec 2012
ADD	VOR DME RWY 06	13-3	07 Dec 2012	13 Dec 2012
ADD	ARC VOR DME RWY 06	13-4	07 Dec 2012	13 Dec 2012
ADD	NDB RWY 02	16-1	07 Dec 2012	13 Dec 2012

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport URSS