

Page 1

Changed chart(s) since Disc 26-2012

ADD = Added chart, REV = Revised chart, DEL = Deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
-----	-----------------	-------	----------	----------

No revision activity since Disc 26-2012

TERMINAL CHART NOTAMs

No Chart NOTAMs for Airport UNEE

General Info

Kemerovo, RUS

N 55° 16.2' E 86° 06.5' Mag Var: 8.4°E

Elevation: 873'

Public, IFR, Control Tower, Customs, Landing Fee

Fuel: Jet A-1

Repairs: Minor Airframe, Minor Engine

Time Zone Info: GMT+7:00 no DST

Runway Info

Runway 05-23 10499' x 197' concrete

Runway 05 (46.0°M) TDZE 832'

Lights: Edge, ALS

Runway 23 (226.0°M) TDZE 844'

Lights: Edge, ALS

Communications InfoKemerovo Start Tower **124.0**Kemerovo Start Tower **118.3**Kemerovo Approach Control **128.5**Kemerovo Approach Control **125.5**Unknown **128.7** Non-English**Notebook Info**

UNEE/KEJ
KEMEROVO

JEPPESEN
2 DEC 11 10-2


KEMEROVO, RUSSIA

STAR

Apt Elev
873'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL30
FL40 if pressure is 759mm (1011.9 hPa) or less and
equal or more than 733mm (977.3 hPa)
FL50 if pressure is 732mm (975.9 hPa) or less
Trans alt: 2520' (1688')

AMOTI 2A [AMOT2A]
LAPAK 2A [LAPA2A]
MOTOK 2A [MOTO2A]
RATKO 2A [RATK2A]
ROLEB 2A [ROLE2A]
RWY 05 ARRIVALS



UNEE/KEJ
KEMEROVO


JEPPESEN
2 DEC 11 (10-2A)

KEMEROVO, RUSSIA

STAR

Apt Elev
873'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL30
FL40 if pressure is 759mm (1011.9 hPa) or less and
equal or more than 733mm (977.3 hPa)
FL50 if pressure is 732mm (975.9 hPa) or less
Trans alt: 2520' (1688')



ASBET 2A [ASBE2A]
GINEL 2A [GINE2A]
GISAD 2A [GISA2A]
NALED 2A [NALE2A]
NATIR 2A [NATI2A]
TUMKO 2A [TUMK2A]
RWY 05 ARRIVALS

GISAD
N57 46.6 E086 33.8

NALED
N55 57.2 E085 33.9

N56 05.1 E086 15.3

① MEA when under
radar control.

995 N
N55 17.0 E086 08.5

NATIR
N55 11.8
E084 41.8

N55 12.6 E085 47.6

N55 11.3 E085 49.2

At 2520' (1688')

(FAF)
N55 12.5 E085 57.6
At 2520'
(1688')

GINEL
N55 10.2
E084 41.7

GINEL 2A

N55 09.9
E085 51.5

ASBET 2A

ASBET
N54 27.4 E085 52.0

NEPKA
N54 04.0 E083 59.0

ALT/HEIGHT CONVERSION
QNH (QFE)
2520' (1688' - 500m)

UNEE/KEJ
KEMEROVO


JEPPESEN
2 DEC 11 (10-2B)

KEMEROVO, RUSSIA


STAR

Apt Elev
873'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL30
FL40 if pressure is 759mm (1011.9 hPa) or less and
equal or more than 733mm (977.3 hPa)
FL50 if pressure is 732mm (975.9 hPa) or less
Trans alt: 2520' (1676')



AMOTI 4A [AMOT4A], LAPAK 4A [LAPA4A]
MOTOK 4A [MOTO4A], RATKO 4A [RATK4A]
ROLEB 4A [ROLE4A]
RWY 23 ARRIVALS




UNEE/KEJ
KEMEROVO

JEPPESEN
2 DEC 11 (10-2C)

KEMEROVO, RUSSIA

STAR



Apt Elev
873'

Alt Set: MM (hPa on request) QNH on request (QFE)

Trans level: FL30


FL40 if pressure is 759mm (1011.9 hPa) or less and
equal or more than 733mm (977.3 hPa)

FL50 if pressure is 732mm (975.9 hPa) or less

Trans alt: 2520' (1676')

ASBET 4A [ASBE4A]
GINEL 4A [GINE4A]
GISAD 4A [GISA4A]
NALED 4A [NALE4A]
NATIR 4A [NATI4A]
TUMKO 4A [TUMK4A]
RWY 23 ARRIVALS


① MEA when under
radar control.



UNEE/KEJ
KEMEROVO

JEPPESEN
2 DEC 11 (10-2D)

KEMEROVO, RUSSIA
STAR



**UNEE/KEJ
KEMEROVO**

JEPPESEN
2 DEC 11 10-2E

KEMEROVO, RUSSIA

STAR

Apt Elev
873'


Alt Set: MM (hPa on request) QNH on request **(QFE)**

Trans level: FL30

FL40 if pressure is 759mm (1011.9 hPa) or less and
equal or more than 733mm (977.3 hPa)

FL50 if pressure is 732mm (975.9 hPa) or less

Trans alt: 2520' (**1688'**)



MSA
ARP

ASBET 2B [*ASBE2B*]
GINEL 2B [*GINE2B*]
GISAD 2B [*GISA2B*]
NALED 2B [*NALE2B*]
NATIR 2B [*NATI2B*]
TUMKO 2B [*TUMK2B*]
RWY 05 ARRIVALS

CAT A & B***GISAD***

N57 46.6 E086 33.8

NALED

N55 57.2 E085 33.9

N56 05.1 E086 15.3

① MEA when under radar control.

995 N

N55 17.0 E086 08.5

NATIR

N55	11.8
E084	41.8

NATIR 2B

41
4270

GINEL

N55 10.2
E084 41.7

GINEL 2B

Q11

N55 11.9 E085 54.2

At 2520'
(1688')

(FAF)
N55 12.5 E085 57.6

At 2520'
(1688')

4790
ASBET 2B

ASBET

N54 27.4 E085 52.0

ALT/HEIGHT CONVERSION

QNH (QFE)

2520' (1688' - 500m)

UNEE/KEJ
KEMEROVO

JEPPESEN
2 DEC 11 10-2F

KEMEROVO, RUSSIA


STAR

Apt Elev
873'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL30
FL40 if pressure is 759mm (1011.9 hPa) or less and
equal or more than 733mm (977.3 hPa)
FL50 if pressure is 732mm (975.9 hPa) or less
Trans alt: 2520' (1676')

AMOTI 4B [AMOT4B]
LAPAK 4B [LAPA4B]
MOTOK 4B [MOTO4B]
RATKO 4B [RATK4B]
ROLEB 4B [ROLE4B]
RWY 23 ARRIVALS

CAT A & B




UNEE/KEJ
KEMEROVO

JEPPESEN
2 DEC 11 (10-2G)

KEMEROVO, RUSSIA

STAR




Apt Elev
873'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL30
FL40 if pressure is 759mm (1011.9 hPa) or less and
equal or more than 733mm (977.3 hPa)
FL50 if pressure is 732mm (975.9 hPa) or less
Trans alt: 2520' (1676')

ASBET 4B [ASBE4B]
GINEL 4B [GINE4B]
GISAD 4B [GISA4B]
NALED 4B [NALE4B]
NATIR 4B [NATI4B]
TUMKO 4B [TUMK4B]
RWY 23 ARRIVALS
CAT A & B

① MEA when under
radar control.



UNEE/KEJ
KEMEROVO

JEPPESEN
2 DEC 11 10-3

KEMEROVO, RUSSIA

SID

Apt Elev
873'


QNH on request (QFE)

Trans level: FL30

FL40 if pressure is 759mm (1011.9 hPa) or less and
equal or more than 733mm (977.3 hPa)

FL50 if pressure is 732mm (975.9 hPa) or less

Trans alt: 2520' (1647')



GISAD 1 GISAD 3
NALED 1 NALED 3
RWY 05 RWY 23
DEPARTURES

GISAD
N57 46.6
E086 33.8

N56 05.1 E086 15.3

NALED
N55 57.2 E085 33.9



① MEA when under
radar control.

ALT/HEIGHT CONVERSION
QNH (QFE)
2190' (1317' - 400m)
2520' (1647' - 500m)

N55 18.4 E085 52.1

At FL40

009°
338°

NALED 1
4270 45

NALED 3
4270 40

GISAD 3
4530 49
4300 ①

GISAD 1
4530 48
4300 ①

322°
354°

At 2190' (1317')

489 NC

N55 18.0 E086 10.8

At 2190'
(1317')

UNEE/KEJ
KEMEROVO

JEPPESEN
2 DEC 11 (10-3A)

KEMEROVO, RUSSIA

SID

Apt Elev
873'

QNH on request (QFE)

Trans level: FL30

FL40 if pressure is 759mm (1011.9 hPa) or less and equal
or more than 733mm (977.3 hPa)

FL50 if pressure is 732mm (975.9 hPa) or less

Trans alt: 2520' (1647')

AMOTI

N55 57.0 E089 03.0

56

061°

N55 36.4 E087 30.7

LAPAK

N55 25.9 E088 54.2

45


077°

N55 21.8 E087 34.6

AMOTI 1
LAPAK 1
RWY 05

AMOTI 3
LAPAK 3
RWY 23


DEPARTURES



① MEA when under
radar control.

ALT/HEIGHT CONVERSION
QNH (QFE)

1530' (657' - 200m)
2520' (1647' - 500m)



AMOTI 3
5160
4930

AMOTI 1
5160
4930

LAPAK 1
8340
7220

LAPAK 3
8340
7220

52

51

58

At 1530'
(657')

0358°

076°

0353°

069°

UNEE/KEJ
KEMEROVO

JEPPESEN
2 DEC 11 10-3B

KEMEROVO, RUSSIA

SID

Apt Elev
873'


QNH on request (QFE)

Trans level: FL30

FL40 if pressure is 759mm (1011.9 hPa) or less and
equal or more than 733mm (977.3 hPa)


FL50 if pressure is 732mm (975.9 hPa) or less

Trans alt: 2520' (1647')



MSA
ARP

ASBET 1 ASBET 3
MOTOK 1 MOTOK 3
RATKO 1 RATKO 3
RWY 05 RWY 23
DEPARTURES



ALT/HEIGHT CONVERSION

QNH (QFE)

1530' (657' - 200m)


2520' (1647' - 500m)

UNEE/KEJ
KEMEROVO

JEPPESEN
2 DEC 11 (10-3C)

KEMEROVO, RUSSIA

SID



UNEE/KEJ
KEMEROVO

25 FEB 11

JEPPESEN

10-4

Eff 10 Mar

KEMEROVO, RUSSIA
NOISE**NOISE ABATEMENT****GENERAL**

Noise abatement procedures shall be carried out by crews of all ACFT. It shall not be executed at the expense of reduction of flight safety and in case of engine failure during take-off.

ARRIVALS

In case of complicated meteorological conditions the pilot-in-command may deviate from noise abatement procedures during approach phase if he considers it necessary for safety reasons.

Preferential RWY is RWY 05, especially at night.

During approaches to both RWYs, joining circle manoeuvres shall be carried out strictly according to the pattern.

DEPARTURES

Take-off of IL-76 and IL-76T is limited at night.

Nominal regime of noiseless take-off procedure according to the Airplane Flight Manual shall be established at 2190' (1317') for IL-86 and IL-96 ACFT and at 2520' (1647') for other ACFT.

Initial turn shall be carried out at an altitude not less than 2190' (1317') on take-off heading 226° and departing to GINEL, GISAD, NALED and NATIR. On take-off heading 046° departing to GISAR and NALED.

RUN-UP TESTS


Engines run-up is allowed on TWY 1 or the RWY by coordination with KEMEROVO Start and shall be carried during daylight only.

UNEE/KEJ

25 FEB 11 **10-9A** Eff 10 Mar

KEMEROVO, RUSSIA
KEMEROVO

NOT TO SCALE



INS COORDINATES

STAND No.	COORDINATES
1	N55 16.9 E086 07.3
2	N55 16.9 E086 07.2
3	N55 16.8 E086 07.2
4 thru 6	N55 16.8 E086 07.1

Stands 1 thru 10 available for helicopters.
Start-up, taxiing or towing shall be carried out by permission of controller.

UNEE/KEJ


JEPPESEN
 20 MAR 09 **10-9S**
Standard
KEMEROVO, RUSSIA
KEMEROVO

STRAIGHT-IN RWY		A	B	C	D
05	NDB	1680' (848')	1680' (848')	1680' (848')	1680' (848')
		C3800m	C3800m	C4000m	C4000m
	<i>ALS out</i>	C4000m	C4000m	C4200m	C4200m
23	ILS	1044' (200')	1044' (200')	1044' (200')	1044' (200')
	<i>FULL</i>	R550m	R550m	R550m	R550m
	<i>Limited</i>	R750m	R750m	R750m	R750m
	<i>ALS out</i>	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
2 NDB or NC LOM ①		1200' (356')	1200' (356')	1200' (356')	1200' (356')
		R1000m	R1000m	R1200m	R1200m
	<i>ALS out</i>	R1600m	R1600m	R1600m	R1600m
	N LMM	1450' (606')	1450' (606')	1450' (606')	1450' (606')
		C2300m	C2300m	C2500m	C2500m
	<i>ALS out</i>	C3000m	C3000m	C3200m	C3200m

① Continuous Descent Final Approach**TAKE-OFF RWY 05, 23**

LVP must be in Force			
RCLM (DAY only) or RL		RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		

UNEE/KEJ


JEPPESEN
 3 OCT 08 **10-9X**
JAA MINIMUMS**KEMEROVO, RUSSIA**
KEMEROVO

STRAIGHT-IN RWY		A	B	C	D
05	NDB	1680' (848')	1680' (848')	1680' (848')	1680' (848')
		R1500m	R1500m	R2000m	R2000m
23	ILS	1044' (200')	1044' (200')	1044' (200')	1044' (200')
		R550m	R550m	R550m	R2000m
	<i>ALS out</i>	R1000m	R1000m	R1000m	R1000m
	LOC	NOT AUTHORIZED			
2 NDB or NC LOM		1200' (356')	1200' (356')	1200' (356')	1200' (356')
		R900m	R1000m	R1000m	R1400m
	<i>ALS out</i>	R1500m	R1500m	R1800m	R2000m
N LMM		1450' (606')	1450' (606')	1450' (606')	1450' (606')
		R1000m	R1200m	R1200m	R1600m
	<i>ALS out</i>	R1500m	R1500m	R2000m	R2000m

TAKE-OFF RWY 05, 23


LVP must be in Force			
RCLM (DAY only) or RL		RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		



UNEE/KEJ
KEMEROVO

JEPPESEN
11 NOV 11 (16-1) Eff 17 Nov

KEMEROVO, RUSSIA
NDB Rwy 05

BRIEFING STRIP

KEMEROVO Approach			KEMEROVO Start (TWR/GND)		
125.5			118.3		
Lctr N 995	Final Apch Crs 046°	Minimum Alt 6.7 NM RDP 2520' (1688')	MDA(H) 1680' (848')	Apt Elev 873' RWY 832'	
MISSED APCH: Climb on 046° to 1490' (658'), then turn RIGHT onto 226° climbing to 2520' (1688'), then according to chart.					MSA ARP
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 30 ① Trans alt: 2520' (1688') WARNING: Ground Proximity Warning System is subject to functioning.					



Gnd speed-Kts	70	90	100	120	140	160	ALS	1490' (658')	on 046°	226°	2520' (1688')
Descent angle	2.75°	340	438	486	584	681	778	PAPI	↑	RT	↑

STRAIGHT-IN LANDING RWY 05		ALS out	
MDA(H) 1680' (848')			
A	3200m		
B			
C	4000m		
D	4400m		

PANS OPS