

Page 1

Changed chart(s) since Disc 26-2012

ADD = Added chart, REV = Revised chart, DEL = Deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
-----	-----------------	-------	----------	----------

No revision activity since Disc 26-2012

TERMINAL CHART NOTAMs

Chart NOTAMs for Airport UOII

Type: Terminal

Effectivity: Temporary

Begin Date: Immediately

End Date: Until Further Notice

Rwy 30 Take-off mnm is 2000m.

General Info

Igarka, RUS

N 67° 26.5' E 86° 37.3' Mag Var: 18.1°E

Elevation: 79'

Public, IFR, No Customs

Fuel: Jet A-1

Time Zone Info: GMT+8:00 no DST

Runway Info

Runway 12-30 8242' x 151' concrete

Runway 12 (117.0°M) TDZE 75'

Lights: Edge, ALS

Runway 30 (297.0°M) TDZE 79'

Lights: Edge


Communications InfoATIS **126.2** Non-EnglishIgarka Approach Control **124.2** Non-EnglishIgarka Transit Operations **131.8** Non-English**Notebook Info**

UOII/IAA
 IGARKA

JEPPESEN
 23 DEC 11 10-2


IGARKA, RUSSIA
 STAR

*ATIS 126.2 Apt Elev 79' Alt Set: MM (hPa on request) QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 1720' (1645')



AN 2, LR 2, OD 2
 RWY 12 ARRIVALS

FOR RUSSIAN USERS ONLY



Arrival Data for ACFT with MAX 160KT						
From	Track	Dist	QDM LOM	R VOR	D DME	Alt (Hgt)
ADNIR	185°	22	110°	303	7.9	1720' (1645')
LARMI	196°	23	126°	304	7.9	
OMADA	171°	21	122°	301	7.7	

UOII/IAA
IGARKA


JEPPESEN
23 DEC 11 (10-2A)

IGARKA, RUSSIA
STAR

*ATIS
126.2


Apt Elev
79'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt (hgt): 1720' (1641')



AN 4, LR 4, OD 4
RWY 30 ARRIVALS

FOR RUSSIAN USERS ONLY




UOII/IAA
 IGARKA

JEPPESEN
 23 DEC 11 (10-2B)

IGARKA, RUSSIA
 STAR


*ATIS 126.2 Apt Elev 79' Alt Set: MM (hPa on request) QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 1720' (1645')



AP 2, NK 2
 RWY 12 ARRIVALS
 BY ATC

FOR RUSSIAN USERS ONLY

ALT/HEIGHT CONVERSION
 QNH (QFE)
 1720' (1645' - 500m)



Arrival Data for ACFT with MAX 160KT						
From	Track	Dist	QDM LOM	R VOR	D DME	Alt (Hgt)
ADEPA	215°	25	130°	307	8.0	1720' (1645')
NOKRU	252°	30	138°	312	7.9	

UOII/IAA
 IGARKA


JEPPESEN
 23 DEC 11 (10-2C)

IGARKA, RUSSIA
 STAR

*ATIS
 126.2

Apt Elev
 79'

Alt Set: MM (hPa on request) QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 1720' (1641')




AP 4, NK 4
 RWY 30 ARRIVALS
 BY ATC

FOR RUSSIAN USERS ONLY

Arrival Data for ACFT with MAX 160KT						
From	Track	Dist	QDM LOM	R VOR	D DME	Alt (Hgt)
ADEPA	181°	28	287°	105	7.8	1720' (1641')
NOKRU	222°	23	292°	111	7.7	


ALT/HEIGHT CONVERSION
 QNH (QFE)
 1720' (1641' - 500m)



UOII/IAA
IGARKA

JEPPESEN
23 DEC 11 10-2D

IGARKA, RUSSIA
STAR




CHANGES: Arrivals replaced by STARs.

© JEPPESEN, 2011. ALL RIGHTS RESERVED.

UOII/IAA
 IGARKA

JEPPESEN
 23 DEC 11 10-2E

IGARKA, RUSSIA
 STAR




Arrival Data for ACFT with MAX 160KT					
From	Track	Dist	QDM LOM	R VOR	D DME
LAPTI	334°	22	298°	117	7.2
NERUK	042°	26	305°	126	7.9
ULTUP	292°	21	297°	116	6.9

UOII/IAA
 IGARKA

JEPPESEN
 23 DEC 11 10-2F


IGARKA, RUSSIA
 STAR

*ATIS 126.2 Apt Elev 79' Alt Set: MM (hPa on request) QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 1720' (1645')



RK 2, TB 2, TB 2A
 RWY 12 ARRIVALS

FOR RUSSIAN USERS ONLY



Arrival Data for ACFT with MAX 160KT						
From	Track	Dist	QDM LOM	R VOR	D DME	Alt (Hgt)
RUKOD	080°	21	114°	295	7.5	1720' (1645')
TUBRA	064°	21	112°	294	7.7	

ALT/HEIGHT CONVERSION
 QNH (QFE)
 1720' (1645' - 500m)

UOII/IAA
IGARKA


JEPPESEN
23 DEC 11 (10-2G)

IGARKA, RUSSIA
STAR

*ATIS
126.2


Apt Elev
79'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt (hgt): 1720' (1641')



RK 4, TB 4, TB 4A
RWY 30 ARRIVALS

FOR RUSSIAN USERS ONLY



Arrival Data for ACFT with MAX 160KT						
From	Track	Dist	QDM LOM	R VOR	D DME	Alt (Hgt)
TUBRA	088°	31	311°	132	7.5	1720'(1641')

ALT/HEIGHT CONVERSION
QNH (QFE)
1720' (1641' - 500m)


UOII/IAA
 IGARKA

JEPPESEN
 23 DEC 11 10-3

IGARKA, RUSSIA
 SID

Apt Elev
 79'

QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 1720' (1645')




AN 1, LR 1, OD 1

AP 1
 BY ATC

RWY 12 DEPARTURES

FOR RUSSIAN USERS ONLY




UOII/IAA
 IGARKA

JEPPESEN
 23 DEC 11 (10-3A)

IGARKA, RUSSIA
 SID

Apt Elev
 79'

QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 1720' (1641')
 1. Execute crosswind turn after overflying LS at or above
 740' (661').




AN 3, LR 3, OD 3

AP 3
 BY ATC

RWY 30 DEPARTURES

FOR RUSSIAN USERS ONLY



These SIDs require minimum climb gradients of
 AP 3: 5.0% up to ADEPA.
 LR 3: 5.3% up to LARMI.
 AN 3: 5.4% up to ADNIR.
 OD 3: 5.5% up to OMADA.


Gnd speed-KT	75	100	150	200	250	300
5.5% V/V (fpm)	418	557	835	1114	1392	1671
5.4% V/V (fpm)	410	547	820	1094	1367	1641
5.3% V/V (fpm)	403	537	805	1073	1342	1610
5.0% V/V (fpm)	380	506	760	1013	1266	1519

UOII/IAA
 IGARKA

JEPPESEN
 23 DEC 11 (10-3B)

IGARKA, RUSSIA
 SID

Apt Elev 79'
 QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 1720' (1645')




LP 1, UT 1

NK 1
 BY ATC

RWY 12 DEPARTURES

FOR RUSSIAN USERS ONLY



These SIDs require minimum climb gradients of

NK 1: 5.1% up to NOKRU.

LP 1: 5.4% up to LAPT1.

UT 1: 5.6% up to ULTUP.

Gnd speed-KT	75	100	150	200	250	300
5.6% V/V (fpm)	425	567	851	1134	1418	1701
5.4% V/V (fpm)	410	547	820	1094	1367	1641
5.1% V/V (fpm)	387	516	775	1033	1291	1549

ALT/HEIGHT CONVERSION	
QNH	(QFE)
740'	(665' - 200m)
1720'	(1645' - 500m)


UOII/IAA
IGARKA

JEPPESEN
23 DEC 11 (10-3C)

IGARKA, RUSSIA
SID

Apt Elev
79'

QNH on request (QFE)
Trans level: FL40 Trans alt (hgt): 1720' (1641')
1. Execute crosswind turn after overflying LS at or above 740' (661').




LP 3, UT 3

NK 3
BY ATC

RWY 30 DEPARTURES

FOR RUSSIAN USERS ONLY



These SIDs require minimum climb gradients of

UT 3: 3.9% up to ULTUP.

LP 3: 4.1% up to LAPTI.

NK 3: 4.8% up to NOKRU.

Gnd speed-KT	75	100	150	200	250	300
4.8% V/V (fpm)	365	486	729	972	1215	1458
4.1% V/V (fpm)	311	415	623	830	1038	1246
3.9% V/V (fpm)	296	395	592	790	987	1185

ALT/HEIGHT CONVERSION

QNH (QFE)

740' (661' - 200m)

1720' (1641' - 500m)


UOII/IAA
IGARKA

JEPPESEN
23 DEC 11 (10-3D)

IGARKA, RUSSIA
SID


Apt Elev
79'

QNH on request (QFE)
Trans level: FL40 Trans alt (hgt): 1720' (1645')



NR 1, RK 1, TB 1
RWY 12 DEPARTURES

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION	
QNH	(QFE)
740'	(665' - 200m)
1720'	(1645' - 500m)

These SIDs require minimum climb gradients of

RK 1: 4.1% up to RUKOD.
TB 1: 4.3% up to TUBRA.
NR 1: 4.8% up to NERUK.

Gnd speed-KT	75	100	150	200	250	300
4.8% V/V (fpm)	365	486	729	972	1215	1458
4.3% V/V (fpm)	327	435	653	871	1089	1306
4.1% V/V (fpm)	311	415	623	830	1038	1246


UOII/IAA
 IGARKA

JEPPESEN
 23 DEC 11 (10-3E)

IGARKA, RUSSIA
 SID


Apt Elev
 79'

QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 1720' (1641')
 1. Execute crosswind turn after overflying LS at or above 740' (661').



NR 3, RK 3, TB 3
 RWY 30 DEPARTURES

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION	
QNH	(QFE)
740'	(661' - 200m)
1720'	(1641' - 500m)


These SIDs require minimum climb gradients of
NR 3: 4.8% up to NERUK.
TB 3: 5.5% up to TUBRA.
RK 3: 5.6% up to RUKOD.

Gnd speed-KT	75	100	150	200	250	300
5.6% V/V (fpm)	425	567	851	1134	1418	1701
5.5% V/V (fpm)	418	557	835	1114	1392	1671
4.8% V/V (fpm)	365	486	729	972	1215	1458

UOII/IAA
Apt Elev **79'**
N67 26.5 E086 37.4

JEPPESEN
11 FEB 11 (10-9)

IGARKA, RUSSIA
IGARKA



ADDITIONAL RUNWAY INFORMATION

RWY		USABLE LENGTHS		TAKE-OFF	WIDTH
		Threshold	Landing Beyond Glide Slope		
12	RL ALS			7750' 2362m ①	151' 46m
30					

① First 492'/150m unusable for take-off.

TAKE-OFF

AIR CARRIER (JAA)

All Rwys

LVP must be in force

RCLM (DAY only)
or RL

RCLM (DAY only)
or RL

A

B

C

D

250m

300m

400m


UOII/IAA
IGARKA

JEPPESEN
3 FEB 12 **16-1** Eff 9 Feb

IGARKA, RUSSIA
NDB Rwy 30

BRIEFING STRIP

*ATIS				*IGARKA Approach		
126.2 Russian only				124.2 Russian only		
NDB L *650	Final Apch Crs 297°	Minimum Alt No FAF	MDA(H) Refer to Minimums	Apt Elev 79'	1800' MSA ARP	
MISSED APCH: Climb to 740' (661'), then turn RIGHT onto 117° climbing to 1720' (1641'), then according to chart.				RWY 79'		
Alt Set: MM (hPa on req)		QNH on req (QFE)		Trans level: FL 40		Trans alt: 1720' (1641')



Gnd speed-Kts	70	90	100	120	140	160			
Descent Angle 3.00°	372	478	531	637	743	849	740' (661')	117° RT	1720' (1641')
							↑		↑

STRAIGHT-IN LANDING RWY 30							
MDA(H) AB: 740' (661') CD: 1070' (991')							
A	3200m						
B							
C	4800m						
D							

PANS OPS