

Page 1

Changed chart(s) since Disc 26-2012

ADD = Added chart, REV = Revised chart, DEL = Deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
-----	-----------------	-------	----------	----------

No revision activity since Disc 26-2012

TERMINAL CHART NOTAMs

No Chart NOTAMs for Airport USCC

USCC (Balandino)**General Info**

Chelyabinsk, RUS

N 55° 18.3' E 61° 30.2' Mag Var: 12.5°E

Elevation: 769'

Public, IFR, Control Tower, Customs, Landing Fee

Fuel: Jet A-1

Repairs: Minor Airframe, Minor Engine

Time Zone Info: GMT+6:00 no DST

Runway Info

Runway 09-27 10499' x 197' concrete

Runway 09 (90.0°M) TDZE 759'

Lights: Edge, ALS, Centerline

Runway 27 (270.0°M) TDZE 737'

Lights: Edge, ALS, Centerline

Communications InfoChelyabinsk Start Tower **125.2**Chelyabinsk Approach Control **124.7**Chelyabinsk Approach Control **124.0** Secondary**Notebook Info**

USCC/CEK
BALANDINO


JEPPESEN
2 NOV 12 10-2 Eff 15 Nov

CHELYABINSK, RUSSIA

STAR


Apt Elev
769'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: By ATC Trans Alt: 3730' (2971')
Do not mistake airport of Chelyabinsk Shagol 7.6 NM SOUTHWEST of ARP
(landing track 120°/300° MAG) with Chelyabinsk Balandino.



ASLIM 1 ALFA (ASLIM 1A) [ASL11A]
LERDA 1 ALFA (LERDA 1A) [LERD1A] 10
NOMGI 1 ALFA (NOMGI 1A) [NOMG1A]
RWY 09 ARRIVALS

IN CASE OF LOST COMM AND/OR WHEN RADAR CONTROL
NOT PROVIDED REFER TO CHART 10-2F



ALT/HEIGHT CONVERSION
(QFE)
QNH 3730' (2971' - 900m)
2080' (1321' - 400m)

USCC/CEK
BALANDINOJEPPESEN
2 NOV 12 **10-2A** Eff 15 Nov

CHELYABINSK, RUSSIA

STAR

Apt Elev
769'


Alt Set: MM (hPa on request) QNH on request (QFE)

Trans level: By ATC Trans Alt: 3730' (2993')

1. Do not mistake airport of Chelyabinsk Shagol 7.6 NM SOUTHWEST of ARP (landing track 120°/300° MAG) with Chelyabinsk Balandino.


2. In case of VORDME approach proceed on STAR route to LBN or request RADAR vectoring and carry out VORDME approach according chart 13-1.

Crossing altitudes by ATC.



ASLIM 2 ALFA (ASLIM 2A) [ASLI2A]
LERDA 2 ALFA (LERDA 2A) [LERD2A] 00
NOMGI 2 ALFA (NOMGI 2A) [NOMG2A]
RWY 27 ARRIVALS

IN CASE OF LOST COMM AND/OR WHEN RADAR CONTROL
NOT PROVIDED REFER TO CHART 10-2G



USCC/CEK
BALANDINO

JEPPESEN
10 AUG 12 (10-2C) Eff 23 Aug

CHELYABINSK, RUSSIA

STAR

Apt Elev
769'

Alt Set: MM (hPa on request) QNH on request (QFE)

Trans level: By ATC Trans Alt: 3730' (2993')

1. Do not mistake airport of Chelyabinsk Shagol 7.6 NM SOUTHWEST of ARP (landing track 120°/300° MAG) with Chelyabinsk Balandino.



2. In case of VORDME approach proceed on STAR route to LBN or request RADAR vectoring and carry out VORDME approach according chart 13-1. Crossing altitudes by ATC.

ARDON 2 ALFA (ARDON 2A)[ARDO2A] ①


GUPRI 2 ALFA (GUPRI 2A)[GUPR2A]

RWY 27 ARRIVALS

IN CASE OF LOST COMM AND/OR WHEN RADAR CONTROL
NOT PROVIDED REFER TO CHART 10-2G



ALT/HEIGHT CONVERSION
QNH (QFE)
3730' (2993' - 900m)
2050' (1313' - 400m)



USCC/CEK
BALANDINO


JEPPESEN
10 AUG 12 10-2F Eff 23 Aug

CHELYABINSK, RUSSIA

STAR

Apt Elev
769'


Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: By ATC Trans Alt: 3730' (2971')
Do not mistake airport of Chelyabinsk Shagol 7.6 NM SOUTHWEST
of ARP (landing track 120°/300° MAG) with Chelyabinsk Balandino.



RWY 09 ARRIVALS IN CASE OF LOST COMM AND/OR WHEN RADAR CONTROL NOT PROVIDED

Proceed to LB, enter holding:
from GISAK, IDETA turn LEFT,
from ALIMU, BETUR, NAPAL turn RIGHT,
from DEBRI, TEDMA on 300° track.
When RADAR control is not provided,
descend by ATC.

① 2 MIN (CAT A, B)
1 1/2 MIN (CAT C, D).



ALT/HEIGHT CONVERSION
QNH (QFE)
3730' (2971' - 900m)

USCC/CEK
BALANDINO


JEPPESEN
10 AUG 12 (10-2G) Eff 23 Aug

CHELYABINSK, RUSSIA

STAR

Apt Elev
769'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: By ATC Trans Alt: 3730' (2993')
Do not mistake airport of Chelyabinsk Shagol 7.6 NM SOUTHWEST
of ARP (landing track 120°/300° MAG) with Chelyabinsk Balandino.




RWY 27 ARRIVALS IN CASE OF LOST COMM AND/OR WHEN RADAR CONTROL NOT PROVIDED

Proceed to KS, enter holding:
from BETUR turn LEFT,
from ALIMU, DEBRI, NAPAL,
TEDMA turn RIGHT,
from GISAK on 060° track.
When RADAR control is not provided,
descend by ATC.

① 2 MIN (CAT A, B)
1 1/2 MIN (CAT C, D).

Direct distance from GOLEV to:
Balandino Apt 5NM



LOST COMMS Descending from FL for approach-to-land shall be commenced after crossing KS.

ALT/HEIGHT CONVERSION
QNH (QFE)
3730' (2993' - 900m)

USCC/CEK
BALANDINO

10 AUG 12

10-3

Eff 23 Aug


CHELYABINSK, RUSSIA

SID


Apt Elev
769'

QNH on request (QFE)

Trans level: By ATC Trans alt: 3730' (2971')




ASLIM 3 ALFA (ASLIM 3A) [ASLI3A]
IMANA 3 ALFA (IMANA 3A) [IMAN3A]
LERDA 3 ALFA (LERDA 3A) [LERD3A] ②③
TAKRA 3 ALFA (TAKRA 3A) [TAKR3A]
UTABI 3 ALFA (UTABI 3A) [UTAB3A]
RWY 09 DEPARTURES



- ① Flights allowed between FL50 & FL100 and between FL180 & FL330
- ② Only for Russian users of airspace.
- ③ By ATC.

ALT/HEIGHT CONVERSION
QNH (QFE)
1420' (661' - 200m)
3730' (2971' - 900m)



USCC/CEK
BALANDINO

10 AUG 12

(10-3A)

Eff 23 Aug


CHELYABINSK, RUSSIA

SID


Apt Elev
769'

QNH on request (QFE)

Trans level: By ATC Trans alt: 3730' (2993')



ASLIM 4 ALFA (ASLIM 4A) [ASLI4A]
IMANA 4 ALFA (IMANA 4A) [IMAN4A]
LERDA 4 ALFA (LERDA 4A) [LERD4A] ②③
TAKRA 4 ALFA (TAKRA 4A) [TAKR4A]
UTABI 4 ALFA (UTABI 4A) [UTAB4A]
RWY 27 DEPARTURES



USCC/CEK
BALANDINO

10 AUG 12


JEPPESEN

CHELYABINSK, RUSSIA


SID

Apt Elev
769'

QNH on request **(QFE)**

Trans level: By ATC Trans alt: 3730' **(2971')**

ARDON 3 ALFA (ARDON 3A) [ARDO3A] 12
 GERSI 3 ALFA (GERSI 3A) [GERS3A] 12
 GUPRI 3 ALFA (GUPRI 3A) [GUPR3A]
 RWY 09 DEPARTURES



- 1** Only for Russian users of airspace.
- 2** By ATC.

ARDON
N54 42.6
E060 44.5

ALT/HEIGHT CONVERSION
QNH (QFE)
3730' (2971' - 900m)

USCC/CEK
BALANDINO

10 AUG 12


JEPPESEN

CHELYABINSK, RUSSIA



Eff 23 Aug**SID**

Apt Elev
769'

QNH on request (QFE)

Trans level: By ATC Trans alt: 3730' **(2993')**

ARDON 4 ALFA (ARDON 4A) [ARDO4A] 12
 GERSI 4 ALFA (GERSI 4A) [GERS4A] 12
 GUPRI 4 ALFA (GUPRI 4A) [GUPR4A]
 RWY 27 DEPARTURES




ALT/HEIGHT CONVERSION

QNH (QFE)
1400' (663' - 200m)
3730' (2993' - 900m)

USCC/CEK
Apt Elev **769'**
N55 18.4 E061 30.2

JEPPesen
4 NOV 11 **(10-9)** Eff 17 Nov

CHELYABINSK, RUSSIA
BALANDINO



ADDITIONAL RUNWAY INFORMATION

RWY			USABLE LENGTHS		TAKE-OFF	WIDTH
			Threshold	Landing Beyond		
09	27	HIRL (60m) CL (15m) HIALS PAPI-L (angle 2.83°)		9709' 2959m 9345' 2848m	①	197' 60m

① TAKE-OFF RUN AVAILABLE RWY 09:

From rwy head 10,499' (3200m)
twy 3 int 9803' (2988m)

TAKE-OFF

AIR CARRIER (JAA)
All Rwy's


LVP must be in force

	RL & CL	RCLM (DAY only) or RL	RCLM (DAY only) or RL
A			
B	200m	250m	400m
C			
D	250m	300m	

USCC/CEK

JEPPESEN
 4 NOV 11 (10-9A) Eff 17 Nov

CHELYABINSK, RUSSIA
 BALANDINO



INS COORDINATES		Parking stands 16 thru 23, 27 and Main Twy 2 between Twy 4 and Twy 5 available for helicopters.
STAND No.	COORDINATES	
1, 2	N55 17.9 E061 30.7	
3 thru 5	N55 18.0 E061 30.7	
6, 7	N55 17.9 E061 30.8	
8 thru 10	N55 18.0 E061 30.8	
11, 12	N55 17.9 E061 30.9	
13	N55 18.0 E061 30.9	
14 thru 16	N55 17.9 E061 31.0	
17	N55 18.0 E061 31.0	
25	N55 18.0 E061 31.1	
26	N55 17.9 E061 31.1	
27	N55 18.0 E061 31.6	
28	N55 18.1 E061 31.5	
29	N55 18.1 E061 30.9	

USCC/CEK

JEPPESEN

25 FEB 11

10-9S

Eff 10 Mar

CHELYABINSK, RUSSIA
BALANDINO

Standard

STRAIGHT-IN RWY	A	B	C	D
09				
ILS	959' (200')	959' (200')	959' (200')	959' (200')
<i>FULL</i>	R550m	R550m	R550m	R550m
<i>Limited</i>	R750m	R750m	R750m	R750m
<i>ALS out</i>	R1200m	R1200m	R1200m	R1200m
LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
2 NDB ❶❷	1110' (351')	1110' (351')	1110' (351')	1110' (351')
	R900m	R900m	R900m	R900m
<i>ALS out</i>	R1500m	R1500m	R1600m	R1600m
2 NDB ❶❸	1110' (351')	1110' (351')	1110' (351')	1110' (351')
	R1000m	R1000m	R1200m	R1200m
<i>ALS out</i>	R1600m	R1600m	R1600m	R1600m
LB NDB ❶	1210' (451')	1210' (451')	1210' (451')	1210' (451')
	R1400m	R1400m	R1400m	R1400m
<i>ALS out</i>	C2100m	C2100m	C2100m	C2100m
L Lctr	1210' (451')	1210' (451')	1210' (451')	1210' (451')
	R1600m	R1600m	R1800m	R1800m
<i>ALS out</i>	C2300m	C2300m	C2500m	C2500m
27				
ILS	937' (200')	937' (200')	937' (200')	937' (200')
<i>FULL</i>	R550m	R550m	R550m	R550m
<i>Limited</i>	R750m	R750m	R750m	R750m
<i>ALS out</i>	R1200m	R1200m	R1200m	R1200m
LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
VOR ❶	1140' (403')	1140' (403')	1140' (403')	1140' (403')
	R1200m	R1200m	R1200m	R1200m
<i>ALS out</i>	R1900m	R1900m	R1900m	R1900m
2 NDB ❶❷	1140' (403')	1140' (403')	1140' (403')	1140' (403')
	R1200m	R1200m	R1200m	R1200m
<i>ALS out</i>	R1500m	R1500m	R1900m	R1900m
2 NDB ❶❸	1140' (403')	1140' (403')	1140' (403')	1140' (403')
	R1200m	R1200m	R1200m	R1200m
<i>ALS out</i>	R1900m	R1900m	R1900m	R1900m
KS NDB ❶❷	1140' (403')	1140' (403')	1140' (403')	1140' (403')
	R1200m	R1200m	R1200m	R1200m
<i>ALS out</i>	R1500m	R1500m	R1900m	R1900m
KS NDB ❶❸	1140' (403')	1140' (403')	1140' (403')	1140' (403')
	R1200m	R1200m	R1200m	R1200m
<i>ALS out</i>	R1900m	R1900m	R1900m	R1900m
K Lctr ❶❷	1140' (403')	1140' (403')	1140' (403')	1140' (403')
	R1200m	R1200m	R1200m	R1200m
<i>ALS out</i>	R1500m	R1500m	R1900m	R1900m
K Lctr ❸	1140' (403')	1140' (403')	1140' (403')	1140' (403')
	R1400m	R1400m	R1600m	R1600m
<i>ALS out</i>	C2100m	C2100m	C2300m	C2300m

❶ Continuous Descent Final Approach.

❷ with FMS. ❸ w/o FMS.

USCC/CEK

JEPPESEN

25 FEB 11

10-9S1

Eff 10 Mar

CHELYABINSK, RUSSIA
BALANDINO

Standard

TAKE-OFF RWY 09, 27

	Approved Operators HIRL, CL & mult. RVR req	LVP must be in Force			RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
		RL, CL & mult. RVR req	RL & CL	RCLM (DAY only) or RL			
A	125m	150m	200m	250m	400m	500m	
B							
C							
D	150m	200m	250m	300m			

USCC/CEK

JEPPesen

JAA MINIMUMS

25 FEB 11

10-9X

Eff 10 Mar

CHELYABINSK, RUSSIA
BALANDINO

STRAIGHT-IN RWY		A	B	C	D
09	ILS	959' (200')	959' (200')	959' (200')	959' (200')
		R550m	R550m	R550m	R550m
	<i>ALS out</i>	R1000m	R1000m	R1000m	R1000m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	2 NDB	1110' (351')	1110' (351')	1110' (351')	1110' (351')
		R900m	R1000m	R1000m	R1400m
27		R1500m	R1500m	R1800m	R2000m
	<i>ALS out</i>				
	NDB	1210' (451')	1210' (451')	1210' (451')	1210' (451')
		R1000m	R1200m	R1200m	R1600m
	<i>ALS out</i>	R1500m	R1500m	R2000m	R2000m
27	ILS	937' (200')	937' (200')	937' (200')	937' (200')
		R550m	R550m	R550m	R550m
	<i>ALS out</i>	R1000m	R1000m	R1000m	R1000m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	VOR	1140' (403')	1140' (403')	1140' (403')	1140' (403')
		R900m	R1000m	R1000m	R1400m
		R1500m	R1500m	R1800m	R2000m
	<i>ALS out</i>				
	NDB	1140' (403')	1140' (403')	1140' (403')	1140' (403')
		R900m	R1000m	R1000m	R1400m
	<i>ALS out</i>	R1500m	R1500m	R1800m	R2000m

TAKE-OFF RWY 09, 27

LVP must be in Force			
	RL & CL	RCLM (DAY only) or RL	RCLM (DAY only) or RL
A			
B	200m	250m	400m
C			
D	250m	300m	500m


USCC/CEK
BALANDINO

JEPPESEN
26 AUG 11 (11-1)


CHELYABINSK, RUSSIA
ILS Rwy 09

BRIEFING STRIP

CHELYABINSK Approach (APP/SRE)		CHELYABINSK Start (TWR)		Ground	
124.7		125.2		125.2	
LOC ILB 109.9	Final Apch Crs 090°	GS LOM 1415' (656')	ILS DA(H) 959' (200')	Apt Elev 769' RWY 759'	2900' MSA LBN VOR
MISSED APCH: Climb on 090° to 1420' (661'), then turn LEFT onto 270° climbing to 2080' (1321'), then according to chart.					
Alt Set: MM(hPa on req) QNH on req (QFE) Trans level: By ATC Trans alt: 3730' (2971')					



ALT/HEIGHT CONVERSION	
QNH	(QFE)
3730'	(2971' - 900m)
2080'	(1321' - 400m)
1420'	(661' - 200m)



Gnd speed-Kts	70	90	100	120	140	160	HIALS		1420' (661')	on 090°	270° LT	2080' (1321')
GS 2.83°	356	457	508	610	711	813	PAPI		↑			↑

STRAIGHT-IN LANDING RWY 09					
ILS		LOC (GS out)			
DA(H) 959' (200')					
FULL	ALS out				
A					
B					
C	800m	1200m	NOT AUTHORIZED		
D					

PANS OPS



USCC/CEK
BALANDINO

JEPPESEN
26 AUG 11 (16-1)

CHELYABINSK, RUSSIA
2 NDB Rwy 09

BRIEFING STRIP

CHELYABINSK Approach (APP/SRE)		CHELYABINSK Start (TWR)		Ground	
124.7		125.2		125.2	
NDB LB 452	Final Apch Crs 090°	Minimum Alt NERDA 2080' (1321')	MDA(H) Refer to Minimums	Appt Elev 769' RWY 759'	2900'
MISSED APCH: Climb on 090° to 1420' (661'), then turn LEFT onto 270° climbing to 2080' (1321'), then according to chart.					
Alt Set: MM(hPa on req) QNH on req (QFE) Trans level: By ATC Trans alt: 3730' (2971')					MSA LBN VOR



Gnd speed-Kts	70	90	100	120	140	160	HIALS	1420' (661')	on 090°	270° LT	2080' (1321')
Descent angle	2.83°	350	451	501	601	701	801				

STRAIGHT-IN LANDING RWY 09			
2 NDB		LB NDB or L NDB	
MDA(H) 1110' (351')		MDA(H) 1210' (451')	
ALS out		ALS out	
A			
B	1200m	1900m	1700m
C			2500m
D	1600m	2000m	2100m

PANS OPS

USCC/CEK
BALANDINO


JEPPESEN
26 AUG 11 (16-2)

CHELYABINSK, RUSSIA
2 NDB Rwy 27

BRIEFING STRIP


PRELIMINARY

CHELYABINSK Approach (APP/SRE)		CHELYABINSK Start (TWR)		Ground	
124.7		125.2		125.2	
NDB KS 412	Final Apch Crs 270°	Minimum Alt GOLEV 2050' (1313')	MDA(H) 1140' (403')	Apt Elev 769' RWY 737'	2900' MSA LBN VOR
MISSED APCH: Climb on 270° to 1400' (663'), then turn RIGHT onto 090° climbing to 2050' (1313'), then according to chart.					
Alt Set: MM(hPa on req) QNH on req(QFE) Trans level: By ATC Trans alt: 3730' (2993')					



ALT/HEIGHT CONVERSION	
QNH	(QFE)
3730'	(2993' - 900m)
2050'	(1313' - 400m)
1400'	(663' - 200m)
970'	(233' - 70m)

Pass LMM not below 970' (233').



Gnd speed-Kts	70	90	100	120	140	160	HIALS	1400' (663')	on 270°	090°	2050' (1313')
Descent angle	2.83°	350	451	501	601	701	801	PAPI		RT	

STRAIGHT-IN LANDING RWY 27			
2 NDB		KS NDB or K NDB	
MDA(H) 1140' (403')		MDA(H) 1140' (403')	
ALS out		ALS out	
A			
B	1500m	2300m	1500m
C			2300m
D	1900m		1900m

PANS OPS

CHANGES: MSA.

© JEPPESEN, 2006, 2011. ALL RIGHTS RESERVED.