

Page 1

Changed chart(s) since Disc 26-2012

ADD = Added chart, REV = Revised chart, DEL = Deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
-----	-----------------	-------	----------	----------

No revision activity since Disc 26-2012

TERMINAL CHART NOTAMs

Chart NOTAMs for Airport USMM

Type: Terminal

Effectivity: Temporary

Begin Date: Immediately

End Date: Until Further Notice

(SIDs) CORRIDOR designation 1-5 and 7-10 withdrawn.

USMM (Nadym)**General Info**

Nadym, RUS

N 65° 28.9' E 72° 42.0' Mag Var: 21.0°E

Elevation: 49'

Public, IFR, Control Tower, No Customs

Time Zone Info: GMT+6:00 no DST

Runway Info

Runway 14-32 8360' x 151' concrete

Runway 14 (136.0°M) TDZE 49'

Lights: Edge, ALS

Stopway Distance 492'

Runway 32 (316.0°M) TDZE 49'

Lights: Edge, ALS

Stopway Distance 492'

Communications InfoNadym Tower **120.6** Non-EnglishNadym Transit Operations **131.8** Non-English**Notebook Info**

USMM/NYM
NADYM


JEPPESEN
10 AUG 12 **10-2** **Eff 23 Aug**

NADYM, RUSSIA

STAR


Apt Elev
49'

Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL40 Trans alt (hgt): 2020' **(1971')**



GISOM 2, LUGEM 2, RAKOT 2 RWY 14 ARRIVALS

FOR RUSSIAN USERS ONLY



Arrival Data for ACFT with MAX 160KT				
From	Track	Dist	QDM LOM	Alt (Hgt)
GISOM	240°	26	153°	1690' (1641'
LUGEM	226°	26	153°	1690' (1641'
RAKOT	169°	21	138°	1690' (1641'

ALT/HEIGHT CONVERSION
QNH (QFE)
2020' (1971' - 600m)
1690' (1641' - 500m)


USMM/NYM
 NADYM

JEPPESEN
 10 AUG 12 (10-2A) Eff 23 Aug

NADYM, RUSSIA
 STAR

Apt Elev
 49'

Alt Set: MM (hPa on request) QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 2020' (1971')




GISOM 4, LUGEM 4, RAKOT 4 RWY 32 ARRIVALS

FOR RUSSIAN USERS ONLY



Arrival Data for ACFT with MAX 160KT				
From	Track	Dist	QDM LOM	Alt (Hgt)
GISOM	203°	28	297°	1690' (1641')
LUGEM	191°	28	295°	1690' (1641')
RAKOT	156°	29	223°	1690' (1641')



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2020'	(1971' - 600m)
1690'	(1641' - 500m)


USMM/NYM
NADYM

JEPPESEN
10 AUG 12 (10-2B) Eff 23 Aug

NADYM, RUSSIA
STAR

Apt Elev
49'


Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt (hgt): 2020' (1971')



BANIL 2
NASAT 2, TEGLI 2
RWY 14 ARRIVALS

FOR RUSSIAN USERS ONLY

ALT/HEIGHT CONVERSION
QNH (QFE)
2020' (1971' - 600m)
1690' (1641' - 500m)




USMM/NYM
NADYM

JEPPESEN
10 AUG 12 **10-2C** **Eff 23 Aug**

NADYM, RUSSIA
STAR


Apt Elev
49'

Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL40 Trans alt (hgt): 2020' **(1971')**



**BANIL 4, NASAT 4, TEGLI 4
RWY 32 ARRIVALS**

FOR RUSSIAN USERS ONLY




USMM/NYM
 NADYM

JEPPESEN
 10 AUG 12 (10-2D) Eff 23 Aug

NADYM, RUSSIA
 STAR



Apt Elev
 49'

Alt Set: MM (hPa on request) QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 2020' (1971')



DITUL 2, RIKBI 2 RWY 14 ARRIVALS

FOR RUSSIAN USERS ONLY



Arrival Data for ACFT with MAX 160KT				
From	Track	Dist	QDM LOM	Alt (Hgt)
DITUL	011°	35	121°	2020'(1971')
RIKBI	359°	31	121°	2020'(1971')

ALT/HEIGHT CONVERSION
 QNH (QFE)
 2020' (1971' - 600m)
 1690' (1641' - 500m)

USMM/NYM
NADYM

JEPPESEN
10 AUG 12 **10-2E** **Eff 23 Aug**

NADYM, RUSSIA


STAR

Apt Elev
49'

Alt Set: MM (hPa on request) QNH on request **(QFE)**
Trans level: FL40 Trans alt (hgt): 2020' **(1971')**

**DITUL 4, RIKBI 4
RWY 32 ARRIVALS**

FOR RUSSIAN USERS ONLY



Arrival Data for ACFT with MAX 160KT				
From	Track	Dist	QDM LOM	Alt (Hgt)
DITUL	042°	24	327°	1690'(1641')
RIKBI	024°	22	327°	1690'(1641')


ALT/HEIGHT CONVERSION
QNH (QFE)
2020' (1971' - 600m)
1690' (1641' - 500m)

USMM/NYM
 NADYM


JEPPESEN
 10 AUG 12 10-2F Eff 23 Aug

NADYM, RUSSIA
 STAR

Apt Elev 49'
 Alt Set: MM (hPa on request) QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 2020' (1971')



MONIB 2, OGLES 2
 RWY 14 ARRIVALS
 FOR RUSSIAN USERS ONLY



Arrival Data for ACFT with MAX 160KT				
From	Track	Dist	QDM LOM	Alt (Hgt)
MONIB	131°	19	134°	2020'(1971')
OGLES	067°	23	127°	2020'(1971')

ALT/HEIGHT CONVERSION
 QNH (QFE)
 2020' (1971' - 600m)
 1690' (1641' - 500m)


USMM/NYM
 NADYM

JEPPESEN
 10 AUG 12 (10-2G) Eff 23 Aug

NADYM, RUSSIA
 STAR

Apt Elev
 49'

Alt Set: MM (hPa on request) QNH on request (QFE)
 Trans level: FL40 Trans alt (hgt): 2020' (1971')




MONIB 4, OGLES 4
 RWY 32 ARRIVALS

FOR RUSSIAN USERS ONLY



Arrival Data for ACFT with MAX 160KT				
From	Track	Dist	QDM LOM	Alt (Hgt)
MONIB	127°	33	333°	1690' (1641')
OGLES	095°	31	331°	1690' (1641')



ALT/HEIGHT CONVERSION
 QNH (QFE)
 2020' (1971' - 600m)
 1690' (1641' - 500m)


USMM/NYM
NADYM

JEPPESEN
23 DEC 11 10-3

NADYM, RUSSIA
SID

Apt Elev
49'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2020' (1971')




GISOM 1, LUGEM 1, RAKOT 1
RWY 14 DEPARTURES

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION		
QNH	(QFE)	
710'	(661' -	200m)
2020'	(1971' -	600m)




USMM/NYM
NADYM

JEPPESEN
23 DEC 11 (10-3A)

NADYM, RUSSIA
SID

Apt Elev
49'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2020' (1971')




GISOM 3, LUGEM 3, RAKOT 3 RWY 32 DEPARTURES

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION		
QNH	(QFE)	
710'	(661' -	200m)
2020'	(1971' -	600m)




USMM/NYM
NADYM

JEPPESEN
23 DEC 11 (10-3B)

NADYM, RUSSIA
SID


Apt Elev
49'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2020' (1971')



BANIL 1, NASAT 1, TEGLI 1
RWY 14 DEPARTURES

FOR RUSSIAN USERS ONLY




USMM/NYM
NADYM

23 DEC 11 **JEPPESEN**
(10-3C)

NADYM, RUSSIA
SID


Apt Elev
49'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2020' (1971')



**BANIL 3, NASAT 3, TEGLI 3
RWY 32 DEPARTURES**

FOR RUSSIAN USERS ONLY




USMM/NYM
NADYM

JEPPESEN
23 DEC 11 (10-3D)

NADYM, RUSSIA
SID


Apt Elev
49'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2020' (1971')



DITUL 1, MONIB 1, OGLES 1
RWY 14 DEPARTURES

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION	
QNH	(QFE)
710'	(661' - 200m)
2020'	(1971' - 600m)


USMM/NYM
NADYM

JEPPESEN
23 DEC 11 10-3E

NADYM, RUSSIA
SID

Apt Elev
49'

QNH on request (QFE)
Trans level: FL40 Trans alt: 2020' (1971')



DITUL 3, MONIB 3, OGLES 3
RWY 32 DEPARTURES

UNOKI
N66 26.6 E070 54.4

FOR RUSSIAN USERS ONLY



CORRIDOR 10
46

303°

MONIB
N65 50.4 E072 04.2
At or above
FL50

OGLES
N65 34.4 E071 38.6
At or above
FL50

LAGNI
N65 40.0 E070 34.9

CORRIDOR 9
27 262°

OGLES 3
26 251°

MONIB 3
24 298°

At 710'
(661')

316°

DITUL
N65 11.1 E071 53.1
At or above
FL50

CORRIDOR 8
32 208°

DERUS
N64 51.5 E071 01.5

ALT/HEIGHT CONVERSION	
QNH	(QFE)
710'	(661' - 200m)
2020'	(1971' - 600m)

USMM/NYM

Apt Elev **49'**
N65 58.9 E072 42.0

JEPPESSEN

11 MAR 11 (10-9)


NADYM, RUSSIA

NADYM

*NADYM Tower

120.6 Russian only

FOR RUSSIAN USERS ONLY



ADDITIONAL RUNWAY INFORMATION

RWY		USABLE LENGTHS		TAKE-OFF	WIDTH
		Threshold	Landing Beyond Glide Slope		
14 ② 32	RL ALS				151' 46m

② Elevated runway edge lights 2'/0.5m within 7'/2.0m from runway edge.

TAKE-OFF

AIR CARRIER (JAA)

All Rwy's

LVP must be in force

RCLM (DAY only)
or RL


RCLM (DAY only)
or RL

A		
B	250m	400m
C		
D	300m	

USMM/NYM

11 MAR 11 **10-9A**

NADYM, RUSSIA
NADYM



USMM/NYM


JEPPESEN
 17 AUG 12 **10-9S** **Eff 23 Aug**
Standard
NADYM, RUSSIA
NADYM

STRAIGHT-IN RWY		A	B	C	D
14	ILS	249' (200') R1000m	249' (200') R1000m	279' (230') R1000m	279' (230') R1000m
	<i>ALS out</i>	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	2 NDB ① with FAF <i>ALS out</i>	400' (351') R1400m R1500m	400' (351') R1400m R1500m	400' (351') R1400m R1600m	400' (351') R1400m R1600m
	2 NDB w/o FAF <i>ALS out</i>	480' (421') R2000m C2200m	480' (421') R2000m C2200m	480' (421') C2200m C2400m	480' (421') C2200m C2400m
	NO NDB <i>ALS out</i>	740' (691') C3200m C3400m	740' (691') C3200m C3400m	870' (821') C4000m C4200m	870' (821') C4000m C4200m
	N Lctr <i>ALS out</i>	740' (691') C3200m C3400m	740' (691') C3200m C3400m	1040' (991') C4700m C4900m	1040' (991') C4700m C4900m
32	ILS	249' (200') R1000m	249' (200') R1000m	279' (230') R1000m	279' (230') R1000m
	<i>ALS out</i>	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	2 NDB ① with FAF <i>ALS out</i>	430' (381') R1500m R1500m	430' (381') R1500m R1500m	430' (381') R1600m R1800m	430' (381') R1600m R1800m
	2 NDB w/o FAF <i>ALS out</i>	480' (421') R2000m C2200m	480' (421') R2000m C2200m	480' (421') C2200m C2400m	480' (421') C2200m C2400m
	PZ NDB <i>ALS out</i>	710' (661') C3100m C3300m	710' (661') C3100m C3300m	870' (821') C4000m C4200m	870' (821') C4000m C4200m
	P Lctr <i>ALS out</i>	710' (661') C3100m C3300m	710' (661') C3100m C3300m	1040' (991') C4700m C4900m	1040' (991') C4700m C4900m

① Continuous Descent Final Approach.

TAKE-OFF RWY 14, 32

LVP must be in force		RCLM (DAY only) or RL	NIL (DAY only)
	RCLM (DAY only) or RL		
A	250m	400m	500m
B			
C	300m		
D			



USMM/NYM
NADYM

JEPPESEN
17 AUG 12
Eff 23 Aug

NADYM, RUSSIA
11-1 ILS or 2 NDB or NDB Rwy 14

BRIEFING STRIP

*NADYM Tower					
120.6 Russian only					
LOC INO *110.5	Final Apch Crs 136°	GS LOM 705'(656')	ILS DA(H) Refer to Minimums	Apt Elev 49' RWY 49'	1900' MSA ARP
NDB NO *485		Minimum Alt 5.6 NM to THR 1690'(1641')	NDB MDA(H) Refer to Minimums		
MISSED APCH: Climb to 710' (661'), then turn LEFT onto 316° climbing to 1690' (1641'), then according to chart.					
Alt Set: MM (hPa on req)		QNH on req (QFE)	Trans level: FL 40	Trans alt: 2020' (1971')	



Gnd speed-Kts	70	90	100	120	140	160	ALS	710' (661')	316°	1690' (1641')
ILS GS or NDB Descent Angle 2.67°	331	425	472	567	661	756			LT	

STRAIGHT-IN LANDING RWY 14									
ILS			LOC	2 NDB			NO LOM		N LMM
<i>DA(H)</i> AB: 249'(200')		(GS out)	<i>MDA(H)</i> A: 370'(321')		<i>MDA(H)</i> AB: 740'(691')		<i>MDA(H)</i> AB: 740'(691')		<i>MDA(H)</i> AB: 740'(691')
CD: 279'(230')			BCD: 380'(331')		CD: 870'(821')		CD: 870'(821')		CD: 1040'(991')
FULL		ALS out		ALS out		ALS out			ALS out
A	1200m		NOT AUTH	1600m		3200m		3200m	
B						4800m			
C								4000m	
D								4400m	

W/o FAF: MDA(H) 480' (421') VIS 2400m.

CHANGES: Procedure ident. FAF. Minimums.

© JEPPESEN, 2010, 2012. ALL RIGHTS RESERVED.

USMM/NYM
NADYM

JEPPESEN
17 AUG 12
Eff 23 Aug



(11-2) ILS or 2 NDB or NDB Rwy 32

NADYM, RUSSIA

BRIEFING STRIP

BREIFING STRIP

*NADYM Tower					
120.6 Russian only					
LOC IPZ *110.3	Final Aptch Crs 316°	GS LOM 689'(640')	ILS DA(H) Refer to Minimums	Apt Elev 49' RWY 49'	1900' MSA ARP
NDB PZ *485		Minimum Alt 5.6 NM to THR 1690'(1641')	NDB MDA(H) Refer to Minimums		
MISSED APCH: Climb to 710'(661'), then turn RIGHT onto 136° climbing to 1690'(1641'), then according to chart.					
Alt Set: MM (hPa on req)		QNH on req (QFE)	Trans level: FL 40	Trans alt: 2020'(1971')	



Gnd speed-Kts	70	90	100	120	140	160	ALS	710' (661')	136°	1690' (1641')
ILS GS or NDB Descent Angle 2.67°	331	425	472	567	661	756			RT	

STRAIGHT-IN LANDING RWY 32					
ILS DA(H) AB: 249' (200') CD: 279' (230')		LOC (GS out)		P LMM PZ LOM AB: 710' (661') CD: 870' (821')	
FULL		ALS out		ALS out	
A		B		C	
1200m		NOT AUTH		2100m	
C		D		E	
4000m		4400m		4800m	

PANS OPS

W/o FAF: MDA(H) 480' (421') VIS 2500m.

CHANGES: Procedure ident. FAF. Minimums.

© JEPPESEN, 2010, 2012. ALL RIGHTS RESERVED.