

Page 1

Changed chart(s) since Disc 26-2012

ADD = Added chart, REV = Revised chart, DEL = Deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
-----	-----------------	-------	----------	----------

No revision activity since Disc 26-2012

TERMINAL CHART NOTAMs

No Chart NOTAMs for Airport USUU

USUU (Kurgan)**General Info**

Kurgan, RUS

N 55° 28.5' E 65° 25.0' Mag Var: 12.7°E

Elevation: 239'

Public, IFR, Control Tower, No Customs

Time Zone Info: GMT+6:00 no DST

Runway Info

Runway 02-20 8533' x 138' asphalt

Runway 02 (17.0°M) TDZE 237'

Lights: Edge, ALS

Runway 20 (197.0°M) TDZE 233'

Lights: Edge, ALS

Communications InfoKurgan Tower **124.0** Non-EnglishKurgan Tower **120.3** Non-EnglishKurgan Approach Control **124.0** Non-EnglishKurgan Approach Control **120.3** Non-EnglishKurgan Transit Operations **131.7** Non-English**Notebook Info**

USUU/KRO
KURGAN

JEPPESEN
16 DEC 11 10-2

KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X


Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2633')


BAGER Ø2A (BAG Ø2A), BAGER Ø2B (BAG Ø2B) RWY 02 ARRIVALS

CAT C & D

FOR RUSSIAN USERS ONLY




ALT/HEIGHT CONVERSION
QNH (QFE)
2870' (2633' - 800m)
1880' (1643' - 500m)



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF RD, enter STAR as follows:
from BAGER perform teardrop entry:
overfly RD, 167° track for 1,5 MIN, turn onto RD and perform RIGHT hand racetrack approach;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying RD.
- IF ASR OUT, descend as instructed by ATC.



USUU/KRO
KURGAN

JEPPESEN
16 DEC 11 10-2A

KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X


Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2633')


BAGER Ø2A (BAG Ø2A), BAGER Ø2B (BAG Ø2B) RWY 02 ARRIVALS

CAT A & B

FOR RUSSIAN USERS ONLY




ALT/HEIGHT CONVERSION
QNH (QFE)
2870' (2633' - 800m)
1880' (1643' - 500m)



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF RD, enter STAR as follows:
from BAGER perform teardrop entry:
overfly RD, 167° track for 1,5 MIN, turn onto RD and perform RIGHT hand racetrack approach;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying RD.
- IF ASR OUT, descend as instructed by ATC.



USUU/KRO
KURGAN

JEPPESEN
16 DEC 11 10-2B



KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2637')
Final turn to be performed with descent.

BAGER 20A (BAG 20A)
RWY 20 ARRIVAL
FOR RUSSIAN USERS ONLY



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF UN, then perform racetrack approach;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying UN;
- IF ASR OUT, descend as instructed by ATC.
- track 017°: CAT A&B 2 MIN
CAT C&D 1,5 MIN.

ALT/HEIGHT CONVERSION

QNH (QFE)
2870' (2637' - 800m)
1550' (1317' - 400m)

USUU/KRO
KURGAN

JEPPESEN
16 DEC 11 (10-2C)

KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X


Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2633')


ARLAD Ø2A (ARL Ø2A)
DONUS Ø2A (DON Ø2A)①, MILSU Ø2A (MLS Ø2A)
RWY 02 ARRIVALS

CAT C & D

FOR RUSSIAN USERS ONLY




① Execute noise abatement procedures.
Final turn to be performed with descent.



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF RD, enter STAR as follows:
- from MILSU or ARLAD, after overflying RD, perform parallel entry into racetrack by turning LEFT onto 197° (outbound leg), proceed for 1,5 MIN, then turn LEFT onto RD, after second overfly of RD perform RIGHT hand racetrack approach;
- from DONUS perform RIGHT hand racetrack approach
- IN THE EVENT OF LOST COMMS, descend for approach after overflying RD.
- IF ASR OUT, descend as instructed by ATC.



ALT/HEIGHT CONVERSION
QNH (QFE)
2870' (2633' - 800m)
1880' (1643' - 500m)

USUU/KRO
KURGAN

JEPPESEN
16 DEC 11 (10-2D)

KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X


Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2633')


ARLAD Ø2A (ARL Ø2A)
DONUS Ø2A (DON Ø2A)①, MILSU Ø2A (MLS Ø2A)
RWY 02 ARRIVALS

CAT A & B

FOR RUSSIAN USERS ONLY




① Execute noise abatement procedures.
Final turn to be performed with descent.



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF RD, enter STAR as follows:
- from MILSU or ARLAD, after overflying RD, perform parallel entry into racetrack by turning LEFT onto 197° (outbound leg), proceed for 2 MIN, then turn LEFT onto RD, after second overfly of RD perform RIGHT hand racetrack approach;
- from DONUS perform RIGHT hand racetrack approach
- IN THE EVENT OF LOST COMMS, descend for approach after overflying RD.
- IF ASR OUT, descend as instructed by ATC.



ALT/HEIGHT CONVERSION
QNH (QFE)
2870' (2633' - 800m)
1880' (1643' - 500m)

USUU/KRO
KURGAN

JEPPESEN
16 DEC 11 10-2E

KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X



Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2637')
Final turn to be performed with descent.

ARLAD 20A (ARL 20A)
DONUS 20A (DON 20A)①, MILSU 20A (MLS 20A)
RWY 20 ARRIVALS

CAT C & D


FOR RUSSIAN USERS ONLY



① Execute noise abatement procedures.

LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF UN, enter STAR as follows:
- from MILSU or ARLAD, after overflying UN, perform direct entry into racetrack by turning LEFT onto outbound leg;
- from DONUS perform teardrop entry: overfly UN and turn RIGHT onto 047°;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying UN.
- IF ASR OUT, descend as instructed by ATC;
- track 017° or 047° 1,5 MIN.



ALT/HEIGHT CONVERSION
QNH (QFE)
2870' (2637' - 800m)
1880' (1647' - 500m)
1550' (1317' - 400m)



USUU/KRO
KURGAN

JEPPESEN
16 DEC 11 10-2F

KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X



Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2637')
Final turn to be performed with descent.

ARLAD 20A (ARL 20A)
DONUS 20A (DON 20A)①, MILSU 20A (MLS 20A)
RWY 20 ARRIVALS


CAT A & B

FOR RUSSIAN USERS ONLY



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF UN, enter STAR as follows:
- from MILSU or ARLAD, after overflying UN, perform direct entry into racetrack by turning LEFT onto outbound leg;
- from DONUS perform teardrop entry: overfly UN and turn RIGHT onto 047°;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying UN.
- IF ASR OUT, descend as instructed by ATC;
- track 017° or 047° 1,5 MIN.



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2870'	(2637' - 800m)
1880'	(1647' - 500m)
1550'	(1317' - 400m)



USUU/KRO
KURGAN

JEPPESEN
16 DEC 11 (10-2G)

KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'


Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2633')
Final turn to be performed with descent.

BEKAT Ø2A (BKT Ø2A), BEKAT Ø2B (BKT Ø2B) ①
OKUNA Ø2A (OKN Ø2A), OKUNA Ø2B (OKN Ø2B) ①



RWY 02 ARRIVALS

CAT C & D

FOR RUSSIAN USERS ONLY



HOLDING
OVER RD



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF RD, then perform RIGHT hand racetrack approach;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying RD.
- IF ASR OUT, descend as instructed by ATC.

ALT/HEIGHT CONVERSION	
QNH	(QFE)
2870'	(2633' - 800m)
2210'	(1973' - 600m)
1880'	(1643' - 500m)

USUU/KRO
KURGAN

JEPPESEN
16 DEC 11 (10-2H)

KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'


Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2633')
Final turn to be performed with descent.

BEKAT Ø2A (BKT Ø2A), BEKAT Ø2B (BKT Ø2B) ①
OKUNA Ø2A (OKN Ø2A), OKUNA Ø2B (OKN Ø2B) ①



RWY 02 ARRIVALS

CAT A & B

FOR RUSSIAN USERS ONLY



HOLDING
OVER RD



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF RD, then perform RIGHT hand racetrack approach;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying RD.
- IF ASR OUT, descend as instructed by ATC.

ALT/HEIGHT CONVERSION	
QNH	(QFE)
2870'	(2633' - 800m)
2210'	(1973' - 600m)
1880'	(1643' - 500m)

USUU/KRO
KURGAN


JEPPESEN
16 DEC 11 (10-2J)

KURGAN, RUSSIA
STAR

*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2637')
Final turn to be performed with descent.




BEKAT 20A (BKT 20A), BEKAT 20B (BKT 20B)
OKUNA 20A (OKN 20A), OKUNA 20B (OKN 20B)
RWY 20 ARRIVALS

CAT C & D


FOR CAT A & B REFER TO CHART 10-2K

FOR RUSSIAN USERS ONLY

HOLDING
OVER UN



ALT/HEIGHT CONVERSION
QNH (QFE)
2870' (2637' - 800m)
1880' (1647' - 500m)
1550' (1317' - 400m)



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF UN;
- then perform racetrack approach;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying UN.
- IF ASR OUT, descend as instructed by ATC;
- track 017°: 1.5 MIN.

USUU/KRO
KURGAN

16 DEC 11

JEPPESEN
10-2K


KURGAN, RUSSIA

STAR

*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2637')
Final turn to be performed with descent.




BEKAT 20A (BKT 20A), BEKAT 20B (BKT 20B)
OKUNA 20A (OKN 20A), OKUNA 20B (OKN 20B)
RWY 20 ARRIVALS



CAT A & B

FOR RUSSIAN USERS ONLY

HOLDING
OVER UN



ALT/HEIGHT CONVERSION
(QFE)
QNH
2870' (2637' - 800m)
1880' (1647' - 500m)
1550' (1317' - 400m)



LOST COMMS AND ASR OUT PROCEDURES:

- commence approach by overflying IAF UN, then perform racetrack approach;
- IN THE EVENT OF LOST COMMS, descend for approach after overflying UN.
- IF ASR OUT, descend as instructed by ATC; -track 017°; 2 MIN.

USUU/KRO
KURGAN

JEPPESEN
18 NOV 11 10-3

KURGAN, RUSSIA
SID



*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2633')
Once airborne, ensure noise abatement while climbing to 2210'
(1973').

ARLAD Ø2C (ARL Ø2C), BAGER Ø2C (BAG Ø2C)
DONUS Ø2C (DON Ø2C), MILSU Ø2C (MLS Ø2C)
RWY 02 DEPARTURES

FOR RUSSIAN USERS ONLY



USUU/KRO
KURGAN

JEPPESEN
18 NOV 11 10-3A

KURGAN, RUSSIA
SID



*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2637')
Once airborne, ensure noise abatement while climbing to 2210'
(1977').

ARLAD 20C (ARL 20C), BAGER 20C (BAG 20C)
DONUS 20C (DON 20C), MILSU 20C (MLS 20C)
RWY 20 DEPARTURES

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION	
QNH	(QFE)
890'	(657' - 200m)
2210'	(1977' - 600m)
2870'	(2637' - 800m)

USUU/KRO
KURGAN

JEPPESEN
18 NOV 11 (10-3B)


KURGAN, RUSSIA
SID

*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2633')
Once airborne, ensure noise abatement while climbing to 2210'
(1973').

OKUNA Ø2C (OKN Ø2C), OKUNA Ø2D (OKN Ø2D)①
RWY 02 DEPARTURES
FOR RUSSIAN USERS ONLY



① By ATC when
US(R)-902 is inactive.

OKUNA
N55 35.6 E064 29.3

At or above
FL60



35
OKN Ø2D ①
32
OKN Ø2C

US(R)-902

At 900'
(663')

261°
274°
247°

708 RD
N55 26.1 E065 22.5
At or above
FL40



NOT TO SCALE

ALT/HEIGHT CONVERSION
QNH (QFE)
900' (663' - 200m)
2210' (1973' - 600m)
2870' (2633' - 800m)

USUU/KRO
KURGAN

18 NOV 11 **JEPPESEN**
(10-3C)

KURGAN, RUSSIA
SID


*KURGAN Approach
(Russian)
120.3 124.0X

Apt Elev
239'

QNH on request (QFE)
Trans level: FL40
FL50 if pressure is at or below 753mm (1003.9 hPa)
Trans alt (hgt): 2870' (2637')
Once airborne, ensure noise abatement while climbing to 2210' (1977').

OKUNA 20C (OKN 20C), OKUNA 20D (OKN 20D)①
RWY 20 DEPARTURES

FOR RUSSIAN USERS ONLY



① By ATC when US(R)-902 is inactive
-if ASR is out or
-if traffic at Logovushka AD.

OKUNA
N55 35.6 E064 29.3

At or above
FL60

708 UN
N55 31.1 E065 27.6

At or above
FL40

US(R)-902

34
OKN 20D ①

←263°

OKN 20D
Turn at 890'
(657')

32
OKN 20C

Logovushka

←285°

OKN 20C
At or above
2210' (1977')



ALT/HEIGHT CONVERSION
QNH (QFE)
890' (657' - 200m)
2210' (1977' - 600m)
2870' (2637' - 800m)

USUU/KRO
Apt Elev **239'**
N55 28.5 E065 25.0


JEPPESEN
11 NOV 11 **(10-9)** Eff 17 Nov

KURGAN, RUSSIA
KURGAN

*KURGAN Tower (TWR/GND)

120.3 Russian only

FOR RUSSIAN USERS ONLY



ADDITIONAL RUNWAY INFORMATION

ADDITIONAL RUNWAY INFORMATION					USABLE LENGTHS			
RWY					LANDING BEYOND		TAKE-OFF	WIDTH
					Threshold	Glide Slope		
02	RL	ALS	PAPI (angle 3.00°)	RVR				138'
20	RL	ALS	PAPI (angle 2.67°)	RVR				42m
02	Grass runway							230'
20								70m
07								197'
25								60m

TAKE-OFF

AIR CARRIER (JAA)

Main rwy 02/20

LVP must be in force

RCLM (DAY only)
or RL


RCLM (DAY only)
or RL

A		
B	250m	400m
C		
D	300m	

USUU/KRO

JEPPESEN
11 NOV 11 (10-9A) Eff 17 Nov

KURGAN, RUSSIA
KURGAN



USUU/KRO


JEPPESEN
 30 SEP 11 **10-9S**
Standard
KURGAN, RUSSIA
KURGAN

STRAIGHT-IN RWY		A	B	C	D
02	ILS	437' (200') R1000m	437' (200') R1000m	467' (230') R1000m	467' (230') R1000m
	<i>ALS out</i>	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	2 NDB	650' (413') R1900m	650' (413') R1900m	650' (413') C2100m	650' (413') C2100m
	<i>ALS out</i>	C2100m	C2100m	C2300m	C2300m
	RD NDB	1060' (823') C3800m	1060' (823') C3800m	1060' (823') C4000m	1060' (823') C4000m
	<i>ALS out</i>	C4000m	C4000m	C4200m	C4200m
	R Lctr	1060' (823') C3800m	1060' (823') C3800m	1230' (993') C4700m	1230' (993') C4700m
	<i>ALS out</i>	C4000m	C4000m	C4900m	C4900m
20	ILS	433' (200') R1000m	433' (200') R1000m	463' (230') R1000m	463' (230') R1000m
	<i>ALS out</i>	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	2 NDB ①	590' (357') R1400m	590' (357') R1400m	590' (357') R1400m	590' (357') R1400m
	<i>ALS out</i>	R1600m	R1600m	R1600m	R1600m
	UN NDB	890' (657')① C2800m	890' (657')① C2800m	1060' (827') C4000m	1060' (827') C4000m
	<i>ALS out</i>	C3000m	C3000m	C4200m	C4200m
	U Lctr	890' (657') C3000m	890' (657') C3000m	1220' (987') C4700m	1220' (987') C4700m
	<i>ALS out</i>	C3200m	C3200m	C4900m	C4900m

① Continuous Descent Final Approach.

TAKE-OFF RWY 02, 20

LVP must be in Force			
	RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		

