

List of pages in this Trip Kit

Trip Kit Index

Airport Information For UIBB

Terminal Charts For UIBB

Revision Letter For Cycle 08-2013

Change Notices

Notebook

General Information

Location: Bratsk Rus
IATA Code: BTK
Lat/Long: N56° 22.2' E101° 41.9'
Elevation: 1611 ft

Airport Use: Public
Magnetic Variation: 1.7°W

Fuel Types: Jet A-1
Repair Types: Major Airframe, Major Engine
Customs: Yes
Airport Type: IFR
Landing Fee: No
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 2208 Z
Sunset: 1219 Z,


Runway Information

Runway: 12
Length x Width: 10367 ft x 197 ft
Surface Type: concrete
TDZ-Elev: 1607 ft
Lighting: Edge, ALS
Stopway: 246 ft


Runway: 30
Length x Width: 10367 ft x 197 ft
Surface Type: concrete
TDZ-Elev: 1603 ft
Lighting: Edge, ALS
Stopway: 246 ft


Communication Information

ATIS 127.2
Bratsk Tower 118.1
Bratsk Ground Control 121.8
Bratsk Approach Control 118.1
Bratsk Transit Operations 131.8





ATIS 127.2	Apt Elev 1611'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL60 FL70 if pressure is less than 715 mm (953.3 hPa) and 688 mm (917.3 hPa) or above FL80 if pressure is less than 688 mm (917.3 hPa) Trans alt: 4570' (2963')
-----------------------	---------------------------	---







ATIS 127.2	Apt Elev 1611'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL60 FL70 if pressure is less than 715 mm (953.3 hPa) and 688 mm (917.3 hPa) or above FL80 if pressure is less than 688 mm (917.3 hPa) Trans alt: 4570' (2963')
---------------	-------------------	---









[illegible]








ATIS 127.2	Apt Elev 1611'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL60 FL70 if pressure is less than 715 mm (953.3 hPa) and 688 mm (917.3 hPa) or above FL80 if pressure is less than 688 mm (917.3 hPa) Trans alt: 4570' (2963')
---------------	-------------------	---




BEKOM 4
LIRBI 4
RWY 12 ARRIVALS
FOR RUSSIAN USERS OF AIRSPACE
BY ATC



ALT/HEIGHT CONVERSION
QNH (QFE)
4570' (2963' - 900m)
3580' (1973' - 600m)





Apt Elev
1611'


QNH on request (QFE)

Trans level: FL60

FL70 if pressure is less than 715 mm (953.3 hPa) and
688 mm (917.3 hPa) or above


FL80 if pressure is less than 688 mm (917.3 hPa)

Trans alt: 4570' (2967')



ARTUL 1
BEKOM 1 ①, LIRBI 1 ①
RWY 30 DEPARTURES
BY ATC

① Only for Russian users of airspace.



ALT/HEIGHT CONVERSION
QNH (QFE)
2590' (987' - 300m)
4570' (2967' - 900m)

Apt Elev
1611'


QNH on request (QFE)

Trans level: FL60

FL70 if pressure is less than 715 mm (953.3 hPa) and
688 mm (917.3 hPa) or above

FL80 if pressure is less than 688 mm (917.3 hPa)


Trans alt: 4570' (2963')



ARTUL 3
BEKOM 3①, LIRBI 3①
RWY 12 DEPARTURES
BY ATC

① Only for Russian users of airspace.


② Flights over the dam of the
hydroelectric power station
within 1.5 NM radius below
FL130 are prohibited.



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2600'	(993' - 300m)
4570'	(2963' - 900m)


Apt Elev
1611'

QNH on request (QFE)
Trans level: FL60
FL70 if pressure is less than 715 mm (953.3 hPa) and
688 mm (917.3 hPa) or above
FL80 if pressure is less than 688 mm (917.3 hPa)
Trans alt: 4570' (2967')



GOMAK 1
NUGMA 1 ① ②, RIMUL 1 ①
RWY 30 DEPARTURES

- ① By ATC
- ② Only for Russian users of airspace.



Apt Elev
1611'


QNH on request (QFE)

Trans level: FL60

FL70 if pressure is less than 715 mm (953.3 hPa) and
688 mm (917.3 hPa) or above


FL80 if pressure is less than 688 mm (917.3 hPa)

Trans alt: 4570' (2963')




GOMAK 3 NUGMA 3 ① ②, RIMUL 3 ① RWY 12 DEPARTURES

- ① By ATC
- ② Only for Russian users of airspace.



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2600'	(993' - 300m)
4570'	(2963' - 900m)

Trans alt: 4570' (**2967'**)



ILTON
N56 52.1
E103 46.5

UDEGA

D27.4 BRT

D27.7 BRT
N56 24.5 E102 30.9

NEGUT

N56 28.0
E103 36.0

VALID

WALIL
N56 20.4
E103 28.1

PODAS
N56 17.2 E105 09.8

N56 17.2 E105 09.8

BRAISK
 D 113.6 BRT

 N56 22.3 E101 41.2

N56 22.3 E101 41.2

A+ 2590'
(987')


① By ATC
② Only for Russian users of airspace.

ALT/HEIGHT CONVERSION

QNH (QFE)

2590' (987' - 300m)

4570' (2967' - 900m)



NOT TO SCALE

© JEPPESEN, 2012. ALL RIGHTS RESERVED.

Apt Elev
1611'


QNH on request (QFE)

Trans level: FL60

FL70 if pressure is less than 715 mm (953.3 hPa) and
688 mm (917.3 hPa) or above

FL80 if pressure is less than 688 mm (917.3 hPa)

Trans alt: 4570' (2963')





NALIL 3①, NEGUT 3①② UDEGA 3 RWY 12 DEPARTURES

③ Flights over the dam of the
hydroelectric power station
within 1.5 NM radius below
FL130 are prohibited.

① By ATC
② Only for Russian users of airspace.

ALT/HEIGHT CONVERSION
QNH (QFE)
2600' (993' - 300m)
4570' (2963' - 900m)



Apt Elev
1611'


QNH on request (QFE)

Trans level: FL60

FL70 if pressure is less than 715 mm (953.3 hPa) and
688 mm (917.3 hPa) or above

FL80 if pressure is less than 688 mm (917.3 hPa)


Trans alt: 4570' (2967')




AKIRU 1 LIDKA 1 RWY 30 DEPARTURES

① By ATC

② Flights over the dam of the hydroelectric power station within 1.5 NM radius below FL130 are prohibited.



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2590'	(987' - 300m)
4570'	(2967' - 900m)



NOT TO SCALE

Apt Elev
1611'


QNH on request (QFE)

Trans level: FL60

FL70 if pressure is less than 715 mm (953.3 hPa) and
688 mm (917.3 hPa) or above

FL80 if pressure is less than 688 mm (917.3 hPa)

Trans alt: 4570' (2963')




AKIRU 30 LIDKA 3 RWY 12 DEPARTURES

① By ATC

② Flights over the dam of the
hydroelectric power station
within 1.5 NM radius below
FL130 are prohibited.

BRATSK
D 113.6 BRT
N56 22.3 E101 41.2



At
2600' (993')
but not before
BRT 4.0 DME

UI(P)-AREA
②



D27.5 BRT
N56 05.3 E102 19.9
At or above
FL70

D27.4 BRT
N55 57.3 E102 01.0
At or above
FL70

LIDKA
N55 27.6 E102 23.3

AKIRU
N55 42.9
E103 11.1

BILMA
N55 06.5
E104 29.5

ALT/HEIGHT CONVERSION
QNH (QFE)
2600' (993' - 300m)
4570' (2963' - 900m)



© JEPPESEN, 2012. ALL RIGHTS RESERVED.

Trans alt: 4570' (**2963'**)

A circular diagram with a horizontal line passing through its center. On the left side of the circle, the text "180°" is written. On the right side, the text "360°" is written. Above the center, the text "4500'" is written. Below the center, the text "4100'" is written. To the right of the circle, the text "MSA ARP" is written vertically.

NOT TO SCALE

BRATSK
D 113.6 BRT
... ..
N56 22.3 E101 41.2

UI(P)-AREA **2**

D26.6 BRT
N56 16.2 E100 54.7

At or above
FL80

D26.6 BRT
N56 03.1 E101 08.2

At or above
FL80

Flights over the dam of the hydroelectric power station within 1.5 NM radius below EL130 are prohibited.

1 By ATC

LASLA
E100 250

N55 40.8 E100 25.9

NIZHNEUDINSK
112.7 NVD
54 53.4 E099 03.8

54 53.4 E099 03.8

4570' (2963' - 900m)

N56 10.1 E099 57.5

KOTIB
N56 05.0
E099 18.0

KOTIB
N56 05.0
E099 18.0

© JEPPESEN, 2012. ALL RIGHTS RESERVED.

ADDITIONAL RUNWAY INFORMATION					
RWY			USABLE LENGTHS		WIDTH
			LANDING	BEYOND	
			Threshold	Glide Slope	TAKE-OFF
12	HIRL (60m) ALS	RVR			
30	HIRL (60m) HIALS PAPI-L	RVR		9516' 2900m	197' 60m

	TAKE-OFF	
	AIR CARRIER	
	All Rwys	
	LVP must be in force RCLM (DAY only) or RL	RCLM (DAY only) or RL
A	250m	400m
B		
C		
D	300m	

STRAIGHT-IN RWY		A	B	C	D
12	VOR ①	1950'(344') R1400m	1950'(344') R1400m	1950'(344') R1400m	1950'(344') R1400m
	ALS out	R1500m	R1500m	R1600m	R1600m
	2 NDB ①	1960'(354') R1400m	1960'(354') R1400m	1960'(354') R1400m	1960'(354') R1400m
	ALS out	R1500m	R1500m	R1600m	R1600m
	NDB	2260'(654') C3000m	2260'(654') C3000m	2260'(654') C3200m	2260'(654') C3200m
	ALS out	C3200m	C3200m	C3400m	C3400m
30	ILS	1802'(200') R550m	1802'(200') R550m	1802'(200') R550m	1802'(200') R550m
	FULL	R750m	R750m	R750m	R750m
	Limited	R1200m	R1200m	R1200m	R1200m
	ALS out				
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	VOR ①	1950'(348') R900m	1950'(348') R900m	1950'(348') R900m	1950'(348') R900m
	ALS out	R1500m	R1500m	R1600m	R1600m
	NDB ①	1960'(358') R900m	1960'(358') R900m	1960'(358') R900m	1960'(358') R900m
	ALS out	R1500m	R1500m	R1600m	R1600m

① Continuous Descent Final Approach.

TAKE-OFF RWY 12, 30


LVP must be in Force			
RCLM (DAY only) or RL		RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		

BRIEFING STRIP™


ATIS 127.2	BRATSK Approach 118.1	BRATSK Krug (RDR) 118.1	BRATSK Start (TWR) 118.1	Ground 121.8	 MSA ARP
LOC IBS 110.3	Final Apch Crs 296°	GS LOM 2291'(689')	ILS DA(H) 1802'(200')	Apt Elev 1610' RWY 1602'	
NDB BS 374		Minimum Alt D9.4 4230'(2628')	NDB MDA(H) 1950'(348')		

MISSED APCH: Climb on 296° to 2590' (988'), then turn RIGHT (By ATC: LEFT) onto 116° climbing to 4570' (2968'), then according to chart.

Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 60 ① Trans alt: 4570' (2968')
Ground proximity warning system action may take place on final.




NDB apch: Pass LMM not below 1840' (238').




Gnd speed-Kts	70	90	100	120	140	160		2590' (988') on 296°
ILS GS or NDB Desc Angle 3.00°	377	484	538	646	753	861		

STRAIGHT-IN LANDING RWY 30

ILS		LOC		NDB	
DA(H) 1802'(200')		(GS out)		MDA(H) 1950'(348')	
FULL	ALS out			ALS out	
A					
B					
C	RVR 720m VIS 800m	1200m	NOT AUTH	1200m	RVR 1500m VIS 1600m
D				RVR 1500m VIS 1600m	RVR 1800m VIS 2000m








Chart changes since cycle 07-2013

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
BRATSK, (BRATSK - UIBB)				

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport UIBB