

List of pages in this Trip Kit

Trip Kit Index

Airport Information For USRK

Terminal Charts For USRK

Revision Letter For Cycle 08-2013

Change Notices

Notebook

General Information

Location: Kogalym Rus
IATA Code: KGP
Lat/Long: N62° 11.4' E074° 32.0'
Elevation: 220 ft

Airport Use: Public
Magnetic Variation: 17.3°E

Fuel Types: Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: No
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 2340 Z
Sunset: 1425 Z,

Runway Information


Runway: 17
Length x Width: 8225 ft x 138 ft
Surface Type: concrete
TDZ-Elev: 220 ft
Lighting: Edge, ALS

Runway: 35
Length x Width: 8225 ft x 138 ft
Surface Type: concrete
TDZ-Elev: 217 ft
Lighting: Edge, ALS

Communication Information

ATIS 123.4 Non-English
Kogalym Tower 119.4
Transit Operations 131.5


*ATIS 123.4 Apt Elev 220' Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt (hgt): 2190' (1970')




ALT/HEIGHT CONVERSION
QNH (QFE)
2190' (1970' - 600m)
1870' (1650' - 500m)

DAKAR 17C [DAK17C]
KARAL 17C [KAR17C]
PAMIR 17A [PAM17A]
PARUS 17A [PAR17A]
RWY 17 ARRIVALS
WITH RADAR CONTROL

FOR RUSSIAN USERS ONLY



*ATIS 123.4 Apt Elev 220' Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt (hgt): 2190' (1973')



DAKAR 35C [DAK35C]
KARAL 35C [KAR35C]
PAMIR 35A [PAM35A]
PARUS 35A [PAR35A]
RWY 35 ARRIVALS
WITH RADAR CONTROL


FOR RUSSIAN USERS ONLY

PAMIR
N62 32.1 E074 13.0
By ATC

LUNEP
N63 11.0
E075 16.1




ALT/HEIGHT CONVERSION
QNH (QFE)
2190' (1973' - 600m)
1860' (1643' - 500m)



*ATIS
123.4

Apt Elev
220'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt (hgt): 2190' (1970')




DAKAR 17B [DAK17B]
KARAL 17B [KAR17B]
PAMIR 17B [PAM17B]
PARUS 17B [PAR17B]
RWY 17 ARRIVALS
WITHOUT RADAR CONTROL

FOR RUSSIAN USERS ONLY



HOLDING OVER
KG





ALT/HEIGHT CONVERSION	
QNH	(QFE)
2190'	(1970' - 600m)
1870'	(1650' - 500m)

*ATIS
123.4


Apt Elev
220'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40 Trans alt (hgt): 2190' (1973')





DAKAR 35B [DAK35B]
KARAL 35B [KAR35B]
PAMIR 35B [PAM35B]
PARUS 35B [PAR35B]
RWY 35 ARRIVALS
WITHOUT RADAR CONTROL

FOR RUSSIAN USERS ONLY




ALT/HEIGHT CONVERSION	
QNH	(QFE)
2190'	(1973' - 600m)
1860'	(1643' - 500m)





Apt Elev
220'

QNH on request (QFE)
Trans level: FL40 Trans alt (hgt): 2190' (1970')




MSA
(Rwy 17)
KG NDB
(Rwy 35)
OL NDB

KARAL 17A [KAR17A], LITMA 17A [LIT17A]
LITMA 17B [LIT17B] ①, MORIS 17A [MOR17A]
RWY 17 DEPARTURES

KARAL 35A [KAR35A], LITMA 35A [LIT35A]
MORIS 35A [MOR35A]
RWY 35 DEPARTURES

FOR RUSSIAN USERS ONLY



Apt Elev
220'

QNH on request **(QFE)**
Trans level: FL40 Trans alt (hgt): 2190' **(1970')**


1900'
MSA
(Rwy 17)
KG NDB
(Rwy 35)
OL NDB


DAKAR 17A [DAK17A], KOLTI 17A [KOL17A] ①
RWY 17 DEPARTURES

DAKAR 35A [DAK35A], KOLTI 35A [KOL35A] ①
KOLTI 35B [KOL35B] ①
RWY 35 DEPARTURES

FOR RUSSIAN USERS ONLY

① By ATC.





From rwy head	8225' (2507m)
twy 3 int	2684' (818m)
twy 2 int	1568' (478m)

STRAIGHT-IN RWY		A	B	C	D
17	ILS	420'(200') R1000m	420'(200') R1000m	420'(200') R1000m	420'(200') R1000m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC ①	590'(370') R1500m	590'(370') R1500m	590'(370') R1500m	590'(370') R1500m
	ALS out	R1700m	R1700m	R1700m	R1700m
	RNAV ①	590'(370') R1500m	590'(370') R1500m	590'(370') R1500m	590'(370') R1500m
	ALS out	R1700m	R1700m	R1700m	R1700m
	2 NDB ①	590'(370') R1500m	590'(370') R1500m	590'(370') R1500m	590'(370') R1500m
	ALS out	R1700m	R1700m	R1700m	R1700m
	KG NDB ①	880'(660') C2800m	880'(660') C2800m	1050'(830') C3600m	1050'(830') C3600m
	ALS out	C3000m	C3000m	C3800m	C3800m
	K NDB	1010'(790') C3600m	1010'(790') C3600m	1210'(990') C4700m	1210'(990') C4700m
	ALS out	C3800m	C3800m	C4900m	C4900m
35	O NDB	1010'(790') C3600m	1010'(790') C3600m	1210'(990') C4700m	1210'(990') C4700m
	ALS out	C3800m	C3800m	C4900m	C4900m
	ILS	417'(200') R1000m	417'(200') R1000m	417'(200') R1000m	417'(200') R1000m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC ①	570'(353') R1400m	570'(353') R1400m	570'(353') R1400m	570'(353') R1400m
	ALS out	R1600m	R1600m	R1600m	R1600m
	RNAV ①	570'(353') R1400m	570'(353') R1400m	570'(353') R1400m	570'(353') R1400m
	ALS out	R1600m	R1600m	R1600m	R1600m
	2 NDB ①	570'(353') R1400m	570'(353') R1400m	570'(353') R1400m	570'(353') R1400m
	ALS out	R1600m	R1600m	R1600m	R1600m
	OL NDB	880'(663') ① C2900m	880'(663') ① C2900m	1040'(823') C4000m	1040'(823') C4000m
	ALS out	C3100m	C3100m	C4200m	C4200m
	K NDB	880'(663') C3100m	880'(663') C3100m	1210'(993') C4700m	1210'(993') C4700m
	ALS out	C3300m	C3300m	C4900m	C4900m
	O NDB	880'(663') C3100m	880'(663') C3100m	1210'(993') C4700m	1210'(993') C4700m
	ALS out	C3300m	C3300m	C4900m	C4900m

① Continuous Descent Final Approach.



TAKE-OFF RWY 17, 35

LVP must be in force		RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
RCLM (DAY only) or RL				
A	250m	400m	500m	
B				
C				
D	300m			

© JEPPESEN, 1998, 2011. ALL RIGHTS RESERVED.


BRIEFING STRIP

*ATIS				*KOGALYM Tower		
123.4 Russian only				119.4 Russian only		
LOC IOL *109.5	Final Apch Crs 353°	GS LOM 938'(721')	ILS DA(H) 417'(200')	Apt Elev 220' RWY 217'	1900' MSA OL NDB	
NDB OL *490		Minimum Alt LOM 940'(723')	2 NDB MDA(H) 570'(353')			
MISSED APCH: Climb on 353° to 880' (663'), then turn RIGHT onto 173° climbing to 1860' (1643'), then according to chart.						
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 40 Trans alt: 2190'(1973')						
1. LOM is 177'/54m East of rwy centerline. 2. Heavy turbulence and windshear may be expected on final when wind direction is 290°-330° and wind speed is more than 10m/s.						



Gnd speed-Kts	70	90	100	120	140	160	ALS PAPI	880' (663') on 353°
ILS GS or LOC or NDB Desc angle 3.00°	377	484	538	646	753	861		

STRAIGHT-IN LANDING RWY 35							
ILS		LOC (GS out)		2 NDB		OL NDB MDA(H)	
DA(H) 417' (200')		MDA(H) 570' (353')		MDA(H) 570' (353')		AB: 880' (663') CD: 1040' (823')	
FULL	ALS out		ALS out		ALS out		ALS out
A	1200m	1600m		1600m		3200m	
B						4800m	
C							
D		2000m		2000m		4400m	



BRIEFING STRIP	*ATIS 123.4 Russian only			*KOGALYM Tower(TWR/Radar/GND) 119.4 Russian only																																		
	NDB O *966	Final Apch Crs 173°	Minimum Alt No FAF	MDA(H) Refer to Minimums	Apt Elev 220' RWY 220'	1900' MSA O NDB																																
	MISSED APCH: Climb to 1210' (990'), then turn LEFT onto 353° climbing to 1870' (1650'), then according to chart.																																					
	Alt Set: MM (hPa on req) QNH on req (QFE) Trans lev: FL 40 Trans alt: 2190' (1970')																																					
FOR RUSSIAN USERS ONLY																																						
62-20 62-10 74-20 74-30 74-40 74-50 75-00 ALT/HEIGHT CONVERSION QNH (QFE) 2190' (1970' - 600m) 1870' (1650' - 500m) 1210' (990' - 300m)																																						
O NDB RWY 17 220' 1870' (1650') intercept final 173°																																						
<table border="1" style="width:100%; border-collapse: collapse; font-size: 0.7em;"> <tr> <td style="width: 20%;">Gnd speed-Kts</td> <td>70</td><td>90</td><td>100</td><td>120</td><td>140</td><td>160</td> <td rowspan="3" style="width: 10%; text-align: center;"> ALS PAPI </td> <td style="width: 10%; text-align: center;"> 1210' (990') ↑ </td> <td style="width: 10%; text-align: center;"> 353° LT </td> <td style="width: 10%; text-align: center;"> 1870' (1650') ↑ </td> </tr> <tr> <td>Descent Angle</td> <td>3.00°</td><td>372</td><td>478</td><td>531</td><td>637</td><td>743</td><td>849</td> <td></td><td></td><td></td> </tr> <tr> <td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>						Gnd speed-Kts	70	90	100	120	140	160	ALS PAPI 	1210' (990') ↑	353° LT	1870' (1650') ↑	Descent Angle	3.00°	372	478	531	637	743	849														
Gnd speed-Kts	70	90	100	120	140	160	ALS PAPI 	1210' (990') ↑	353° LT	1870' (1650') ↑																												
Descent Angle	3.00°	372	478	531	637	743		849																														
STRAIGHT-IN LANDING RWY 17																																						
MDA(H) AB: 1010' (790') CD: 1210' (990')																																						
ALS out																																						
PANS OPS	3200m																																					
	4800m																																					

BRIEFING STRIP	*ATIS 123.4 Russian only			*KOGALYM Tower(TWR/Radar/GND) 119.4 Russian only																																	
	NDB K *996	Final Apch Crs 353°	Minimum Alt No FAF	MDA(H) Refer to Minimums	Apt Elev 220' RWY 217'	1900' MSA K NDB																															
	MISSED APCH: Climb to 880' (663'), then turn RIGHT onto 173° climbing to 1860' (1643'), then according to chart.																																				
	Alt Set: MM (hPa on req) QNH on req (QFE) Trans lev: FL 40 Trans alt: 2190' (1970') 1. K NDB is 66'/20m East of rwy centerline. 2. Heavy turbulence and windshear may be expected on final when wind direction is 290°-330° and wind speed is more than 10m/s.																																				
ALT/HEIGHT CONVERSION <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: left;">QNH</th> <th style="text-align: left;">(QFE)</th> </tr> <tr> <td>2190'</td> <td>(1973' - 600m)</td> </tr> <tr> <td>1860'</td> <td>(1643' - 500m)</td> </tr> <tr> <td>880'</td> <td>(663' - 200m)</td> </tr> </table> FOR RUSSIAN USERS ONLY						QNH	(QFE)	2190'	(1973' - 600m)	1860'	(1643' - 500m)	880'	(663' - 200m)																								
QNH	(QFE)																																				
2190'	(1973' - 600m)																																				
1860'	(1643' - 500m)																																				
880'	(663' - 200m)																																				
K NDB RWY 35 217'																																					
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 20%;">Gnd speed-Kts</td> <td>70</td> <td>90</td> <td>100</td> <td>120</td> <td>140</td> <td>160</td> <td rowspan="3" style="width: 10%; text-align: left;"> ALS PAPI </td> <td style="width: 10%;">880' (663')</td> <td style="width: 10%;">173° RT</td> <td style="width: 10%;">1860' (1643')</td> </tr> <tr> <td>Descent Angle</td> <td>3.00°</td> <td>372</td> <td>478</td> <td>531</td> <td>637</td> <td>743</td> <td>849</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> </tr> </table>						Gnd speed-Kts	70	90	100	120	140	160	ALS PAPI	880' (663')	173° RT	1860' (1643')	Descent Angle	3.00°	372	478	531	637	743	849													
Gnd speed-Kts	70	90	100	120	140	160	ALS PAPI	880' (663')	173° RT	1860' (1643')																											
Descent Angle	3.00°	372	478	531	637	743		849																													
STRAIGHT-IN LANDING RWY 35																																					
MDA(H) AB: 880' (663') CD: 1210' (993')																																					
ALS out																																					
PANS OPS	A 3200m																																				
	B																																				
	C 4800m																																				
	D																																				

KOGALYM, (KOGALYM - USRK)

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport USRK