

List of pages in this Trip Kit

Trip Kit Index
Airport Information For UDYE
Terminal Charts For UDYE
Revision Letter For Cycle 17-2013
Change Notices
Notebook

General Information

Location: Yerevan Arm
IATA Code:
Lat/Long: N40° 07.3' E044° 27.9'
Elevation: 2955 ft

Airport Use: Military
Magnetic Variation: 5.9°E

Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0223 Z
Sunset: 1545 Z,

Runway Information

Runway: 03
Length x Width: 8694 ft x 125 ft
Surface Type: asphalt
TDZ-Elev: 2900 ft
Lighting: ALS

Runway: 03L
Length x Width: 5741 ft x 164 ft
Surface Type: grass
TDZ-Elev: 2955 ft

Runway: 21
Length x Width: 8694 ft x 125 ft
Surface Type: asphalt
TDZ-Elev: 2955 ft
Displaced Threshold: 1312 ft


Runway: 21R
Length x Width: 5741 ft x 164 ft
Surface Type: grass
TDZ-Elev: 2955 ft

Communication Information

Erebuni Bolotny Tower 119.4

Apt Elev
2955'

Alt Set: hPa
Trans level: By ATC Trans alt: 11500'




STAR	ROUTING
GOSIS 3A	GOSIS (FL130+) - BANAG (10000'+) - ZVR (7000'+).
INDUR 3A	INDUR (FL140+) - OKUDA (7000'+).
SEVAN 3A	SEVAN (FL130+) - MAXAK (FL130+) - ZVR (7000'+).
TIBLO 3A	TIBLO (FL130+) - OKUDA (7000'+).

YEREVAN
Approach
126.0Apt Elev
2955'

Trans level: By ATC Trans alt: 11500'

1. Contact YEREVAN Approach immediately after take-off.
2. SIDs are also minimum noise routings. Strict adherence within the limits of performance criteria is mandatory.

GOSIS 3S
SEVAN 3S
RWY 21 RNAV DEPARTURES
RNAV 1 (GNSS)

**SEVAN**
N40 32.1 E044 57.3At or above
FL130**YE470**
N40 20.5 E044 41.8At or above
FL130ZVARTNOTS
D 112.3 ZVR
N40 08.8 E044 22.0Direct distance from
Erebuni Apt to:
GOSIS 26 NM
YE470 17 NM**YE440**
N40 05.9
E044 26.7**GOSIS**
N39 56.8 E044 59.2
At or above
FL130

These SIDs require a minimum climb gradient
of
6.8% up to FL130.

Gnd speed-KT	75	100	150	200	250	300
6.8% V/V(fpm)	516	689	1033	1377	1722	2066

If unable to comply advise ATC prior take-off
and request alternative clearance.


Initial turns MAX 210 KT, bank angle 20°

SID	ROUTING
GOSIS 3S	YE440 - GOSIS (FL130+).
SEVAN 3S	YE440 - YE470 (FL130+) - SEVAN (FL130+).

YEREVAN
Approach
126.0Apt Elev
2955'

Trans level: By ATC Trans alt: 11500'

1. Contact YEREVAN Approach immediately after take-off.
2. SIDs are also minimum noise routings. Strict adherence within the limits of performance criteria is mandatory.

INDUR 3S
TIBLO 3S
RWY 21 RNAV DEPARTURES
RNAV 1 (GNSS)**TIBLO**
N40 23.1 E043 53.5At or above
FL140Direct distance from
Erebuni Apt to:
INDUR **37 NM**
TIBLO **31 NM**ZVARTNOTS
D 112.3 ZVR
N40 08.8 E044 22.0**INDUR**
N40 06.9 E043 39.9At or above
FL140

INDUR 3S

TIBLO 3S

YE440
N40 05.9
E044 26.7These SIDs require minimum climb gradients
of**INDUR 3S:** 4.9% up to FL140.**TIBLO 3S:** 5.6% up to FL140.

Gnd speed-KT	75	100	150	200	250	300
5.6% V/V(fpm)	425	567	851	1134	1418	1701
4.9% V/V(fpm)	372	496	744	992	1241	1489

If unable to comply advise ATC prior take-off
and request alternative clearance.


Initial turns MAX 210 KT, bank angle 20°

SID	ROUTING
INDUR 3S	YE440 - INDUR (FL140+).
TIBLO 3S	YE440 - TIBLO (FL140+).

UDYE
Apt Elev 2955'
N40 07.3 E044 27.9

JEPPESSEN
30 NOV 12 20-9 Eff 13 Dec

YEREVAN, ARMENIA
EREBUNI



ADDITIONAL RUNWAY INFORMATION

RWY		USABLE LENGTHS		TAKE-OFF	WIDTH
		Threshold	Landing Beyond Glide Slope		
03	21	7382' 2250m		8530' 2600m	125' 38m
03	21	Grass runway			164' 50m

JAR-OPS

TAKE-OFF 1

	All Rwys		
	LVP must be in force	RCLM (DAY only) or RL	NIL (DAY only)
A			
B	250m	400m	500m
C			
D	300m		

1 Operators applying U.S. Ops Specs: CL required below 300m.

STRAIGHT-IN RWY		A	B	C	D
03	NDB	3350'(450') ceil 1500'- 5000m	3350'(450') ceil 1500'- 5000m	3350'(450') ceil 1500'- 5000m	3350'(450') ceil 1500'- 5000m


TAKE-OFF RWY 03, 21			
LVP must be in Force			
RCLM (DAY only) or RL		RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		

UDYE
EREBUNI

30 NOV 12

(26-1)

Eff 13 Dec

YEREVAN, ARMENIA
NDB Rwy 03

CHANGES: Communications. Trans altitude.

© JEPPESSEN, 2006, 2012. ALL RIGHTS RESERVED.

CAT A & B

VISUAL APPROACH

© JEPPESEN, 2006. ALL RIGHTS RESERVED.

Chart changes since cycle 16-2013

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT PROCEDURE IDENT

INDEX

REV DATE

EFF DATE

YEREVAN, (EREBUNI - UDYE)

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport UDYE