

List of pages in this Trip Kit

Trip Kit Index
Airport Information For UUDL
Terminal Charts For UUDL
Revision Letter For Cycle 17-2013
Change Notices
Notebook

General Information

Location: Yaroslavl Rus
IATA Code: IAR
Lat/Long: N57° 33.6' E040° 09.4'
Elevation: 305 ft

Airport Use: Public
Magnetic Variation: 12.0°E

Fuel Types: Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Restricted
Airport Type: IFR
Landing Fee: Yes
Control Tower: No
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0207 Z
Sunset: 1636 Z,

Runway Information

Runway: 05
Length x Width: 9843 ft x 144 ft
Surface Type: asphalt
TDZ-Elev: 286 ft
Lighting: Edge, ALS

Runway: 23
Length x Width: 9843 ft x 144 ft
Surface Type: asphalt
TDZ-Elev: 301 ft
Lighting: Edge, ALS

Communication Information

ATIS 127.35
Yaroslavl Approach Control 120.3

*ATIS
127.35

Apt Elev
305'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 751 mm (1001.3 hPa)
and 724 mm (965.3 hPa) or above
FL60 if pressure is less than 724 mm (965.3 hPa)
Trans alt: 2610' (2325')

MAGOK 2, OGNAR 2 RWY 05 ARRIVALS

MAGOK


N58 02.6 E039 47.5

Between
FL100 & FL50

OGNAR

N58 00.3 E040 24.9

Between
FL100 & FL60



OLUGA

N58 02.6
E040 36.3



MAGOK 2



OGNAR 2



NOT TO SCALE

*650 R

N57 34.2 E040 11.6

N57 30.6 E039 58.1

At 2260'
(1975')

MEBIL

N57 28.9 E039 52.0

At 2610'
(2325')

*315 RG

N57 35.0 E040 14.3

At 2610'
(2325')

At 2610'
(2325')

N57 26.4
E039 50.5

N57 24.8 E039 54.8
(035° brg to RG)

At 2610'
(2325')

N57 25.1 E039 55.4

At 2610'
(2325')

Direct distance from
N57 30.6 E039 58.1 to:
Tunoshna Apt 7 NM

ALT/HEIGHT CONVERSION

QNH (QFE)
2610' (2325' - 700m)
2260' (1975' - 600m)

*ATIS
127.35

Apt Elev
305'

Alt Set: MM (hPa on request) QNH on request (QFE)



Trans level: FL40

FL50 if pressure is less than 751 mm (1001.3 hPa)
and 724 mm (965.3 hPa) or above

FL60 if pressure is less than 724 mm (965.3 hPa)

Trans alt: 2610' (2308')

MAGOK 4A [MAGO4A], MAGOK 4B [MAGO4B]
OGNAR 4A [OGNA4A], OGNAR 4B [OGNA4B]
RWY 23 ARRIVALS



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2610'	(2308' - 700m)
2280'	(1978' - 600m)




Direct distance from
N57 36.6 E040 20.8 to:
Tunoshna Apt 7 NM

*ATIS
127.35

Apt Elev
305'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 751 mm (1001.3 hPa)
and 724 mm (965.3 hPa) or above
FL60 if pressure is less than 724 mm (965.3 hPa)
Trans alt: 2610' (2325')

ISKOR 2, POGAS 2 RWY 05 ARRIVALS




ALT/HEIGHT CONVERSION	
QNH	(QFE)
2610'	(2325' - 700m)
2260'	(1975' - 600m)

*ATIS
127.35

Apt Elev
305'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 751 mm (1001.3 hPa)
and 724 mm (965.3 hPa) or above
FL60 if pressure is less than 724 mm (965.3 hPa)
Trans alt: 2610' (2308')

ISKOR 4A [ISKO4A], ISKOR 4B [ISKO4B]
POGAS 4A [POGA4A], POGAS 4B [POGA4B]
RWY 23 ARRIVALS



ISKOR


N57 48.0 E040 26.9

ISKOR 4A

At FL40

ISKOR 4B

Between
FL80 & FL60




Direct distance from
N57 36.6 E040 20.8 to:
Tunoshna Apt 7 NM

ALT/HEIGHT CONVERSION	
QNH	(QFE)
2610'	(2308' - 700m)
2280'	(1978' - 600m)


*ATIS
127.35

Apt Elev
305'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 751 mm (1001.3 hPa)
and 724 mm (965.3 hPa) or above
FL60 if pressure is less than 724 mm (965.3 hPa)
Trans alt: 2610' (2325')




BADAK 2, VAREG 2 RWY 05 ARRIVALS




Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 751 mm (1001.3 hPa)
and 724 mm (965.3 hPa) or above
FL60 if pressure is less than 724 mm (965.3 hPa)
Trans alt: 2610' (2308')

*ATIS
127.35

Apt Elev
305'



BADAK 4A [BADA4A] VAREG 4A [VARE4A] RWY 23 ARRIVALS



Apt Elev
305'

QNH on request (QFE)


Trans level: FL40

FL50 if pressure is less than 751 mm (1001.3 hPa)
and 724 mm (965.3 hPa) or above


FL60 if pressure is less than 724 mm (965.3 hPa)

Trans alt: 2610' (2325')

Flights over the city of Yaroslavl below FL100 are prohibited.



LIRBA 1, MAGOK 1
MALAP 1, OGNAR 1
RWY 05 DEPARTURES



MALAP 1

This SID requires a minimum climb gradient
of
4.4%.

Gnd Speed-KT	75	100	150	200	250	300
4.4% V/V(fpm)	334	446	668	891	1114	1337

If unable to comply, advise ATC.

ALT/HEIGHT CONVERSION

QNH (QFE)

1270' (985' - 300m)

2610' (2325' - 700m)

Apt Elev
305'

QNH on request (QFE)


Trans level: FL40

FL50 if pressure is less than 751 mm (1001.3 hPa)
and 724 mm (965.3 hPa) or above


FL60 if pressure is less than 724 mm (965.3 hPa)

Trans alt: 2610' (2308')

Flights over the city of Yaroslavl below FL100 are prohibited.



LIRBA 3, MAGOK 3
MALAP 3, OGNAR 3
RWY 23 DEPARTURES



ALT/HEIGHT CONVERSION	
QNH	(QFE)
1290'	(988' - 300m)
2610'	(2308' - 700m)

Apt Elev
305'

QNH on request (QFE)


Trans level: FL40

FL50 if pressure is less than 751 mm (1001.3 hPa)
and 724 mm (965.3 hPa) or above


FL60 if pressure is less than 724 mm (965.3 hPa)

Trans alt: 2610' (2325')

Flights over the city of Yaroslavl below FL100 are prohibited.



BADAK 1, ISKOR 1 POGAS 1, VAREG 1 RWY 05 DEPARTURES



These SIDs require a minimum climb gradient of

ISKOR 1: 4.4%.

POGAS 1: 3.4%.

Gnd Speed-KT	75	100	150	200	250	300
3.4% V/V(fpm)	258	344	516	689	861	1033
4.4% V/V(fpm)	334	446	668	891	1114	1337

If unable to comply, advise ATC.

ALT/HEIGHT CONVERSION

QNH (QFE)

1270' (985' - 300m)

2610' (2325' - 700m)

Apt Elev
305'

QNH on request (QFE)


Trans level: FL40

FL50 if pressure is less than 751 mm (1001.3 hPa)
and 724 mm (965.3 hPa) or above

FL60 if pressure is less than 724 mm (965.3 hPa)

Trans alt: 2610' (2308')

Flights over the city of Yaroslavl below FL100 are prohibited.




BADAK 3, ISKOR 3
POGAS 3A [POGA3A]
POGAS 3B [POGA3B]
VAREG 3
RWY 23 DEPARTURES

These SIDs require a minimum climb gradient
of
BADAK 3, VAREG 3: 3.9% up to MEBIL.
POGAS 3A: 6.0%.

Gnd speed-KT	75	100	150	200	250	300
3.9% V/V(fpm)	296	395	592	790	987	1185
6.0% V/V(fpm)	456	608	911	1215	1519	1823

If unable to comply inform ATC.


ALT/HEIGHT CONVERSION
(QFE)
QNH
1290' (988' - 300m)
2610' (2308' - 700m)



UUDL/IAR
Apt Elev 305'
N57 33.6 E040 09.4

JEPPESEN
9 AUG 13 10-9 Eff 22 Aug

YAROSLAVL, RUSSIA
TUNOSHNA



ADDITIONAL RUNWAY INFORMATION

ADDITIONAL RUNWAY INFORMATION					USABLE LENGTHS		TAKE-OFF	WIDTH
					LANDING	BEYOND		
RWY					Threshold	Glide Slope		
05	RL (60m)	ALS	PAPI-L (angle 3.0°)	RVR				144'
23	RL (60m)	HIALS	PAPI-L (angle 3.0°)	RVR		8871' 2704m		44m
05	Grass runway							328'
23								100m

TAKE-OFF

AIR CARRIER (JAA)

All Rwys

LVP must be in force

RCLM (DAY only)
or RL

RCLM (DAY only)
or RL

A
B
C
D


250m

400m

300m

CHANGES: Rwy elevations.

© JEPPESEN, 2004, 2013. ALL RIGHTS RESERVED.

**INS COORDINATES**

STAND No.	COORDINATES	STAND No.	COORDINATES
1	N57 33.8 E040 10.6	16	N57 33.3 E040 08.5
2, 3	N57 33.8 E040 10.5		
4	N57 33.8 E040 10.4		
5	N57 33.7 E040 10.1		
6	N57 33.5 E040 10.5		
7, 8	N57 33.5 E040 09.5		
9 thru 11	N57 33.5 E040 09.4		
12	N57 33.5 E040 09.3		
13, 14	N57 33.4 E040 09.0		
15	N57 33.3 E040 08.6		

STRAIGHT-IN RWY		A	B	C	D
05	NDB ①②	NOT APPLICABLE	NOT APPLICABLE	1110'(824') C2400m	1110'(824') C2400m
	NDB ③	1110'(824') C3800m	1110'(824') C3800m	1110'(824') C4000m	1110'(824') C4000m
	ALS out	C4000m	C4000m	C4200m	C4200m
23	ILS	501'(200')	501'(200')	501'(200')	501'(200')
	FULL	R550m	R550m	R550m	R550m
	Limited	R750m	R750m	R750m	R750m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	2 NDB ①	660'(359') R1000m	660'(359') R1000m	660'(359') R1200m	660'(359') R1200m
	ALS out	R1600m	R1600m	R1600m	R1600m
	1 NDB	1060'(759') C2900m	1060'(759') C2900m	1060'(759') C3100m	1060'(759') C3100m
	ALS out	C3700m	C3700m	C3900m	C3900m

① Continuous Descent Final Approach.

② with FMS.


③ w/o FMS.

TAKE-OFF RWY 05, 23



LVP must be in Force		
	RCLM (DAY only) or RL	RCLM (DAY only) or RL
A		NIL (DAY only)
B	250m	400m
C		500m
D	300m	


BRIEFING STRIP™

*ATIS 127.35		*YAROSLAVL Approach (APP/SRE/TWR) 120.3		*Ground 120.3	
Lctr R *650	Final Apch Crs 053°	Minimum Alt No FAF	MDA(H) 1110' (824')	Apt Elev 305' RWY 286'	
MISSED APCH: Climb on 053° to 1280' (994'), then turn RIGHT onto 233°, then according to chart.					



MSA
R Lctr



Gnd speed-Kts	70	90	100	120	140	160		1280' (994') on 053°
Descent Angle	3.00°	372	478	531	637	743		

STRAIGHT-IN LANDING RWY 05			
MDA(H) 1110' (824')		ALS out	
A	3200m		
B	4000m		
C	4400m		
D	4400m		

Chart changes since cycle 16-2013

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
YAROSLAVL, (TUNOSHNA - UUDL)				
REV	MAGOK & OGNAR 2 ARRS	10-2	09 Aug 2013	22 Aug 2013
ADD	MAGOK & OGNAR 4A & 4B ARR...	10-2A	09 Aug 2013	22 Aug 2013
DEL	MAGOK 4A, OGNAR 4A & 4B A...	10-2A	09 Aug 2013	22 Aug 2013
REV	ISKOR & POGAS 2 ARRS	10-2B	09 Aug 2013	22 Aug 2013
REV	ISKOR & POGAS 4A & 4B ARR...	10-2C	09 Aug 2013	22 Aug 2013
REV	BADAK & VAREG 2 ARRS	10-2D	09 Aug 2013	22 Aug 2013
REV	BADAK & VAREG 4A ARRS	10-2E	09 Aug 2013	22 Aug 2013
REV	LIRBA, MAGOK, MALAP & OGN...	10-3	09 Aug 2013	22 Aug 2013
REV	LIRBA, MAGOK, MALAP & OGN...	10-3A	09 Aug 2013	22 Aug 2013
REV	BADAK, ISKOR, POGAS & VAR...	10-3B	09 Aug 2013	22 Aug 2013
REV	BADAK, ISKOR & VAREG 3, P...	10-3C	09 Aug 2013	22 Aug 2013
REV	AIRPORT, AIRPORT INFO, TA...	10-9	09 Aug 2013	22 Aug 2013
REV	PARKING STANDS	10-9A	09 Aug 2013	22 Aug 2013

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport UUDL