

**List of pages in this Trip Kit**

Trip Kit Index

Airport Information For UKHS

Terminal Charts For UKHS

Revision Letter For Cycle 17-2013

Change Notices

Notebook

## **General Information**

Location: Sumy Ukr  
IATA Code: UMY  
Lat/Long: N50° 51.5' E034° 45.8'  
Elevation: 594 ft

Airport Use: Public  
Magnetic Variation: 8.0°E

Customs: Restricted  
Airport Type: IFR  
Landing Fee: No  
Control Tower: Yes  
Jet Start Unit: No  
LLWS Alert: No  
Beacon: No

Sunrise: 0244 Z  
Sunset: 1641 Z,



## **Runway Information**

Runway: 08  
Length x Width: 8202 ft x 138 ft  
Surface Type: asphalt  
TDZ-Elev: 593 ft  
Lighting: Edge, ALS



Runway: 26  
Length x Width: 8202 ft x 138 ft  
Surface Type: asphalt  
TDZ-Elev: 572 ft  
Lighting: Edge, ALS

## **Communication Information**

Sumy Tower 124.7

Apt Elev  
594'Alt Set: hPa (MM on request)  
Trans level: By ATC Trans alt: 10010'KOVAGI FOUR GOLF (KW 4G)  
LUMAT ONE DELTA (LUMAT 1D)  
RASHIVKA FOUR ALFA (RS 4A)  
RWY 08 ARRIVALS

| STAR            | ROUTING                                                                                                      |
|-----------------|--------------------------------------------------------------------------------------------------------------|
| <b>KW 4G</b>    | On 326° bearing from KW to SULAG, turn LEFT, intercept 315° bearing to SU, then according to approach chart. |
| <b>LUMAT 1D</b> | On 265° bearing to SU, then according to approach chart.                                                     |
| <b>RS 4A</b>    | On 035° bearing from RS to TADUS, turn LEFT, intercept 025° bearing to SU, then according to approach chart. |

Apt Elev  
594'Alt Set: hPa (MM on request)  
Trans level: By ATC Trans alt: 10010'KOVAGI FOUR HOTEL (KW 4H)  
LUMAT ONE ECHO (LUMAT 1E)  
RASHIVKA FOUR ECHO (RS 4E)  
RWY 26 ARRIVALS


## FT/METER CONVERSION


QNH


|        |   |       |
|--------|---|-------|
| 10010' | - | 3050m |
| 8040'  | - | 2450m |
| 7060'  | - | 2150m |
| 2300'  | - | 700m  |
| 2140'  | - | 650m  |



| STAR     | ROUTING                                                                                                      |
|----------|--------------------------------------------------------------------------------------------------------------|
| KW 4H    | On 326° bearing from KW to SULAG, turn RIGHT, intercept 333° bearing to E, then according to approach chart. |
| LUMAT 1E | On 266° bearing to E, then according to approach chart.                                                      |
| RS 4E    | On 035° bearing from RS to TADUS, turn RIGHT, intercept 038° bearing to E, then according to approach chart. |







# ADDITIONAL RUNWAY INFORMATION


| RWY |    | USABLE LENGTHS |                               | TAKE-OFF | WIDTH       |
|-----|----|----------------|-------------------------------|----------|-------------|
|     |    | Threshold      | Landing Beyond<br>Glide Slope |          |             |
| 08  | 26 | RL (60m) ALS   |                               |          | 138'<br>42m |
| 08  | 26 | Soil runway    |                               |          | 279'<br>85m |
|     |    |                |                               |          |             |

## JAR-OPS


## TAKE-OFF **I**

|   | All Rwys                 |                          |                   |
|---|--------------------------|--------------------------|-------------------|
|   | LVP must be in force     |                          |                   |
| A | RCLM (DAY only)<br>or RL | RCLM (DAY only)<br>or RL | NIL<br>(DAY only) |
| B | 250m                     | 400m                     | 500m              |
| C |                          |                          |                   |
| D | 300m                     |                          |                   |

**I** Operators applying U.S. Ops Specs: CL required below 300m.









**Chart changes since cycle 16-2013**

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT    PROCEDURE IDENT

INDEX

REV DATE

EFF DATE

**SUMY, (SUMY - UKHS)**

## **TERMINAL CHART CHANGE NOTICES**

### **No Chart Change Notices for Airport UKHS**