

List of pages in this Trip Kit

Trip Kit Index

Airport Information For UKLI

Terminal Charts For UKLI

Revision Letter For Cycle 17-2013

Change Notices

Notebook

General Information

Location: Ivano-Frankivs'k Ukr
IATA Code: IFO
Lat/Long: N48° 53.0' E024° 41.1'
Elevation: 919 ft

Airport Use: Public
Magnetic Variation: 5.5°E

Fuel Types: Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: No
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0329 Z
Sunset: 1718 Z,

Runway Information

Runway: 10
Length x Width: 8202 ft x 144 ft
Surface Type: concrete
TDZ-Elev: 919 ft
Lighting: Edge, ALS


Runway: 28
Length x Width: 8202 ft x 144 ft
Surface Type: concrete
TDZ-Elev: 904 ft
Lighting: Edge, ALS

Communication Information


Franko Tower 134.85
Franko Tower 124.0 Military
Franko Approach Control 127.3
Franko Approach Control 128.5 Military

Apt Elev
919'


Alt Set: hPa (MM on request)
Trans level: By ATC Trans alt: 10010'
EXPECT RADAR vectors to final.



ILTUK SIX MIKE (ILTUK 6M) [ILTU6M]
SOLNU SIX MIKE (SOLNU 6M) [SOLN6M]
RWY 10 ARRIVALS



**HOLDING OVER
IV**



FT/METER CONVERSION

QNH
10010' - 3050m
4930' - 1500m
2630' - 800m

STAR


ROUTING

ILTUK 6M On 242° track to IVF, turn RIGHT, intercept 280° bearing to IV.


SOLNU 6M On 226° track to IVF, turn RIGHT, intercept 280° bearing to IV.

Apt Elev
919'


Alt Set: hPa (MM on request)
Trans level: By ATC Trans alt: 10010'
EXPECT RADAR vectors to final.



ILTUK SIX NOVEMBER (ILTUK 6N) [ILTU6N]
SOLNU SIX NOVEMBER (SOLNU 6N) [SOLN6N]
RWY 28 ARRIVALS



**HOLDING OVER
IF**



FT/METER CONVERSION

QNH
10010' - 3050m
2630' - 800m


STAR

ROUTING


ILTUK 6N	Intercept 239° bearing to IF.
SOLNU 6N	Intercept 222° bearing to IF.

Apt Elev
919'


Alt Set: hPa (MM on request)
Trans level: By ATC Trans alt: 10010'
EXPECT RADAR vectors to final.



GOTRA SIX MIKE (GOTRA 6M) [GOTR6M]
POBED ONE MIKE (POBED 1M) [POBE1M]
RWY 10 ARRIVALS



HOLDING OVER
IV



FT/METER CONVERSION

QNH
10010' - 3050m
6070' - 1850m
2630' - 800m



STAR


ROUTING

GOTRA 6M On 264° track to IVF, turn RIGHT, intercept 280° bearing to IV.


POBED 1M On 285° track to IVF, then to IV.

Apt Elev
919'


Alt Set: hPa (MM on request)
Trans level: By ATC Trans alt: 10010'
EXPECT RADAR vectors to final.



GOTRA SIX NOVEMBER (GOTRA 6N) [GOTR6N]
POBED ONE NOVEMBER (POBED 1N) [POBE1N]
RWY 28 ARRIVALS



HOLDING OVER
IF



FT/METER CONVERSION

QNH
10010' - 3050m
2630' - 800m

STAR

ROUTING

GOTRA 6N Intercept 262° bearing to IF.


POBED 1N Intercept 285° bearing to IF.

Between
FL270 & FL260


STAR	ROUTING
BUKOV 6M	On 313° bearing to IV.
KOKUP 1M	On 131° bearing to IV.
KUSAK 6M	On 167° bearing to IV.
TAKON 1M	On 066° bearing to IV.
VI 1M	On 089° bearing to IV.

Apt Elev
919'

Alt Set: hPa (MM on request)
Trans level: By ATC Trans alt: 10010'
EXPECT RADAR vectors to final.




BUKOV SIX NOVEMBER (BUKOV 6N) [BUKO6N]
KOKUP ONE NOVEMBER (KOKUP 1N) [KOKU1N]
KUSAK SIX NOVEMBER (KUSAK 6N) [KUSA6N]
TAKON ONE NOVEMBER (TAKON 1N) [TAKO1N]
VERHNIE ONE NOVEMBER (VI 1N)
RWY 28 ARRIVALS



STAR	ROUTING
BUKOV 6N	On 315° bearing to IF.
KOKUP 1N	On 129° track to IVF, turn LEFT, intercept 103° bearing to IF.
KUSAK 6N	On 161° track to IVF, turn LEFT, intercept 103° bearing to IF.
TAKON 1N	On 069° bearing to IF.
VI 1N	On 089° track to IVF, turn RIGHT, intercept 103° bearing to IF.

Apt Elev
919'

Trans level: By ATC Trans alt: 10010'




GOTRA SIX KILO (GOTRA 6K) [GOTR6K]
GOTRA SIX LIMA (GOTRA 6L) [GOTR6L]
ILTUK SIX KILO (ILTUK 6K) [ILTU6K]
ILTUK SIX LIMA (ILTUK 6L) [ILTU6L]
SOLNU SIX KILO (SOLNU 6K) [SOLN6K]
SOLNU SIX LIMA (SOLNU 6L) [SOLN6L]
RWYS 10, 28 DEPARTURES



FT/METER CONVERSION


	QNH
1970'	- 600m
4930'	- 1500m
9030'	- 2750m
10010'	- 3050m




SID	RWY	ROUTING
GOTRA 6K	10	Climb on 101° track to 1970', turn LEFT, 074° track, intercept IVF R-084 to GOTRA.
GOTRA 6L	28	Climb on 281° track to 1970', turn RIGHT, 109° track, intercept IVF R-084 to GOTRA.
ILTUK 6K	10	Climb on 101° track to 1970', turn LEFT, 046° track, intercept IVF R-063 to ILTUK.
ILTUK 6L	28	Climb on 281° track to 1970', turn RIGHT, 090° track, intercept IVF R-063 to ILTUK.
SOLNU 6K	10	Climb on 101° track to 1970', turn LEFT, 023° track, intercept IVF R-045 to SOLNU.
SOLNU 6L	28	Climb on 281° track to 1970', turn RIGHT, 073° track, intercept IVF R-045 to SOLNU.

Apt Elev
919'


Trans level: By ATC Trans alt: 10010'




POBED ONE KILO
(POBED 1K) [POBE1K]
POBED ONE LIMA
(POBED 1L) [POBE1L]
RWYS 10, 28 DEPARTURES

**FT/METER CONVERSION**
QNH

1970'	-	600m
6070'	-	1850m
7060'	-	2150m
9030'	-	2750m
10010'	-	3050m


1 2 POBED 1K

- Report to ATC, then after take-off climb to 1970', turn LEFT, 281° track, at 191° bearing to V turn LEFT to V, 101° bearing to D3.0 IVF, continue on SID climbing to 6070' at D5.0 IVF.
- Report to ATC, then after take-off climb to 1970', turn LEFT, 281° track, at 191° bearing to V turn LEFT to V, 101° bearing to D3.0 IVF, continue on SID climbing to FL 270 at D19.3 IVF.

3 POBED 1L

Report to ATC, then after take-off climb to 1970', turn RIGHT, 101° track, at 191° bearing to IF turn RIGHT to IF, 281° bearing to D3.3 IVF, continue on SID climbing to FL270 at D19.3 IVF.



SID	RWY	ROUTING
POBED 1K	10	Climb on 101° track to 1970', intercept IVF R-105 to POBED.
POBED 1L	28	Climb on 281° track to 1970', turn RIGHT, intercept 144° bearing to IF, intercept IVF R-105 to POBED.



Apt Elev
919'

Trans level: By ATC Trans alt: 10010'

TAKON ONE KILO (TAKON 1K) [TAKO1K]
TAKON ONE LIMA (TAKON 1L) [TAKO1L]
VERHNIE ONE KILO (VI 1K)
VERHNIE ONE LIMA (VI 1L)
RWYS 10, 28 DEPARTURES




FT/METER CONVERSION	
QNH	
1970'	- 600m
4930'	- 1500m
10010'	- 3050m

SID	RWY	ROUTING
TAKON 1K	10	Climb on 101° track to 1970', turn LEFT, intercept 224° via V until passing IVF R-253, intercept IVF R-248 to TAKON.
TAKON 1L	28	Climb on 281° track to 1970', turn RIGHT, intercept 159° bearing to F, turn RIGHT, 271° track to D7.8 IVF, intercept IVF R-248 to TAKON.
VI 1K	10	Climb on 101° track to 1970', turn LEFT on 281° track, when passing 191° bearing to V turn LEFT, intercept 266° bearing to VI.
VI 1L	28	Climb on 281° track to 1970', turn LEFT, intercept 270° bearing to VI.

CHANGES: SIDs PEREG withdrawn; SIDs TAKON & VI established.

© JEPPESEN, 2005, 2012. ALL RIGHTS RESERVED.



① KUSAK 6K

*598 V
N48 53.3 E024 39.3

IVANO-FRANKIVS'K
D 114.2 IVF
N48 53.1 E024 41.5

D3 IVF (IVF R-103)
At 1970'

Report to ATC, then after take-off climb to 1970', turn LEFT, 281° track, at 191° bearing to V turn LEFT to V, 101° bearing to D3 IVF, continue on SID climbing to **FL260** at D6.6 IVF.

② KUSAK 6L

D3.3 IVF (IVF R-279)
At 1970'

IVANO-FRANKIVS'K
D 114.2 IVF
N48 53.1 E024 41.5


*290 IF
N48 52.3 E024 45.6

Report to ATC, then after take-off climb to 1970', turn RIGHT, 101° track, at 191° bearing to IF turn RIGHT to IF, 281° bearing to D3.3 IVF, continue on SID climbing to **FL260** at D8.9 IVF.

SID	RWY	ROUTING
KOKUP 1K	10	Climb on 101° track to 1970', turn LEFT, 293° track, intercept IVF R-311 to KOKUP.
KOKUP 1L	28	Climb on 281° track to 1970', turn RIGHT, 320° track, intercept IVF R-311 to KOKUP.
KUSAK 6K	10	Climb on 101° track to 1970', turn LEFT, 310° track, intercept IVF R-342 to KUSAK.
KUSAK 6L	28	Climb on 281° track to 1970', turn RIGHT, 013° track, intercept IVF R-342 to KUSAK.

UKLI/IFO
Apt Elev 919'
N48 53.0 E024 41.1

JEPPESEN IVANO-FRANKIVS'K, UKRAINE
26 MAR 10 (10-9) Eff 8 Apr
IVANO-FRANKIVS'K



ADDITIONAL RUNWAY INFORMATION

RWY			USABLE LENGTHS		TAKE-OFF	WIDTH
			Threshold	Landing Beyond Glide Slope		
10 28	RL (60m)	ALS	8120' 2475m	7026' 2141m 7087' 2160m	8120' 2475m	144' 44m

JAR-OPS

TAKE-OFF 1

	All Rwys		
	LVP must be in force		
	RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		

1 Operators applying U.S. Ops Specs: CL required below 300m.

STRAIGHT-IN RWY		A	B	C	D
10	ILS	1119'(200') R1000m	1119'(200') R1000m	1119'(200') R1000m	1126'(207') R1000m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	NDB ①	1280'(361') R1500m	1280'(361') R1500m	1280'(361') R1500m	1280'(361') R1500m
28	ILS	1104'(200') R1000m	1104'(200') R1000m	1104'(200') R1000m	1107'(203') R1000m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	NDB ①	1270'(366') R1500m	1270'(366') R1500m	1270'(366') R1500m	1270'(366') R1500m
ALS out		R1500m	R1500m	R1700m	R1700m

① Continuous Descent Final Approach.

CIRCLE-TO-LAND	100 KT	135 KT	180 KT	205 KT
After apch to Rwy 10	1400'(481')	1780'(861')	1870'(951')	1870'(951')
After apch to Rwy 28	1330'(411')	1780'(861')	1870'(951')	1870'(951')
	V1500m	V1600m	V2400m	V3600m

TAKE-OFF RWY 10, 28

LVP must be in Force		RCLM (DAY only) or RL	NIL (DAY only)
	RCLM (DAY only) or RL		
A	250m	400m	500m
B			
C	300m		
D			






Chart changes since cycle 16-2013

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT PROCEDURE IDENT

INDEX

REV DATE

EFF DATE

IVANO-FRANKIVS'K, (IVANO-FRANKIVS'K - UKLI)

TERMINAL CHART CHANGE NOTICES

Chart Change Notices for Airport UKLI

Type: Terminal

Effectivity: Temporary

Begin Date: Immediately

End Date: Until Further Notice

Eff 18 NOV 10 PAPI-L rwy 10/28 established, 3°.