

List of pages in this Trip Kit

Trip Kit Index

Airport Information For UTAK

Terminal Charts For UTAK

Revision Letter For Cycle 23-2013

Change Notices

Notebook

General Information

Location: Turkmenbashi Tkm
IATA Code: KRW
Lat/Long: N40° 03.8' E053° 00.4'
Elevation: 283 ft

Airport Use: Public
Magnetic Variation: 5.7°E

Fuel Types: Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0310 Z
Sunset: 1314 Z,

Runway Information

Runway: 16L
Length x Width: 8202 ft x 144 ft
Surface Type: concrete
TDZ-Elev: 230 ft
Lighting: Edge, ALS


Runway: 16R
Length x Width: 11483 ft x 148 ft
Surface Type: concrete
TDZ-Elev: 247 ft
Lighting: Edge, ALS, Centerline

Runway: 34L
Length x Width: 11483 ft x 148 ft
Surface Type: concrete
TDZ-Elev: 283 ft
Lighting: Edge, ALS, Centerline, TDZ

Runway: 34R
Length x Width: 8202 ft x 144 ft
Surface Type: concrete
TDZ-Elev: 279 ft
Lighting: Edge, ALS


Communication Information

Turkmenbashi Start Tower 124.0
Turkmenbashi Taxiing Ground Control 121.7
Turkmenbashi Krug Radar 120.0




Apt Elev
283'

Alt set: hPa
Trans level: FL50 Trans alt: 3000'




AWAZA 4, BALYK 4, DAWUT 4, ULKER 4 RWY 16R ARRIVALS



Apt Elev
283'

Alt set: hPa
Trans level: FL50 Trans alt: 3000'


AWAZA 6, BALYK 6, DAWUT 6, ULKER 6 RWY 34R ARRIVALS



Apt Elev
283'


Alt set: hPa
Trans level: FL50 Trans alt: 3000'

AWAZA 8, BALYK 8, DAWUT 8, ULKER 8 RWY 34L ARRIVALS




Apt Elev
283'

Alt set: hPa
Trans level: FL50 Trans alt: 3000'




ALTYN 2, DURDY 2, TUGAR 2 RWY 16L ARRIVALS





Apt Elev
283'

Alt set: hPa
Trans level: FL50 Trans alt: 3000'




ALTYN 4, DURDY 4, TUGAR 4 RWY 16R ARRIVALS







Apt Elev
283'


Alt set: hPa
Trans level: FL50 Trans alt: 3000'



ALTYN 8, DURDY 8, TUGAR 8 RWY 34L ARRIVALS









Apt Elev
283'

Trans level: FL50 Trans alt: 3000'



AWAZA 5, BALYK 5, DAWUT 5, ULKER 5 RWY 34L DEPARTURES



Apt Elev
283'


Trans level: FL50 Trans alt: 3000'

AWAZA 7, BALYK 7, DAWUT 7, ULKER 7
RWY 34R DEPARTURES




Apt Elev
283'

Trans level: FL50 Trans alt: 3000'



ALTYN 1, DURDY 1, TUGAR 1 RWY 16L DEPARTURES




These SIDs require a minimum climb gradient
of
4.6% up to 1000'.


Gnd speed-KT	75	100	150	200	250	300
4.6% V/V (fpm)	349	466	699	932	1165	1398

Apt Elev
283'

Trans level: FL50 Trans alt: 3000'



ALTYN 3, DURDY 3, TUGAR 3 RWY 16R DEPARTURES




These SIDs require a minimum climb gradient of 4.6% up to 1000'.


Gnd speed-KT	75	100	150	200	250	300
4.6% V/V (fpm)	349	466	699	932	1165	1398

Apt Elev
283'


Trans level: FL50 Trans alt: 3000'



ALTYN 5, DURDY 5, TUGAR 5 RWY 34L DEPARTURES




Trans level: FL50 Trans alt: 3000'



UTAK/KRW
 Apt Elev **283'**
 N40 03.8 E053 00.4

JEPPESEN TURKMENBASHI, TURKMENISTAN
 10 AUG 12 **(10-9)** **Eff 23 Aug**
TURKMENBASHI



ADDITIONAL RUNWAY INFORMATION

RWY		USABLE LENGTHS			WIDTH
		Threshold	Landing Beyond	Take-off	
16L	RL (60m) ALS		7191' 2192m		144'
34R			7286' 2221m		44m
16R	RL (60m) CL (30m) HIALS PAPI-L (angle 3.50°)		10,146' 3093m		148'
34L	RL (60m) CL (30m) HIALS TDZ PAPI-L (angle 3.50°)		10,572' 3222m		45m
16L	Grass runway				262'
34R					80m
①					262'
					80m

① Undesignated runway.

TAKE-OFF

	AIR CARRIER (JAA)		
	Rwy 16R/34L LVP must be in force RL & CL	Rwys 16L/R, 34L/R LVP must be in force RCLM (DAY only) or RL	RCLM (DAY only) or RL
A			
B	200m	300m ①	400m
C			
D	250m		

① CAT C & D: NIGHT 400m.

STRAIGHT-IN RWY		A	B	C	D
16L	ILS	430' (200') R1000m	430' (200') R1000m	460' (230') R1000m	460' (230') R1000m
	<i>ALS out</i>	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	2 NDB ❶	580' (350') R1400m	580' (350') R1400m	580' (350') R1400m	580' (350') R1400m
	<i>ALS out</i>	R1600m	R1600m	R1600m	R1600m
16R	ILS	447' (200') R800m	447' (200') R800m	447' (200') R800m	447' (200') R800m
	<i>ALS out</i>	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
34L	ILS	905' (622') C2500m	915' (632') C2500m	925' (642') C2500m	935' (652') C2500m
	<i>ALS out</i>	C2500m	C2500m	C2500m	C2500m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
34R	ILS	770' (491') R2000m	780' (501') R2000m	790' (511') R2100m	800' (521') C2500m
	<i>ALS out</i>	R2000m	R2000m	C2400m	C2500m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	2 NDB ❶	910' (631') C2700m	910' (631') C2700m	910' (631') C2700m	910' (631') C2700m
	<i>ALS out</i>	C2900m	C2900m	C2900m	C2900m

❶ Continuous Descent Final Approach.

TAKE-OFF RWY 16L, 34R


LVP must be in force			
	RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A	300m ❷	400m	500m
B			
C			
D			



❷ CAT C & D: NIGHT 400m.

TAKE-OFF RWY 16R, 34L


LVP must be in force				
	RL or CL	RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A	200m	300m ❸	400m	500m
B				
C				
D				

❸ CAT C & D: NIGHT 400m.

TURKMENBASHI Krug (R)		TURKMENBASHI Start (TWR)		Ground	
120.0		124.0		121.7	
LOC ITR *111.7	Final Apch Crs 162°	GS No alt published	ILS DA(H) 447' (200')	Apt Elev 283'	RWY 247'
MISSED APCH: Climb on 162° to 1300', then turn LEFT onto 342° climbing to 2200', then according to chart.					
Alt Set: hPa Rwy Elev: 9 hPa Trans level: FL 50 Trans alt: 3000' During firing within the undesignated restricted area right-hand traffic pattern will be available by ATC.					MSA ARP



Gnd speed-Kts		70	90	100	120	140	160	HIALS PAPI	1300'	on	162°	342°	2200'	
GS		3.00°	372	478	531	637	743		849	↑		LT	↑	
STRAIGHT-IN LANDING RWY 16R														
ILS								LOC (GS out)						
DA(H) 447' (200')														
FULL				ALS out										
A	800m				1200m				NOT AUTHORIZED					
B														
C														
D														



STRAIGHT-IN LANDING RWY 34L

ILS

LOC (GS out)

DA(H)

A: 905' (622')

C: 925' (642')

B: 915' (632')

D: 935' (652')

FULL

ALS out

A

B

C

D

2500m

NOT AUTHORIZED

BRIEFING STRIP TM

Alt Set: hPa	Rwy Elev: 10 hPa	Trans level: FL 50	Trans alt: 3000'
1. Heavy turbulence with down-drafts may be expected on final. 2. NDB apch: Final desc after LOM 430'/NM.			



NDB apch: Pass LMM not below 560'.

LMM
GS 558'

LOM
GS 1132'

MKR
GS 1265'

2000'

intercept final

TCH 56'

RWY 34R **279'**

0 0.6 1.5 2.1 2.5

1.5 0.4

1230'

342°

<i>Gnd speed-Kts</i>		70	90	100	120	140	160
<i>ILS GS</i>	3.50°	434	557	619	743	867	991
<i>NDB Desc angle</i>	4.00°	496	637	708	850	991	1133

PANS OPS

TURKMENBASHI, (TURKMENBASHI - UTAK)

TERMINAL CHART CHANGE NOTICES

Chart Change Notices for Airport UTAK

Type: Terminal

Effectivity: Permanent

Begin Date: 20130919

End Date: No end date

(11-3, 11-4) Cross D10.3/R-171 KRS at 2000ft.