

List of pages in this Trip Kit

Trip Kit Index

Airport Information For UKCM

Terminal Charts For UKCM

Revision Letter For Cycle 01-2014

Change Notices

Notebook

General Information

Location: Mariupol' Ukr
IATA Code: MPW
Lat/Long: N47° 04.6' E037° 27.0'
Elevation: 251 ft

Airport Use: Public
Magnetic Variation: 7.3°E

Customs: Yes
Airport Type: IFR
Landing Fee: No
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0516 Z
Sunset: 1356 Z,

Runway Information

Runway: 01
Length x Width: 8425 ft x 138 ft
Surface Type: asphalt
TDZ-Elev: 236 ft
Lighting: Edge, ALS


Runway: 19
Length x Width: 8425 ft x 138 ft
Surface Type: asphalt
TDZ-Elev: 246 ft
Lighting: Edge, ALS

Communication Information

Mariupol' Tower 130.1

Apt Elev
251'

Alt Set: hPa (MM on request)
Trans level: By ATC Trans alt: 10010'



(IAF)
*770 MR
N47 06.9 E037 28.3
At or above
2960'


DME
MARIUPOL'
D 116.2 MRP
N47 04.5 E037 27.1

KERTA ONE CHARLIE
(KERTA 1C) [KERT1C]
KERTA ONE DELTA
(KERTA 1D) [KERT1D]
RWYS 01, 19 ARRIVALS

(IAF)
*770 MA
N47 01.9 E037 25.5
At or above
2960'

HOLDINGS OVER

MR




MA



D16.7 MRP
At
8040'

D16.3 MRP
At
8040'



FT/METER CONVERSION
QNH

10010' - 3050m
8040' - 2450m
2960' - 900m
1970' - 600m

Direct distance from MA to:
Mariupol' Intl 3 NM
Direct distance from MR to:
Mariupol' Intl 3 NM


KERTA
N46 58.2 E036 00.3
At or above
FL110

43 2790
KERTA 1D
44 2790
KERTA 1C

STAR	RWY	ROUTING
KERTA 1C	01	On 080° bearing to MA.
KERTA 1D	19	On 075° bearing to MR.


Apt Elev
251'

Alt Set: hPa (MM on request)
Trans level: By ATC Trans alt: 10010'



KUBIR ONE CHARLIE (KUBIR 1C) [KUB11C]
KUBIR ONE DELTA (KUBIR 1D) [KUB11D]
RWYS 01, 19 ARRIVALS

HOLDINGS OVER



KUBIR
N47 22.0 E036 39.0
At or above
9030'

D19.3 MRP

At
8040'

18
2790
KUBIR 1D
19
2790
KUBIR 1C

D18.3 MRP

At
8040'

(IAF)

*770 MR
N47 06.9 E037 28.3
At or above
2960'

DME

MARIUPOL'
D 116.2 MRP
(T) N47 04.5 E037 27.1


(IAF)

*770 MA
N47 01.9 E037 25.5
At or above
2960'

Direct distance from MA to:
Mariupol' Intl 3 NM
Direct distance from MR to:
Mariupol' Intl 3 NM

FT/METER CONVERSION


QNH
10010' - 3050m
9030' - 2750m
8040' - 2450m
2960' - 900m
1970' - 600m




STAR	RWY	ROUTING
KUBIR 1C	01	On 116° bearing to MA.
KUBIR 1D	19	On 108° bearing to MR.

Apt Elev
251'

Alt Set: hPa (MM on request)
Trans level: By ATC Trans alt: 10010'



OLGIN TWO CHARLIE (OLGIN 2C) [OLGI2C]
OLGIN TWO DELTA (OLGIN 2D) [OLGI2D]
RWYS 01, 19 ARRIVALS



FT/METER CONVERSION

	QNH
10010'	- 3050m
2960'	- 900m
1970'	- 600m


Direct distance from MA to:
Mariupol' Intl **3 NM**
Direct distance from MR to:
Mariupol' Intl **3 NM**

HOLDINGS OVER

MA



MR



STAR

RWY

ROUTING

OLGIN 2C

01

On 354° bearing to MA.


OLGIN 2D

19


On 358° bearing to MR.

Apt Elev
251'

Alt Set: hPa (MM on request)
Trans level: By ATC Trans alt: 10010'



PAVLIV ONE CHARLIE (PW 1C)
PAVLIV ONE DELTA (PW 1D)
PEMES ONE CHARLIE (PEMES 1C) [PEME1C]
PEMES ONE DELTA (PEMES 1D) [PEME1D]
RWYS 01, 19 ARRIVALS





STAR	RWY	ROUTING
PEMES 1C	01	On 186° bearing to MA.
PEMES 1D	19	On 184° bearing to MR.
PW 1C	01	On 163° bearing to MA.
PW 1D	19	On 159° bearing to MR.

Apt Elev
251'

Trans level: By ATC Trans alt: 10010'

FT/METER CONVERSION	QNH
1650'	- 500m
2300'	- 700m
7060'	- 2150m
10010'	- 3050m



KERTA ONE ALFA
(KERTA 1A) [KERT1A]
KERTA ONE BRAVO
(KERTA 1B) [KERT1B]
RWYS 01, 19
DEPARTURES

SID	RWY	ROUTING
KERTA 1A	01	Climb on 013° track to 2300' or MRP 5.7 DME, whichever is later, turn LEFT, 209° track, turn RIGHT, intercept 259° bearing from MA to KERTA.
KERTA 1B	19	Climb on 193° track to 1650' or MRP 4.0 DME, whichever is later, turn RIGHT, 310° track, intercept 254° bearing from MR to KERTA.

Apt Elev
251'

Trans level: By ATC Trans alt: 10010'

KUBIR ONE ALFA
(KUBIR 1A) [KUBI1A]
KUBIR ONE BRAVO
(KUBIR 1B) [KUBI1B]
RWYS 01, 19
DEPARTURES

KUBIR

N47 22.0 E036 39.0

At or above
8040'

A

D19.3 MRP

At or above
7060'

18

19

D18.3 MRP

At or above
7060'

At 2300'
or
MRP 5.7 DME
whichever
is later

5.7 DME

KUBIR 1A

28

106°

29

KUBIR 1B

29

347°

4.0 DME

At 1650'
or MRP 4.0 DME
whichever is later

*770 MR

N47 06.9 E037 28.3

DME

MARIUPOL'

*770 MA

N47 01.9 E037 25.5

DME

MARIUPOL'

*770 MA

N47 04.5 E037 27.1

DME

MARIUPOL'

*770 MA

N47 01.9 E037 25.5

DME

MARIUPOL'

*770 MA

N47 04.5 E037 27.1

DME


MARIUPOL'

*770 MA

N47 01.9 E037 25.5

DME

MARIUPOL'



FT/METER CONVERSION

QNH

1650' - 500m

2300' - 700m

7060' - 2150m

8040' - 2450m

10010' - 3050m

ROUTING

RWY

01

KUBIR 1A

Climb on 013° track to 2300' or MRP 5.7 DME, whichever is later, turn LEFT, 236° track, turn RIGHT, intercept 294° bearing from MA to KUBIR.


19

KUBIR 1B


Climb on 193° track to 1650' or MRP 4.0 DME, whichever is later, turn RIGHT, 347° track, turn LEFT, intercept 286° bearing from MR to KUBIR.

Apt Elev
251'

Trans level: By ATC Trans alt: 10010'



OLGIN TWO ALFA (OLGIN 2A)[OLGI2A]
OLGIN TWO BRAVO (OLGIN 2B)[OLGI2B]
RWYS 01, 19 DEPARTURES



These SIDs require minimum climb gradients of

OLGIN 2A: 6.0% up to FL150,

OLGIN 2B: 5.0% up to FL150.

Gnd speed-KT	75	100	150	200	250	300
6.0% V/V (fpm)	456	608	911	1215	1519	1823
5.0% V/V (fpm)	380	506	760	1013	1266	1519

If unable to comply contact ATC.

FT/METER CONVERSION

QNH

1650'	-	500m
2300'	-	700m
7060'	-	2150m
10010'	-	3050m

SID	RWY	ROUTING
OLGIN 2A	01	Climb on 013° track to 2300' or MRP 5.7 DME, whichever is later, turn LEFT, intercept 162° bearing to MA, turn RIGHT, 172° bearing to OLGIN.
OLGIN 2B	19	Climb on 193° track to 1650' or MRP 4.0 DME, whichever is later, turn RIGHT, 013° track, at 103° bearing to MR turn RIGHT to MR, turn LEFT, 176° bearing to OLGIN.

Apt Elev
251'

Trans level: By ATC Trans alt: 10010'

2200'

MSA
MRP DME

PAVLIV ONE ALFA (PW 1A)
PAVLIV ONE BRAVO (PW 1B)
PEMES ONE ALFA (PEMES 1A) [PEME1A]
PEMES ONE BRAVO (PEMES 1B) [PEME1B]
RWYS 01, 19 DEPARTURES

PAVLIV
815 PW
N47 44.9 E037 13.5

At or above
8040'

D23.1 MRP
At or above
7060'

D24.6 MRP

At or above
7060'

D24.1 MRP

At or above
7060'

PEMES

N47 37.2 E037 36.4


At or above
7060'

D24.1 MRP


At or above
7060'

FT/METER CONVERSION
QNH

1650'	-	500m
2300'	-	700m
7060'	-	2150m
8040'	-	2450m
10010'	-	3050m



SID	RWY	ROUTING
PEMES 1A	01	Climb on 013° track to 2300' or MRP 5.7 DME, whichever is later, turn LEFT, 350° track, turn RIGHT, intercept 004° bearing from MA to PEMES.
PEMES 1B	19	Climb on 193° track to 1650' or MRP 4.0 DME, whichever is later, turn RIGHT, 013° track, at 103° bearing to MR turn RIGHT, 048° track, turn LEFT, intercept 002° from MR to PEMES.
PW 1A	01	Climb on 013° track to 2300' or MRP 5.7 DME, whichever is later, turn LEFT, intercept 334° bearing to PW.
PW 1B	19	Climb on 193° track to 1650' or MRP 4.0 DME, whichever is later, turn RIGHT, intercept 347° bearing to PW.



ADDITIONAL RUNWAY INFORMATION

RWY				USABLE LENGTHS			WIDTH
				LANDING BEYOND		TAKE-OFF	
				Threshold	Glide Slope		
01	19	HIRL (60m)	HIALS PAPI-L (angle 3.0°)	8130' 2478m	7219' 2200m	8130' 2478m	138'
				8310' 2533m	7459' 2273m	①	42m
01	19	Grass					279'
							85m

① TAKE-OFF RUN AVAILABLE

RWY 19:

From rwy head 8310' (2533m)
twy 4 int 5194' (1583m)

JAR-OPS

TAKE-OFF ①

	All Rwys		
	LVP must be in force	RCLM (DAY only) or RL	NIL (DAY only)
A			
B	250m	400m	500m
C			
D	300m		

① Operators applying U.S. Ops Specs: CL required below 300m.

STRAIGHT-IN RWY		A	B	C	D
01	NDB ❶	580' (344')	580' (344')	580' (344')	580' (344')
		R900m	R900m	R900m	R900m
	ALS out	R1500m	R1500m	R1600m	R1600m
19	ILS	446' (200')	446' (200')	446' (200')	456' (210')
		R750m	R750m	R750m	R750m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	NDB ❶❷	630' (384')	630' (384')	630' (384')	630' (384')
		R1400m	R1400m	R1400m	R1400m
	ALS out	R1500m	R1500m	R1800m	R1800m
	NDB ❶❸	730' (484')	730' (484')	730' (484')	730' (484')
	ALS out	R1500m	R1500m	R1800m C2300m	R1800m C2300m

❶ Continuous Descent Final Approach.


❷ with LOM.


❸ w/o LOM.

CIRCLE-TO-LAND ❹	100 KT	135 KT	180 KT	205 KT
	690' (439')	1230' (979')	1330' (1079')	1330' (1079')
After NDB to rwy 19	730' (479')	1230' (979')	1330' (1079')	1330' (1079')
	V1500m	V1600m	V2400m	V3600m

❹ Not authorized East of airport.

TAKE-OFF RWY 01, 19		
LVP must be in force		
RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A		
B	250m	400m
C		500m
D	300m	





MARIUPOL', (MARIUPOL' INTL - UKCM)

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport UKCM