

General Info

Tartu, EST
 N 58° 18.4' E 26° 41.2' Mag Var: 6.3°E
 Elevation: 219'

Public, IFR, Control Tower, Customs
 Fuel: 100LL, Jet A-1

Time Zone Info: GMT+2:00 uses DST

Runway Info

Runway 08-26 5902' x 102' asphalt

Runway 08 (80.0°M) TDZE 210'

Lights: Edge, ALS

Runway 26 (260.0°M) TDZE 192'

Lights: Edge, ALS


Communications Info

Tartu Tower **133.9** VHF-DF

EETU/TAY
Apt Elev **219'**
N58 18.5 E026 41.2

JEPPESEN
29 NOV 13 **(10-9)** Eff 12 Dec

TARTU, ESTONIA
TARTU



ADDITIONAL RUNWAY INFORMATION						USABLE LENGTHS		TAKE-OFF	WIDTH
RWY					LANDING BEYOND				
					Threshold	Glide Slope			
08 26	HIRL (60m) HIALS PAPI-L (angle 3.0°) RVR							102'	
					4991' 1521m			31m	

Standard		TAKE-OFF 1	

LVP must be in force		
RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A 250m	B 400m	C 500m
D NOT APPLICABLE		


1 Operators applying U.S. Ops Specs: CL required below 300m.

OMNIDIRECTIONAL DEPARTURE PROCEDURE
RWY 08/26: Climb STRAIGHT AHEAD to minimum turning alt 700'.

EETU/TAY
TARTU

JEPPESEN
29 NOV 13 **(11-1)** CAT A, B & C Eff 12 Dec

TARTU, ESTONIA
ILS Rwy 26




EETU/TAY
TARTU


JEPPESEN
29 NOV 13
Eff 12 Dec (12-1) CAT A, B & C

TARTU, ESTONIA
RNAV (GNSS) Rwy 08

*TARTU Tower					
133.9					
RNAV	Final Aptch Crs	Procedure Alt TU710	LNAV/VNAV DA(H)	Apt Elev	
	079°	2000' (1790')	470' (260')	219'	
				RWY 210'	
MISSED APCH: Climb on 080° to ERULI and enter holding climbing to 2000'. MISSED APCH WITH COMM FAILURE: Climb to ERULI, then turn RIGHT and climb not below 3000' to BARVU. Join RNP apch procedure at TU743.					2800'
Alt Set: hPa (MM on req) Rwy Elev: 8 hPa Trans level: By ATC Trans alt: 5000'					MSA ARP
RNAV approach approval required.					



DIST to RW08	5.0	4.0	3.0	2.0	1.0
ALTITUDE	1850'	1530'	1210'	890'	570'



Gnd speed-Kts	70	90	100	120	140	160	HIALS		2000'	080°
Descent angle	3.00°	372	478	531	637	743	849			
MAP at RW08										
Standard										


STRAIGHT-IN LANDING 08			
LNAV/VNAV DA(H) 470' (260')		LNAV DA(H) 680' (470')	
ALS out		ALS out	
A			
B	RVR 800m	RVR 1300m	RVR 1500m
C			RVR 1800m
D	NOT APPLICABLE		

EETU/TAY
TARTU


JEPPESEN
29 NOV 13
Eff 12 Dec (12-2) CAT A, B & C

TARTU, ESTONIA
RNAV (GNSS) Rwy 26

*TARTU Tower					
133.9					
RNAV	Final Aptch Crs	Procedure Alt TU449	LNAV/VNAV DA(H)	Apt Elev	
	260°	2000' (1808')	512' (320')	219'	
				RWY 192'	
MISSED APCH: Climb on 260° to NIVER and enter holding climbing to 2000'. MISSED APCH WITH COMM FAILURE: Climb to NIVER, then turn LEFT and climb not below 3000' to BARVU. Join RNP apch procedure at TU564.					2800'
Alt Set: hPa (MM on req) Rwy Elev: 7 hPa Trans level: By ATC Trans alt: 5000'					MSA ARP
RNAV approach approval required.					



DIST to RW26	1.0	2.0	3.0	4.0	5.0
ALTITUDE	570'	890'	1210'	1530'	1850'




Gnd speed-Kts	70	90	100	120	140	160	HIALS		2000'	260°
Descent angle	3.00°	372	478	531	637	743	849			
MAP at RW26										
Standard										

STRAIGHT-IN LANDING 26			
LNAV/VNAV DA(H) 512' (320')		LNAV DA(H) 540' (348')	
ALS out		ALS out	
A			
B	RVR 750m	RVR 1400m	RVR 1500m
C			RVR 1600m
D	NOT APPLICABLE		

EETU/TAY
TARTU

JEPPESEN
7 MAY 10 (16-1) CAT A, B & C

TARTU, ESTONIA
CIRCLING NDB Rwy 08



EETU/TAY
TARTU

JEPPESEN
7 MAY 10 (16-2) CAT A, B & C

TARTU, ESTONIA
2 NDB Rwy 26

