

List of pages in this Trip Kit

Trip Kit Index

Airport Information For LTAF

Terminal Charts For LTAF

Revision Letter For Cycle 01-2016

Change Notices

Notebook

General Information

Location: ADANA TUR
ICAO/IATA: LTAF / ADA
Lat/Long: N36° 58.93', E035° 16.82'
Elevation: 65 ft

Airport Use: Public
Daylight Savings: Observed
UTC Conversion: -2:00 = UTC
Magnetic Variation: 3.2° E

Fuel Types: 100-130 Octane, Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: Yes

Sunrise: 0452 Z
Sunset: 1440 Z

Runway Information

Runway: 05
Length x Width: 9022 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 54 ft
Lighting: Edge, ALS, REIL

Runway: 23
Length x Width: 9022 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 65 ft
Lighting: Edge, ALS, REIL


Communication Information

ATIS: 119.225
Adana Ground Tower: 121.900
Adana Tower: 121.100
Adana Tower: 131.100 Air-Ground
Incirlik Approach: 36.230 Military
Incirlik Approach: 126.500 Military

LTAF/ADA
ADANA

JEPPESSEN
27 NOV 15 20-2 Eff 10 Dec

ADANA, TURKEY
STAR



CHANGES: Waypoints altitude.

© JEPPESSEN, 2004, 2015. ALL RIGHTS RESERVED.

© JEPPESEN, 2004, 2013. ALL RIGHTS RESERVED.

LTAF/ADA


Apt Elev 65'
N36 58.9 E035 16.8

JEPPesen

1 AUG 14 (20-9)

ADANA, TURKEY

ADANA



ADDITIONAL RUNWAY INFORMATION					
RWY					
05	23	HIRL (50m)	HIALS REIL PAPI (angle 3.0°)	RVR	USABLE LENGTHS
					LANDING BEYOND
					Threshold
					Glide Slope
					8111' 2472m
					TAKE-OFF
					1
					WIDTH
					147' 45m

1 TAKE-OFF RUN AVAILABLE

RWY 23:

From rwy head 9022' (2750m)
twy E int 8530' (2600m)
twy B int 7054' (2150m)
twy C int 4528' (1380m)

Standard

TAKE-OFF 1




	LVP must be in Force		
	RCLM (Day only) or RL	RCLM (Day only) or RL	NIL (Day only)
A			
B	250m	400m	500m
C			
D	300m		

1 Operators applying U.S. Ops Specs: CL required below 300m.

LTA/ADA

JEPPesen
1 AUG 14 (20-9A)

ADANA, TURKEY
ADANA



INS COORDINATES			
STAND No.	COORDINATES	STAND No.	COORDINATES
APRON A		APRON C	
1 thru 3	N36 59.2 E035 17.8	1 thru 3	N36 59.4 E035 17.4
4 thru 6	N36 59.1 E035 17.8	4 thru 14	N36 59.4 E035 17.3
7 thru 9	N36 59.0 E035 17.7	15 thru 17	N36 59.4 E035 17.4
10, 11	N36 58.9 E035 17.6	APRON D	
12 thru 14	N36 59.0 E035 17.5	D1 thru D10	N36 59.0 E035 17.4
15 thru 18	N36 59.1 E035 17.6		
19, 20	N36 59.1 E035 17.7		
21	N36 59.2 E035 17.7		

LTAF/ADA
ADANA


JEPPESEN

7 AUG 15

(21-1)

Eff 20 Aug

ADANA, TURKEY
ILS DME 1 Rwy 05



CHANGES: Missed apch.

© JEPPESEN, 1998, 2015. ALL RIGHTS RESERVED.

LTAF/ADA
ADANA


JEPPESSEN

7 AUG 15

(21-2)

Eff 20 Aug


ADANA, TURKEY
ILS DME 2 Rwy 05



LTAF/ADA
ADANA

JEPPESSEN
7 AUG 15 (23-1) Eff 20 Aug

ADANA, TURKEY
VOR DME 1 Rwy 05



CHANGES: Missed apch.

© JEPPESSEN, 1997, 2015. ALL RIGHTS RESERVED.


LTAF/ADA
ADANA

JEPPESSEN

7 AUG 15 **(23-2)**

Eff 20 Aug

ADANA, TURKEY
VOR DME 2 Rwy 05






LTAF/ADA
ADANA

JEPPESSEN
8 MAR 13 **(23-3)**


ADANA, TURKEY
VOR Rwy 05

BRIEFING STRIP™	ATIS		INCIRLIK Approach (R)		ADANA Tower		Ground	
	119.22		126.5 118.0		131.1 121.1		121.9	
	VOR ADA 112.7	Final Apch Crs 051°	Minimum Alt No FAF	MDA(H) 1200' (1135')		Apt Elev 65'		
	MISSED APCH: Climb on R-051 to 2000', then climbing turn LEFT to VOR at 3000' and hold.							
	Alt Set: hPa		Apt Elev: 2 hPa		Trans level: By ATC		Trans alt: 10000'	

MSA
ADA VOR



Gnd speed-Kts	70	90	100	120	140	160
Descent Angle 3.00°	372	478	531	637	743	849
MAP at VOR						



	STRAIGHT-IN LANDING RWY 05				Max Kts	CIRCLE-TO-LAND CAUTION: Not authorized South of airport, or by ATC
	CDFA	non-CDFA				
	MDA(H) 1200' (1135')	MDA(H) 1200' (1135')				
	ALS out	ALS out				
A	3700m	4400m	4800m	5000m	100	1200' (1135') 5000m
B					135	
C	4800m	5000m	5000m		180	
D					205	


CHANGES: Tower frequency.

© JEPPESSEN, 1997, 2013. ALL RIGHTS RESERVED.

LTAF/ADA
ADANA

JEPPESSEN
8 MAR 13 **(23-4)**

ADANA, TURKEY
VOR DME-3






LTAF/ADA
ADANA

JEPPESSEN
8 MAR 13 (26-1)

ADANA, TURKEY
NDB Rwy 05

BRIEFING STRIP™	ATIS		INCIRLIK Approach (R)		ADANA Tower		Ground	
	119.22		126.5 118.0		131.1 121.1		121.9	
	NDB ADN 395	Final Apch Crs 050°	Minimum Alt No FAF		MDA(H) 480' (426')		Apt Elev 65' RWY 54'	
	MISSED APCH: Climb on 050° from NDB to 1000', then climbing turn LEFT to NDB at 3000' and hold.							
	Alt Set: hPa		Rwy Elev: 2 hPa		Trans level: By ATC		Trans alt: 10000'	

MSA
ADN NDB



Gnd speed-Kts	70	90	100	120	140	160
Descent Angle 3.42°	424	545	605	726	847	968
MAP at NDB						

	STRAIGHT-IN LANDING RWY 05				Max Kts	CIRCLE-TO-LAND CAUTION: Not authorized South of airport, or by ATC	
	CDFA	non-CDFA				MDA(H)	VIS
	MDA(H) 480' (426')	MDA(H) 480' (426')					
	ALS out	ALS out					
A	1300m	1700m	1500m	2200m	100	1200' (1135')	4800m
B					135		
C	1500m	2200m	1700m	2400m	180	1200' (1135')	5000m
D					205		

CHANGES: Tower frequency.

© JEPPESSEN, 1997, 2013. ALL RIGHTS RESERVED.

Chart changes since cycle 26-2015

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
ADANA, (ADANA - LTAF)				

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport LTAF