

List of pages in this Trip Kit

Trip Kit Index

Airport Information For UERR

Terminal Charts For UERR

Revision Letter For Cycle 13-2016

Change Notices

Notebook

General Information

Location: MIRNY RUS
ICAO/IATA: UERR / MJZ
Lat/Long: N62° 32.08', E114° 02.33'
Elevation: 1161 ft

Airport Use: Public
Daylight Savings: Not Observed
UTC Conversion: -9:00 = UTC
Magnetic Variation: 10.0° W

Fuel Types: Jet A-1
Repair Types: Minor Engine
Customs: No
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 1824 Z
Sunset: 1426 Z

Runway Information

Runway: 07
Length x Width: 9186 ft x 148 ft
Surface Type: concrete
TDZ-Elev: 1122 ft
Lighting: Edge, ALS

Runway: 25
Length x Width: 9186 ft x 148 ft
Surface Type: concrete
TDZ-Elev: 1156 ft
Lighting: Edge, ALS


Communication Information

ATIS: 126.600 Non-English
Mirny Vyshka Tower: 129.000 Secondary Non-English
Mirny Start/Posadka Tower: 134.100 Non-English
Mirny Vyshka Tower: 125.900 Non-English
Mirny Transit Operations: 131.700 Non-English

UERR/MJZ
MIRNY

JEPPesen
15 AUG 14 (10-2) Eff 21 Aug


MIRNY, RUSSIA
STAR

ATIS 126.6	Alt Set: MM (hPa on request) QNH on req (QFE) Trans level: FL50 FL60 if pressure is less than 728 mm (970.6 hPa) and 701 mm (934.6 hPa) or above FL70 if pressure is less than 701 mm (934.6 hPa)	 3000' MSA ARP
Apt Elev 1162'	Trans alt (hgt): 3130' (2008') Descent and straight in approach shall be carried out only under continuous RADAR control and receiving VORDME signals.	

OTSEK 2, PIMIR 2
TIKUN 2, VADAS 2
RWY 07 ARRIVALS
FOR RUSSIAN USERS ONLY

ALT/HEIGHT CONVERSION
QNH (QFE)
3130' (2008' - 600m)
2770' (1648' - 500m)
2440' (1318' - 400m)

1 Flights in the 274°-023° sector around ASR within 2.7 NM of ARP below 2770' (1648') are PROHIBITED.



UERR/MJZ
MIRNY

JEPPesen
15 AUG 14 **10-2A** Eff 21 Aug


MIRNY, RUSSIA
STAR

ATIS 126.6	Alt Set: MM (hPa on request) QNH on req (QFE) Trans level: FL50 FL60 if pressure is less than 728 mm (970.6 hPa) and 701 mm (934.6 hPa) or above FL70 if pressure is less than 701 mm (934.6 hPa) Trans alt (hgt): 3130' (1975') Descent and straight in approach shall be carried out only under continuous RADAR control and receiving VORDME signals.	3000' MSA ARP
Apt Elev 1162'		

OTSEK 4, PIMIR 4
TIKUN 4, VADAS 4
RWY 25 ARRIVALS
FOR RUSSIAN USERS ONLY

ALT/HEIGHT CONVERSION
QNH (QFE)
3130' (1975' - 600m)
2800' (1645' - 500m)
2470' (1315' - 400m)

1 Flights in the 274°-023° sector around ASR within 2.7 NM of ARP below 2800' (1645') are PROHIBITED.





UERR/MJZ
MIRNY

JEPPesen
15 AUG 14 (10-2B) Eff 21 Aug

MIRNY, RUSSIA
STAR

ATIS 126.6	Alt Set: MM (hPa on request) QNH on req (QFE) Trans level: FL50 FL60 if pressure is less than 728 mm (970.6 hPa) & 701 mm (934.6 hPa) or above FL70 if pressure is less than 701 mm (934.6 hPa)
Apt Elev 1162'	Trans alt (hgt): 3130' (2008') Descent and straight in approach shall be carried out only under continuous RADAR control and receiving VORDME signals.

BANED 2, GODUN 2
KULUR 2, NANAT 2
RWY 07 ARRIVALS
FOR RUSSIAN USERS ONLY




UERR/MJZ
MIRNY

JEPPesen
15 AUG 14 10-2C Eff 21 Aug

MIRNY, RUSSIA
STAR

ATIS 126.6	Alt Set: MM (hPa on request) QNH on req (QFE) Trans level: FL50 FL60 if pressure is less than 728 mm (970.6 hPa) & 701 mm (934.6 hPa) or above FL70 if pressure is less than 701 mm (934.6 hPa)
Apt Elev 1162'	Trans alt (hgt): 3130' (1975') Descent and straight in approach shall be carried out only under continuous RADAR control and receiving VORDME signals.

BANED 4, GODUN 4
KULUR 4, NANAT 4
RWY 25 ARRIVALS
FOR RUSSIAN USERS ONLY



MIRNY, RUSSIA

MSA
ARP

4°	10.0	066°	
----	------	------	--

DEM; tracks; general n

REPKI
N61 55.1 E114 18.2

UERR/MJZ
MIRNY

15 AUG 14 **10-2E** Eff 21 Aug

MIRNY, RUSSIA
STAR


ATIS
126.6

Alt Set: MM (hPa on request) QNH on req (QFE)
Trans level: FL50
FL60 if pressure is less than 728 mm (970.6 hPa)
and 701 mm (934.6 hPa) or above
FL70 if pressure is less than 701 mm (934.6 hPa)
Trans alt (hgt): 3130' (1975')
Descent and straight in approach shall be carried out only
under continuous RADAR control and receiving VORDME signals.

3000'

MISA
ARP

ARKEP 4, BELUB 4, ERBOG 4
GIPT 4, REPKI 4
RWY 25 ARRIVALS
FOR RUSSIAN USERS ONLY



UERR/MJZ
MIRNY


JEPPESSEN
15 AUG 14 10-2F Eff 21 Aug

MIRNY, RUSSIA
STAR

ATIS 126.6	Alt Set: MM (hPa on request) QNH on req (QFE) Trans level: FL50 FL60 if pressure is less than 728 mm (970.6 hPa) and 701 mm (934.6 hPa) or above FL70 if pressure is less than 701 mm (934.6 hPa) Trans alt (hgt): 3130' (2008') Descent and straight in approach allowed under VFR day and night. Descent and straight in approach allowed under IFR for ACFT with VORDME equipment onboard.	3000' MSA ARP
Apt Elev 1162'		

OTSEK 6, PIMIR 6
TIKUN 6, VADAS 6
RWY 07 ARRIVALS
WITHOUT RADAR CONTROL
FOR RUSSIAN USERS ONLY

1 Flights in the 274°-023° sector around ASR within 2.7 NM of ARP below 2770' (1648') are PROHIBITED.





UERR/MJZ
MIRNY

JEPPesen
15 AUG 14 (10-2H) Eff 21 Aug

MIRNY, RUSSIA
STAR

ATIS 126.6	Alt Set: MM (hPa on request) QNH on req (QFE) Trans level: FL50 FL60 if pressure is less than 728 mm (970.6 hPa) & 701 mm (934.6 hPa) or above FL70 if pressure is less than 701 mm (934.6 hPa)
Apt Elev 1162'	Trans alt (hgt): 3130' (2008') Descent and straight in approach allowed under VFR day and night. Descent and straight in approach allowed under IFR for ACFT with VORDME equipment onboard.

BANED 6, GODUN 6
KULUR 6, NANAT 6
RWY 07 ARRIVALS
WITHOUT RADAR CONTROL
FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION (QFE)
QNH, (3938' - 1200m)
5060' (2008' - 600m)
3130' (2008' - 600m)
2770' (1648' - 500m)
2440' (1318' - 400m)

CHANGES: New chart (STARs established). © JEPPESEN, 2014. ALL RIGHTS RESERVED.

UERR/MJZ
MIRNY

JEPPesen
15 AUG 14 10-2K Eff 21 Aug


MIRNY, RUSSIA
STAR

ATIS 126.6	Alt Set: MM (hPa on request) QNH on req (QFE) Trans level: FL50 FL60 if pressure is less than 728 mm (970.6 hPa) and 701 mm (934.6 hPa) or above FL70 if pressure is less than 701 mm (934.6 hPa) Trans alt (hgt): 3130' (2008') Descent and straight in approach allowed under VFR day and night. Descent and straight in approach allowed under IFR for ACFT with VORDME equipment onboard.	3000' MSA ARP
Apt Elev 1162'		

ARKEP 6, BELUB 6, ERBOG 6
GIPOT 6, REPKI 6
RWY 07 ARRIVALS
WITHOUT RADAR CONTROL
FOR RUSSIAN USERS ONLY

① Flights in the 274°-023° sector around ASR within 2.7 NM of ARP below 2770' (1648') are PROHIBITED.

Direct distance from
N62 29.1 E113 52.7 to:
Mirny Apt 5 NM




UERR/MJZ
MIRNY

JEPPESEN
15 AUG 14 10-2L Eff 21 Aug

MIRNY, RUSSIA
STAR

ATIS 126.6	Alt Set: MM (hPa on request) QNH on req (QFE) Trans level: FL50 FL60 if pressure is less than 728 mm (970.6 hPa) and 701 mm (934.6 hPa) or above FL70 if pressure is less than 701 mm (934.6 hPa)
Apt Elev 1162'	Trans alt (hgt): 3130' (1975') Descent and straight in approach allowed under VFR day and night. Descent and straight in approach allowed under IFR for ACFT with VORDME equipment onboard.



UERR/MJZ
MIRNY

JEPPesen
30 DEC 11 (10-3A)

MIRNY, RUSSIA
SID

Apt Elev
1162'

QNH on request (QFE)

Trans level: FL50

FL60 if pressure is less than 728 mm (960.6 hPa)
and 701 mm (934.6 hPa) or above

FL70 if pressure is less than 701 mm (934.6 hPa)

Trans alt (hgt): 3140' (1984')

3000'

MSA
ARP

OTSEK 3, PIMIR 3
TIKUN 3, VADAS 3
RWY 25 DEPARTURES
FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION

QNH (QFE)

1820' (664' - 200m)

2800' (1644' - 500m)

3140' (1984' - 600m)

① Flights in the 274°-023°
sector around ASR within
2.7 NM of ARP below 2800'
(1644') are PROHIBITED.

VADAS

N63 58.2 E106 59.5

N62 49.1
E112 49.2

TIKUN

N62 55.2
E107 00.0

N62 38.2
E112 41.7

BELDO
N64 33.7 E113 03.9

LINKA
N64 27.8 E113 35.7

OTSEK
N63 08.9 E113 44.8

PIMIR
N63 09.6
E113 53.4

D15.7 DEM
N62 47.9 E113 55.0
(DEM R-359)
At or above
FL50

D15.8 DEM
N62 48.1
E113 58.5
At
or above
FL50

D15.6 DEM
N62 39.5 E113 31.2
At or above
FL50

D15.7 DEM
N62 34.8 E113 27.8
At or above
FL50

MIRNY
D 113.8 DEM
N62 32.5 E114 01.2

At 1820'
(664')

© JEPPESEN, 2011. ALL RIGHTS RESERVED.

UERR/MJZ
MIRNY

30 DEC 11

10-3C

JEPPesen

MIRNY, RUSSIA

SID

Apt Elev
1162'


QNH on request (QFE)

Trans level: FL50

FL60 if pressure is less than 728 mm (960.6 hPa)
and 701 mm (934.6 hPa) or above



FL70 if pressure is less than 701 mm (934.6 hPa)

Trans alt (hgt): 3140' (1984')



MSA
ARP


BANED 3, GODUN 3
KULUR 3, NANAT 3
RWY 25 DEPARTURES
FOR RUSSIAN USERS ONLY



UERR/MJZ
MIRNY

JEPPesen
30 DEC 11 10-3D

MIRNY, RUSSIA
SID



© JEPPESEN, 2011. ALL RIGHTS RESERVED.

UERR/MJZ

Apt Elev 1161'

N62 32.1 E114 02.3

JEPPESSEN




30 JAN 15

10-9

Eff 5 Feb

MIRNY, RUSSIA

MIRNY



180° turns shall be carried out on turning pads only; right-hand turn on turning pad at thresh 07, left-hand turn on turning pad at thresh 25.
Taxiing shall be carried out at minimum speed strictly along centerline.
Crews shall exercise MAX CAUTION.
Stands 2 and 6 available for run-up.
Stands 20 thru 30 and 34 thru 36 available for helicopters.

ADDITIONAL RUNWAY INFORMATION

RWY	USABLE LENGTHS			
	LANDING BEYOND		TAKE-OFF	WIDTH
	Threshold	Glide Slope		
07	HIRL (60m) ALS PAPI-R (2.67°)		8858' 2700m ①	148' 45m
25	HIRL (60m) ALS PAPI-L (3.00°)	7849' 2392m		

① First 328'/100m unusable for take-off.

TAKE-OFF
AIR CARRIER (JAA)
All Rwy's

	LVP must be in force RCLM (DAY only) or RL	RCLM (DAY only) or RL
A	250m	400m
B		
C	300m	
D		

CHANGES: Apt elev. Comm. Lights.

© JEPPESSEN, 2010, 2015. ALL RIGHTS RESERVED.

UERR/MJZ



JEPPESSEN

Standard

5 DEC 14

10-9S

Eff 11 Dec

MIRNY, RUSSIA

MIRNY

STRAIGHT-IN RWY		A	B	C	D
07	2 NDB ①②	1570' (448') R1500m	1570' (448') R1500m	1570' (448') R1900m C2100m	1570' (448') R1900m C2100m
	ALS out	R1500m	R1500m	C2100m	C2100m
	2 NDB ③	2060' (938') C4300m	2060' (938') C4300m	2060' (938') C4500m C4700m	2060' (938') C4500m C4700m
	ALS out	C4500m	C4500m	C4700m	C4700m
	NZ NDB ①②	1830' (708') R1500m	1830' (708') R1500m	1950' (828') C2400m	1950' (828') C2400m
	NZ NDB ③	2060' (938') C4300m	2060' (938') C4300m	2060' (938') C4500m C4700m	2060' (938') C4500m C4700m
	ALS out	C4500m	C4500m	C4700m	C4700m
	N NDB ①②	1780' (658') R1500m	1780' (658') R1500m	2110' (988') C2400m	2110' (988') C2400m
	N NDB ③	2060' (938') C4300m	2060' (938') C4300m	2060' (938') C4500m C4700m	2060' (938') C4500m C4700m
	ALS out	C4500m	C4500m	C4700m	C4700m
25	ILS	1356' (200') R1000m	1356' (200') R1000m	1385' (229') R1000m	1385' (229') R1000m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	2 NDB ①②	1490' (334') R1300m	1490' (334') R1300m	1490' (334') R1300m	1490' (334') R1300m
	ALS out	R1500m	R1500m	R1500m	R1500m
	2 NDB ①③	1510' (354') R1400m	1510' (354') R1400m	1510' (354') R1400m	1510' (354') R1400m
	ALS out	R1600m	R1600m	R1600m	R1600m
	SG NDB ①②	1820' (664') R1500m	1820' (664') R1500m	1980' (824') C2400m	1980' (824') C2400m
	SG NDB ③	1820' (664') C2900m	1820' (664') C2900m	1980' (824') C4000m	1980' (824') C4000m
	ALS out	C3100m	C3100m	C4200m	C4200m
	S NDB ①②	1820' (664') R1500m	1820' (664') R1500m	2140' (984') C2400m	2140' (984') C2400m
	S NDB ③	1820' (664') C3100m	1820' (664') C3100m	2140' (984') C4700m	2140' (984') C4700m
	ALS out	C3300m	C3300m	C4900m	C4900m

① Continuous Descent Final Approach.

② with FAF.

③ w/o FAF.

TAKE-OFF RWY 07, 25



LVP must be in Force			
RCLM (DAY only) or RL		RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C	300m		
D			

UERR/MJZ
MIRNY

JEPPesen
30 JAN 15 11-1 Eff 5 Feb

MIRNY, RUSSIA
ILS Rwy 25

BRIEFING STRIP™	ATIS		MIRNY Vyshka (SRE)		MIRNY Start (TWR)		Ground	
	126.6		125.9 Russian only		134.1 Russian only		125.9 Russian only	
	LOC ISG	Final Apch Crs	GS LOM		ILS DA(H) Refer to Minimums	Apt Elev 1161'	3000' MSA ARP	
	110.3	246°	1927' (771')			RWY1156'		
	MISSED APCH: Climb to 1820' (664'), then turn LEFT onto 066° climbing to 2800' (1644'), then according to chart.							





UERR/MJZ
MIRNY

JEPPesen
30 JAN 15
Eff 5 Feb

16-1

MIRNY, RUSSIA
2 NDB or NZ NDB Rwy 07

ATIS	MIRNY Vysotka (SRE)	MIRNY Start (TWR)	Ground
126.6	125.9 Russian only	134.1 Russian only	125.9 Russian only
NDB NZ 385	Final Apch Crs 066°	Minimum Alt D5.2 2440' (1318')	MDA(H) Refer to Minimums Apt Elev 1161' RWY 1122'
MISSED APCH: Climb to 1780' (658'), then turn RIGHT onto 246° climbing to 2770' (1648'), then according to chart.			
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 50 1 Trans alt: 3140' (2018')			
Short duration activation of GPWS may be arised during descending between LOM and LMM.			





Gnd speed-Kts	70	90	100	120	140	160	ALS	1780' (658')	246°	2770' (1648')
Descent Angle	2.75°	340	438	486	584	681	PAPI	↑	RT	↑
MAP at LMM										
STRAIGHT-IN LANDING RWY 07										
with FAF	2 NDB	w/o FAF	with FAF	NZ NDB	w/o FAF					
MDA(H) 1570' (448')	MDA(H) 2060' (938')	MDA(H) 2060' (938')	MDA(H) 1830' (708')	MDA(H) 1950' (828')	MDA(H) 2060' (938')					
ALS out	ALS out	ALS out	ALS out	ALS out	ALS out					
A	1600m	2000m	1600m	2000m						
B										
C	2000m	4400m	4000m	4400m						
D	2400m	4800m	4400m	4800m						

UERR/MJZ
MIRNY

JEPPESEN
30 JAN 15 16-2 Eff 5 Feb

MIRNY, RUSSIA
N NDB Rwy 07

BRIEFING STRIP TM	ATIS 126.6		MIRNY Vyshka (SRE) 125.9 Russian only		MIRNY Start (TWR) 134.1 Russian only		Ground 125.9 Russian only	
	Lctr N 770	Final Apch Crs 066°	Minimum Alt D5.2 2440' (1318')		MDA(H) Refer to Minimums	Apt Elev 1161' RWY 1122'		3000' MSA ARP
	MISSED APCH: Climb to 1780' (658'), then turn RIGHT onto 246° climbing to 2770' (1648'), then according to chart.							
	Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 50 1 Trans alt: 3140' (2018')							
	Short duration activation of GPWS may be arised during descending for a length of 1.3 NM before LMM.							



Gnd speed-Kts		70	90	100	120	140	160	0.5 0 ALS ⋮ PAPI ⋮		1780' (658')	246°	2770' (1648')
Descent Angle	2.67°	331	425	472	567	661	756			↑	RT	↑
MAP at LMM												
STRAIGHT-IN LANDING RWY 07												
with FAF						w/o FAF						
MDA(H) AB: 1780' (658')						MDA(H) 2060' (938')						
CD: 2110' (988')												
ALS out						ALS out						
A	1600m					2000m						
B												
C	4800m					4400m						
D						4800m						

ANS OPS



UERR/MJZ
MIRNY

JEPPesen
30 JAN 15
Eff 5 Feb 16-3

MIRNY, RUSSIA
2 NDB or SG NDB Rwy 25

BRIEFING STRIP TM	ATIS 126.6		MIRNY Vyshka (SRE) 125.9 Russian only		MIRNY Start (TWR) 134.1 Russian only		Ground 125.9 Russian only		
	NDB SG 385	Final Apch Crs 246°	Minimum Alt D5.1 2470' (1314')		MDA(H) Refer to Minimums	Apt Elev 1161' RWY1156'	3000' MSA ARP		
	MISSED APCH: Climb to 1820' (664'), then turn LEFT onto 066° climbing to 2800' (1644'), then according to chart.								

Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 50 ① Trans alt: 3140' (1984')



Gnd speed-Kts	70	90	100	120	140	160	ALS	1820' (664')	066°	2800' (1644')
Descent Angle	3.09°	383	492	547	656	765	PAPI	↑	LT	↑
MAP at LMM										

STRAIGHT-IN LANDING RWY 25			SG NDB		
with FAF		w/o FAF		AB: 1820' (664')	
MDA(H) 1490' (334')		MDA(H) 1510' (354')		CD: 1980' (824')	
ALS out		ALS out		ALS out	
A	1600m		1600m		
B					
C			4000m		
D			4400m		

MIRNY, (MIRNY - UERR)

TERMINAL CHART CHANGE NOTICES

Chart Change Notices for Airport UERR

Type: Terminal

Effectivity: Permanent

Begin Date: Immediately

End Date: No end date

For russian users or emergency only.