

List of pages in this Trip Kit

Trip Kit Index

Airport Information For USRO

Terminal Charts For USRO

Revision Letter For Cycle 13-2016

Change Notices

Notebook

General Information

Location: NOYABRSK RUS
ICAO/IATA: USRO / NOJ
Lat/Long: N63° 11.03', E075° 16.13'
Elevation: 446 ft

Airport Use: Public
Daylight Savings: Not Observed
UTC Conversion: -5:00 = UTC
Magnetic Variation: 18.0° E

Customs: No
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 2048 Z
Sunset: 1713 Z

Runway Information

Runway: 01
Length x Width: 8222 ft x 138 ft
Surface Type: asphalt
TDZ-Elev: 434 ft
Lighting: Edge, ALS

Runway: 19
Length x Width: 8222 ft x 138 ft
Surface Type: asphalt
TDZ-Elev: 427 ft
Lighting: Edge, ALS


Communication Information

ATIS: 126.000 Non-English
Noyabrsk Vyshka Tower: 121.200 Non-English
Novy Transit Operations: 131.600 Non-English

USRO/NOJ
NOYABRSK

JEPPesen
22 MAY 15 (10-2) Eff 28 May


NOYABRSK, RUSSIA
STAR



USRO/NOJ
NOYABRSK

JEPPesen
22 MAY 15 (10-2C) Eff 28 May

NOYABRSK, RUSSIA
STAR




URAMI
N62 09.5
E077 19.7

USRO/NOJ
Apt Elev **446'**
N63 11.0 E075 16.1

JEPPesen
27 MAR 15 **(10-9)** **Eff 2 Apr**

NOYABRSK, RUSSIA
NOYABRSK



ADDITIONAL RUNWAY INFORMATION

				USABLE LENGTHS			
RWY				LANDING BEYOND		TAKE-OFF	WIDTH
				Threshold	Glide Slope		
01 19	RL (60m)	HIALS	PAPI (angle 2.67°)		7189' 2191m	1	138'
							42m

① TAKE-OFF RUN AVAILABLE

RWY 01:

From rwy head 8222' (2506m)
twy B int 6253' (1906m)
twy A int 4285' (1306m)

RWY 19:

From rwy head 8222' (2506m)
twy A int 3937' (1200m)
twy B int 1969' (600m)

LOW VISIBILITY PROCEDURES (LVP)

LVP applied when RVR is less than 550m.

The following is prohibited during LVP:

- take-off not from the RWY extremity,
- take-off without stop at line-up position.

TAKE-OFF

AIR CARRIER (JAA)

All Rwys

LVP must be in force

RCLM (DAY only)
or RL

RCLM (DAY only)
or RL

A	250m	400m
B		
C		
D		

USRO/NOJ

Standard
NOYABRSK, RUSSIA
NOYABRSK

STRAIGHT-IN RWY		A	B	C	D
01	ILS	633'(200')	633'(200')	633'(200')	633'(200')
	FULL	R550m	R550m	R550m	R550m
	Limited	R750m	R750m	R750m	R750m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	2 NDB ①	790'(357')	790'(357')	790'(357')	790'(357')
		R1000m	R1000m	R1200m	R1200m
	ALS out	R1600m	R1600m	R1600m	R1600m
	ZE NDB ①	790'(357')	790'(357')	790'(357')	790'(357')
		R1000m	R1000m	R1200m	R1200m
	ALS out	R1600m	R1600m	R1600m	R1600m
	Z Lctr	790'(357')	790'(357')	790'(357')	790'(357')
19		R1100m	R1100m	R1300m	R1300m
	ALS out	R1800m	R1800m	R2000m	R2000m
	2 NDB ①	820'(393')	820'(393')	820'(393')	820'(393')
		R1100m	R1100m	R1200m	R1200m
	ALS out	R1800m	R1800m	R1800m	R1800m
	NDB ①	830'(403')	830'(403')	830'(403')	830'(403')
		R1200m	R1200m	R1200m	R1200m
	ALS out	R1900m	R1900m	R1900m	R1900m

① Continuous Descent Final Approach.

CIRCLE-TO-LAND	100 KT	135 KT	180 KT	205 KT
to rwy 01 ②	960'(527')	960'(527')	1090'(657')	1190'(757')
to rwy 19 ③	960'(533')	960'(533')	1090'(663')	1190'(763')
	V1500m④	V1600m④	V2400m④	V3600m④

② Circling height based on rwy 01 thresh elev of 433'.

③ Circling height based on rwy 19 thresh elev of 427'.

④ or higher minimums of preceding straight-in approach.

TAKE-OFF RWY 01, 19		
LVP must be in Force		
RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A	400m	500m
B		
C		
D	300m	

USRO/NOJ
NOYABRSK



JEPPesen
27 MAR 15 11-1 Eff 2 Apr

NOYABRSK, RUSSIA
ILS Rwy 01

BRIEFING STRIP™	*ATIS		*NOVY Vyshka (TWR/R)		*Ground	
	126.2 Russian only		121.2 Russian only		121.2 Russian only	
	LOC IZE *109.1	Final Apch Crs 007°	GS LOM 1089'(656')	ILS DA(H) 633'(200')	Apt Elev 446' RWY 433'	2300'
MISSED APCH: Climb to 1090' (657') , then turn LEFT onto 187° climbing to 2080' (1647') , then according to chart.						MSA APR
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 40 1 Trans alt: 2750'(2317')						

FOR RUSSIAN USERS ONLY

1 FL 50, if pressure is less than 733 mm (977.3 hPa).



PANS OPS	STRAIGHT-IN LANDING RWY 01		CIRCLE-TO-LAND 1	
	ILS	LOC (GS out)		
	DA(H) 633'(200')			
	FULL	ALS out		
	A			
B			Max Kts	MDA(H)
C	800m	1200m	100	960' (527') 1600m
D			135	
			180	1090' (657') 2800m
			205	1190' (757') 4000m

1 Circling height based on rwy 01 thresh elev of 433'.

USRO/NOJ
NOYABRSK


JEPPesen
27 MAR 15
Eff 2 Apr 16-1

NOYABRSK, RUSSIA
2 NDB or NDB Rwy 01


BRIEFING STRIP TM	*ATIS		*NOVY Vyshka (TWR/R)		*Ground	
	126.2 Russian only		121.2 Russian only		121.2 Russian only	
	NDB ZE *615	Final Apch Crs 007°	Minimums Alt LOM 1090' (657')	MDA(H) 790' (357')	Apt Elev 446' RWY 433'	2300' MSA APR
MISSED APCH: Climb to 1090' (657') , then turn LEFT onto 187° climbing to 2080' (1647') , then according to chart.						
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 40 1 Trans alt: 2750' (2317')						

FOR RUSSIAN USERS ONLY


1 FL 50, if pressure is less than 733 mm (977.3 hPa).



Pass LMM not below 630' (197').



Gnd speed-Kts	70	90	100	120	140	160
Descent Angle 2.67°	331	425	472	567	661	756



STRAIGHT-IN LANDING RWY 01

CIRCLE-TO-LAND 1

MDA(H) 790' (357')			Max Kts	MDA(H)	
ALS out					
A	1200m	1900m	100	960' (527')	1600m
B					
C			180	1090' (657')	2800m
D	1600m	2000m	205	1190' (757')	4000m

1 Circling height based on rwy 01 thresh elev of 433'.



Chart changes since cycle 12-2016

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT PROCEDURE IDENT

INDEX

REV DATE

EFF DATE

NOYABRSK, (NOYABRSK - USRO)

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport USRO