

List of pages in this Trip Kit

Trip Kit Index

Airport Information For UWPP

Terminal Charts For UWPP

Revision Letter For Cycle 13-2016

Change Notices

Notebook

General Information

Location: PENZA RUS
ICAO/IATA: UWPP / PEZ
Lat/Long: N53° 06.55', E045° 01.57'
Elevation: 604 ft

Airport Use: Public
Daylight Savings: Not Observed
UTC Conversion: -3:00 = UTC
Magnetic Variation: 10.0° E

Fuel Types: Jet A-1
Customs: No
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0033 Z
Sunset: 1730 Z

Runway Information

Runway: 11
Length x Width: 9186 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 568 ft
Lighting: Edge, ALS

Runway: 29
Length x Width: 9186 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 604 ft
Lighting: Edge, ALS

Communication Information

Penza Vyshka Tower: 128.000 Secondary Non-English
Penza Vyshka Tower: 120.700 Non-English
Penza Zemlia Ramp/Taxi: 118.800 Non-English

UWPP/PEZ
PENZA

28 AUG 15


10-2

PENZA, RUSSIA
STAR


Apt Elev
604'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' (2342')
Airway exit points by ATC instructions.

MOLOG 2
MOLOG 2A [MOLO2A]
RUTEM 2
RWY 11 ARRIVALS
FOR RUSSIAN USERS ONLY



Arrival Data for ACFT with MAX 160KT				
From	Track	QDM LOM	Alt (Hgt)	
RUTEM	278°	016°	2540'	(1972')
	Turn RIGHT for approach:			
	base turn	N53 09.3 E044 44.0	2540'	(1972')
	final turn	N53 10.5 E044 43.7	2540'	(1972')



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2910' (2342' - 700m)	
2540' (1972' - 600m)	
2210' (1642' - 500m)	

Direct distance from
N53 09.4 E044 52.1
to Penza Apt:
6 NM


UWPP/PEZ
PENZA

JEPPesen
28 AUG 15 (10-2A)


PENZA, RUSSIA
STAR

Apt Elev
604'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' (2306')
Airway exit points by ATC instructions.



MOLOG 4
RUTEM 4
RWY 29 ARRIVALS
FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2910' (2306' - 700m)	
2580' (1976' - 600m)	
2250' (1646' - 500m)	


UWPP/PEZ
PENZA

JEPPESSEN
28 AUG 15 **10-2B**

PENZA, RUSSIA
STAR

Apt Elev
604'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' (2342')
Airway exit points by ATC instructions.



DOKEP 2
LASBI 2, ULGEN 2
BY ATC
RWY 11 ARRIVALS
FOR RUSSIAN USERS ONLY

D11.2 PNZ
N53 09.6 E044 43.0
(PNZ R-274)

At 2540'
(1972')

N53 09.4
E044 52.1

At 2210'
(1642')

***591 RN**

N53 07.8 E044 57.5

Direct distance from
N53 09.4 E044 52.1
to Penza Apt:
6 NM

PENZA
D (H) 113.8 PNZ
N53 06.8 E045 01.1



NOT TO SCALE

2 DOKEP 2

D11.0 PNZ
N53 07.4 E044 42.9
(PNZ R-263)
(077° brg to RN)

At 2540'
(1972')

LASBI 2

D11.1 PNZ
N53 07.5 E044 42.7
(PNZ R-264)
(078° brg to RN)

At 2540'
(1972')

ULGEN 2

D11.1 PNZ
N53 07.6 E044 42.6
(PNZ R-264)
(078° brg to RN)

At 2540'
(1972')

ALT/HEIGHT CONVERSION
QNH (QFE)
2910' (2342' - 700m)
2540' (1972' - 600m)
2210' (1642' - 500m)

OLASBI
N52 44.2 E045 08.4
(PNZ R-159/D23.1)

DOKEP
N52 42.3 E045 17.8
(PNZ R-147/D26.6)

ULGEN
N52 45.1 E045 04.2
(PNZ R-165/D21.9)

PIRAD
N52 24.4
E045 07.0

LEBSI
N52 14.2
E045 36.5

RAKOP
N52 10.3 E045 18.8

Arrival Data for ACFT with MAX 160KT

From	Track	QDM LOM	Alt (Hgt)
DOKEP	313°	092°	2540' (1972')
LASBI	319°	092°	2540' (1972')
ULGEN	323°	092°	2540' (1972')

Turn RIGHT for approach:

base turn	N53 09.3 E044 44.0	091°	2540' (1972')
final turn	N53 10.5 E044 43.7	098°	2540' (1972')

UWPP/PEZ
PENZA

JEPPESSEN
28 AUG 15 **(10-2C)**

PENZA, RUSSIA
STAR

Apt Elev
604'


Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' (**2306'**)
Airway exit points by ATC instructions.

2600'

MSA PNZ VOR
within 27 NM

DOKEP 4
LASBI 4, ULGEN 4
BY ATC
RWY 29 ARRIVALS
FOR RUSSIAN USERS ONLY

Direct distance from
N53 04.0 E045 10.1
to Penza Apt:
6 NM



CHANGES: New airport.

© JEPPESEN, 2015. ALL RIGHTS RESERVED.

UWPP/PEZ
PENZA

28 AUG 15 **10-2D**


PENZA, RUSSIA
STAR

Apt Elev
604'

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' (2342')
Airway exit points by ATC instructions.


KOTUM 2
NERIK 2
RWY 11 ARRIVALS
FOR RUSSIAN USERS ONLY

Arrival Data for ACFT with MAX 160KT				
From	Track	QDM LOM	Alt (Hgt)	
KOTUM	033°	101°	2540' (1972')	
NERIK	135°	107°	2540' (1972')	
Turn RIGHT for approach:				
base turn	N53 09.3 E044 44.0	091°	2540' (1972')	
final turn	N53 10.5 E044 43.7	098°	2540' (1972')	
Turn LEFT for approach:				
final turn	N53 11.4 E044 45.5	107°	2540' (1972')	



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2910' (2342' - 700m)	
2540' (1972' - 600m)	
2210' (1642' - 500m)	

Direct distance from
N53 09.4 E044 52.1
to Penza Apt:
6 NM



© JEPPESEN, 2015. ALL RIGHTS RESERVED.


UWPP/PEZ
PENZA

JEPPESSEN
28 AUG 15 10-3


PENZA, RUSSIA
SID

Apt Elev
604'

QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' (2342')
Airway entry points by ATC instructions.



DOKEP 1
LASBI 1, ULGEN 1
BY ATC
RWY 11 DEPARTURES
FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION	
QNH (QFE)	
870' (302' - 90m)	
1230' (662' - 200m)	
2910' (2342' - 700m)	

These SIDs require a minimum climb gradient of 4.1% until 870' (302').

Gnd speed-KT	75	100	150	200	250	300
4.1% V/V (fpm)	311	415	623	830	1038	1246


UWPP/PEZ
PENZA

JEPPESSEN
28 AUG 15 (10-3A)


PENZA, RUSSIA
SID

Apt Elev
604'

QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' (2306')
Airway entry points by ATC instructions.



DOKEP 3
LASBI 3, ULGEN 3
BY ATC
RWY 29 DEPARTURES
FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION	
QNH	(QFE)
1260'	(656' - 200m)
2910'	(2306' - 700m)

UWPP/PEZ
PENZA

28 AUG 15 **10-3B**

PENZA, RUSSIA
SID

Apt Elev
604'

QNH on request (QFE)

Trans level: FL40

FL50 if pressure is less than 744 mm (991.9 hPa)

FL60 if pressure is less than 717 mm (955.9 hPa)

Trans alt: 2910' (2342')


Airway entry points by ATC instructions.

KOTUM 1, LUKER 1
MOLOG 1, NERIK 1
RWY 11 DEPARTURES
FOR RUSSIAN USERS ONLY

2600'

MSA PNZ VOR
within 27 NM

ALT/HEIGHT CONVERSION	
QNH	(QFE)
870'	(302' - 90m)
1230'	(662' - 200m)
2910'	(2342' - 700m)




QNH on request **(QFE)**
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' **(2306')**
Airway entry points by ATC instructions.

2600'

MSA PNZ VOR
within 27 NM

ALT/HEIGHT CONVERSION	QNH	(QFE)
	1260'	(656' - 200m)
	2910'	(2306' - 700m)



This SID require a minimum climb gradient of 5.5% until FL40.

Gnd speed-KT	75	100	150	200	250	300
5.5% V/V (fpm)	418	557	835	1114	1392	1671


UWPP/PEZ
PENZA

JEPPesen
28 AUG 15 (10-3D)


PENZA, RUSSIA
SID

Apt Elev
604'

QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' (2342')
Airway entry points by ATC instructions.



DOKEP 1A [DOKE1A]
LASBI 1A [LASB1A], ULGEN 1A [ULGE1A]
BY ATC
RWY 11 DEPARTURES
FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION	
QNH	(QFE)
870'	(302' - 90m)
1230'	(662' - 200m)
2910'	(2342' - 700m)

These SIDs require a minimum climb gradient of 4.1% until 870' (302').

Gnd speed-KT	75	100	150	200	250	300
4.1% V/V (fpm)	311	415	623	830	1038	1246


UWPP/PEZ
PENZA

28 AUG 15 **10-3E**


PENZA, RUSSIA
SID

Apt Elev
604'

QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' (**2306'**)
Airway entry points by ATC instructions.



DOKEP 3A [DOKE3A]
LASBI 3A [LASB3A], ULGEN 3A [ULGE3A]
BY ATC
RWY 29 DEPARTURES
FOR RUSSIAN USERS ONLY




ALT/HEIGHT CONVERSION	
QNH	(QFE)
1260'	(656' - 200m)
2910'	(2306' - 700m)

QNH on request **(QFE)**
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' **(2342')**
Airway entry points by ATC instructions.

2600'

MSA RN NDB
within 27 NM

ALT/HEIGHT CONVERSION	QNH	(QFE)
	870'	(302' - 90m)
	1230'	(662' - 200m)
	2910'	(2342' - 700m)



Gnd speed-KT	75	100	150	200	250	300
4.1% V/V (fpm)	311	415	623	830	1038	1246
4.3% V/V (fpm)	327	435	653	871	1089	1306

QNH on request **(QFE)**
Trans level: FL40
FL50 if pressure is less than 744 mm (991.9 hPa)
FL60 if pressure is less than 717 mm (955.9 hPa)
Trans alt: 2910' **(2306')**
Airway entry points by ATC instructions.

2600'

MSA WH NDB
within 27 NM


ALT/HEIGHT CONVERSION	QNH	(QFE)
	1260'	(656' - 200m)
	2910'	(2306' - 700m)



UWPP/PEZ
 Apt Elev **604'**
 N53 06.6 E045 01.6

JEPPesen
 28 AUG 15 **(10-9)**

PENZA, RUSSIA
PENZA



ADDITIONAL RUNWAY INFORMATION

RWY	USABLE LENGTHS			TAKE-OFF	WIDTH
	LANDING BEYOND				
	Threshold	Glide Slope			
11	HIRL (60m) ALS PAPI-L (angle 2.67°)	8275' 2522m			148'
29	HIRL (60m) HIALS PAPI-L (angle 3.00°)	8032' 2448m	①		45m
11	Unpaved rwy				197'
29					60m

① TAKE-OFF RUN AVAILABLE
RWY 29: From rwy head 9186' (2800m)
twy A int 6864' (2092m)

TAKE-OFF	
AIR CARRIER (JAA)	
All Rwys	
LVP must be in force	
RCLM (DAY only) or RL	RCLM (DAY only) or RL
A	400m
B	
C	
D	300m

UWPP/PEZ
JEPPESSEN
28 AUG 15 **(10-9S)**
Standard
PENZA, RUSSIA
PENZA

STRAIGHT-IN RWY		A	B	C	D
11	ILS	768' (200')	768' (200')	768' (200')	768' (200')
	ALS out	R1000m	R1000m	R1000m	R1000m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	2 NDB ①②	890' (322')	890' (322')	920' (352')	920' (352')
	ALS out	R1300m	R1300m	R1400m	R1400m
	2 NDB ③	1450' (882')	1450' (882')	1450' (882')	1450' (882')
	ALS out	C4000m	C4000m	C4200m	C4200m
	NDB ①	1170' (602')	1170' (602')	1170' (602')	1170' (602')
		R1500m	R1500m	C2400m	C2400m
29	ILS	804' (200')	804' (200')	804' (200')	804' (200')
	FULL	R550m	R550m	R550m	R550m
	Limited	R750m	R750m	R750m	R750m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED	NOT AUTHORIZED
	2 NDB ①②	1120' (516')	1120' (516')	1120' (516')	1120' (516')
	ALS out	R1500m	R1500m	R1600m	R1600m
	2 NDB ③	1380' (776')	1380' (776')	1380' (776')	1380' (776')
	ALS out	C3100m	C3100m	C3300m	C3300m
	NDB ①	1120' (516')	1120' (516')	1120' (516')	1120' (516')
	ALS out	R1500m	R1500m	R1600m	R1600m
		R1600m	R1600m	C2400m	C2400m

① Continuous Descent Final Approach.

② with FAF.

③ w/o FAF.

CIRCLE-TO-LAND ①	A	B	C	D
to rwy 11 ③	1250' (682')	1250' (682')	1400' (832')	1400' (832')
	V1500m⑥	V1600m⑥	V2400m⑥	V3600m⑥
to rwy 19	1280' (676')	1280' (676')	1430' (826')	1430' (826')
	V1500m⑥	V1600m⑥	V2400m⑥	V3600m⑥

① Prohibited Northeast of airport.

② Circling height based on rwy 11 threshold elev of 568'.

③ or higher minimums of preceding straight-in approach.

TAKE-OFF RWY 11, 29			
LVP must be in Force			
RCLM (DAY only) or RL		RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		

CHANGES: New chart.



© JEPPESSEN, 2015. ALL RIGHTS RESERVED.

UWPP/PEZ
PENZA

JEPPESSEN
28 AUG 15 11-1

PENZA, RUSSIA
ILS Rwy 11

BRIEFING STRIP™	Penza Vyshka (RDR/TWR)			Ground		2600' MSA PNZ VOR within 27 NM
	120.7			120.7		
	LOC IRN *111.1	Final Apch Crs 106°	GS LOM 1207'(639')	ILS DA(H) 768'(200')	Apt Elev 604' Rwy 568'	
	MISSED APCH: Climb to 1560'(992'), then turn RIGHT to VOR climbing to 2540'(1972') to join holding, or as directed.					
	Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 40 ① Trans alt: 2910' (2342')					
	Heavy turbulence with down-drafts may be expected on final.					





PANS OPS

UWPP/PEZ
PENZA

JEPPesen
28 AUG 15 **11-2**

PENZA, RUSSIA
ILS Rwy 29

BRIEFING STRIP™	Penza Vyshka (RDR/TWR)			Ground		2600' MSA PNZ VOR within 27 NM
	120.7			120.7		
	LOC IWH *108.7	Final Apch Crs 286°	GS LOM 1342'(738')	ILS DA(H) 804'(200')	Apt Elev 604' Rwy 604'	
	MISSED APCH: Climb to 1590'(986'), then turn LEFT to VOR climbing to 2580'(1976') to join holding, or as directed.					
	Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 40 ① Trans alt: 2910' (2306')					
	Heavy turbulence with down-drafts may be expected on final.					




Gnd speed-Kts	70	90	100	120	140	160	PAPI	1590' (986')	LT	113.8 PNZ
GS	3.00°	372	478	531	637	743				

STRAIGHT-IN LANDING RWY 29				CIRCLE-TO-LAND			
ILS		LOC (GS out)		Prohibited Northeast of airport			
DA(H) 804'(200')				MDA(H)			
FULL		ALS out					
A	800m	1200m	NOT AUTHORIZED	A	1280'(676')		1600m
B				B	1430'(826')		
C				C	1430'(826')		
D				D	1430'(826')		
SPANS OPS							

UWPP/PEZ
PENZA

JEPPesen
28 AUG 15 (16-1)

PENZA, RUSSIA
2 NDB Rwy 11



UWPP/PEZ
PENZA

JEPPesen
28 AUG 15 16-3

PENZA, RUSSIA
2 NDB Rwy 29






Chart changes since cycle 12-2016

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT PROCEDURE IDENT

INDEX

REV DATE

EFF DATE

PENZA, (PENZA - UWPP)

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport UWPP