

List of pages in this Trip Kit

Trip Kit Index

Airport Information For LTAF

Terminal Charts For LTAF

Revision Letter For Cycle 13-2016

Change Notices

Notebook

General Information

Location: ADANA TUR
ICAO/IATA: LTAF / ADA
Lat/Long: N36° 58.93', E035° 16.82'
Elevation: 65 ft

Airport Use: Public
Daylight Savings: Observed
UTC Conversion: -2:00 = UTC
Magnetic Variation: 3.2° E

Fuel Types: 100-130 Octane, Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: Yes

Sunrise: 0219 Z
Sunset: 1701 Z

Runway Information

Runway: 05
Length x Width: 9022 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 54 ft
Lighting: Edge, ALS, REIL

Runway: 23
Length x Width: 9022 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 65 ft
Lighting: Edge, ALS, REIL

Communication Information

ATIS: 119.225
Adana Tower: 121.100
Adana Ground Tower: 121.900
Adana Tower: 131.100 Air-Ground
Incirlik Approach: 126.500 Military
Incirlik Approach: 36.230 Military

© JEPPESEN, 2004, 2016. ALL RIGHTS RESERVED.

LTAF/ADA

Apt Elev **65'**
N36 58.9 E035 16.8




1 AUG 14

(20-9)

ADANA, TURKEY

ADANA



ADDITIONAL RUNWAY INFORMATION					
RWY				USABLE LENGTHS	
				LANDING BEYOND	
				Threshold	Glide Slope
05	23	HIRL (50m) HIALS REIL PAPI (angle 3.0°) RVR			8111' 2472m

① TAKE-OFF RUN AVAILABLE
RWY 23:
From rwy head 9022' (2750m)
twy E int 8530' (2600m)
twy B int 7054' (2150m)
twy C int 4528' (1380m)




Standard			TAKE-OFF ①		
	LVP must be in Force		RCLM (Day only) or RL		NIL (Day only)
A					
B	250m		400m		500m
C					
D	300m				

① Operators applying U.S. Ops Specs: CL required below 300m.

LTAF/ADA

 **JEPPESSEN**
1 AUG 14 **(20-9A)**

ADANA, TURKEY
ADANA



INS COORDINATES




STAND No.	COORDINATES	STAND No.	COORDINATES
APRON A		APRON C	
1 thru 3	N36 59.2 E035 17.8	1 thru 3	N36 59.4 E035 17.4
4 thru 6	N36 59.1 E035 17.8	4 thru 14	N36 59.4 E035 17.3
7 thru 9	N36 59.0 E035 17.7	15 thru 17	N36 59.4 E035 17.4
10, 11	N36 58.9 E035 17.6	APRON D	
12 thru 14	N36 59.0 E035 17.5	D1 thru D10	N36 59.0 E035 17.4
15 thru 18	N36 59.1 E035 17.6		
19, 20	N36 59.1 E035 17.7		
21	N36 59.2 E035 17.7		

LTA/ADA
ADANA

JEPESEN
7 AUG 15 (21-1) Eff 20 Aug

ADANA, TURKEY
ILS DME 1 Rwy 05

ATIS 119.225	INCIRLIK Approach (R) 126.5 118.0	ADANA Tower 131.1 121.1	Ground 121.9
LOC IADA 108.7	Final Apch Crs 050°	GS VOR 1210' (1156')	ILS DA(H) 304' (250')
Apt Elev 65'			Rwy 54'
MISSED APCH: Climb on R-051 to 1000' within D10.0 ADA (no turn before D7.0 ADA), then turn LEFT and climb to cross VOR at 3000' and hold.			
Alt Set: hPa	Rwy Elev: 2 hPa	Trans level: By ATC	Trans alt: 10000'



Gnd speed-Kts	70	90	100	120	140	160	1000' on 112.7 within D10.0
ILS GS or	3.00°	372	478	531	637	743	849
LOC Descent Angle							
MAP at D1.1 IADA/D2.5 ADA							

STRAIGHT-IN LANDING RWY 05				CIRCLE-TO-LAND	
ILS		LOC (GS out)		CAUTION:	
DA(H) 304' (250')		MDA(H) 400' (346')		Not authorized South of airport, or by ATC	
FULL	Limited	ALS out	ALS out	Max Kts	MDA(H) VIS
A				100	
B			RVR 1500m	135	1200' (1135') 4800m
C	RVR 550m	RVR 750m	RVR 1300m	180	
D			RVR 900m	205	1200' (1135') 5000m

PANS OPS




CHANGES: Missed apch.

LTA/ADA
ADANA

JEPPesen
7 AUG 15 (21-2) Eff 20 Aug

ADANA, TURKEY
ILS DME 2 Rwy 05

ATIS 119.225	INCIRLIK Approach (R) 126.5 118.0	ADANA Tower 131.1 121.1	Ground 121.9
LOC IADA 108.7	Final Apch Crs 050°	GS VOR 1210' (1156')	ILS DA(H) 304' (250')
MISSED APCH: Climb on R-051 to 1000' within D10.0 ADA (no turn before D7.0 ADA), then turn LEFT and climb to cross VOR at 3000' and hold.			Apt Elev 65' Rwy 54'
Alt Set: hPa	Rwy Elev: 2 hPa	Trans level: By ATC	Trans alt: 10000'



Gnd speed-Kts	70	90	100	120	140	160	1000' on R-051	ADA 112.7	D10.0 ADA
ILS GS or LOC Descent Angle	3.00°	372	478	531	637	743	849		
MAP at D1.1 IADA/D2.5 ADA									

STRAIGHT-IN LANDING RWY 05					CIRCLE-TO-LAND CAUTION: Not authorized South of airport, or by ATC	
ILS DA(H) 304' (250')			LOC (GS out) MDA(H) 400' (346')		MDA(H) VIS	
FULL	Limited	ALS out	ALS out	Max Kts		
A				100		
B				135	1200' (1135') 4800m	
C	RVR 550m	RVR 750m	RVR 1300m	180		
D				205	1200' (1135') 5000m	

CHANGES: Missed apch.




© JEPPESEN, 1998, 2015. ALL RIGHTS RESERVED.

LTAF/ADA
ADANA

JEPPESEN
7 AUG 15 (23-1) Eff 20 Aug

ADANA, TURKEY
VOR DME 1 Rwy 05

ATIS	INCIRLIK Approach (R)	ADANA Tower		Ground
119.225	126.5 118.0	131.1	121.1	121.9
VOR ADA 112.7	Final Apch Crs 051°	Minimum Alt D5.0 2000' (1946')	MDA(H) 360' (306')	Apt Elev 65' Rwy 54'
MISSED APCH: Climb on R-051 to 1000' within D10.0 ADA (no turn before D7.0 ADA), then turn LEFT and climb to cross VOR at 3000' and hold.				
Alt Set: hPa	Rwy Elev: 2 hPa	Trans level: By ATC		Trans alt: 10000'



Gnd speed-Kts							70	90	100	120	140	160	HIALS		0			
Descent Angle							3.00°	372	478	531	637	743	849	REIL PAPI	HIALS PAPI	1000' ADA on 112.7 within D10.0 R-051		
MAP at D3.0																		
Standard							STRAIGHT-IN LANDING RWY 05							CIRCLE-TO-LAND				
							CDFA/non-CDFA							CAUTION:				
							MDA(H) 360' (306')							Not authorized South of airport, or by ATC				
							ALS out							Max Kts	MDA(H) _____ VIS _____			
A	1000m							1700m							100	1200' (1135') 4800m		
B															135			
C	1200m							1900m							180	1200' (1135') 5000m		
D															205			

PANS OPS

CHANGES: Missed apch.




© JEPPESEN, 1997, 2015. ALL RIGHTS RESERVED.

LTA/ADA
ADANA

JEPPesen
7 AUG 15 (23-2) Eff 20 Aug

ADANA, TURKEY
VOR DME 2 Rwy 05

ATIS	INCIRLIK Approach (R)	ADANA Tower		Ground
119.225	126.5 118.0	131.1	121.1	121.9
VOR ADA 112.7	Final Apch Crs 051°	Minimum Alt D5.0 2000' (1946')	MDA(H) 360' (306')	Apt Elev 65' Rwy 54'
MISSED APCH: Climb on R-051 to 1000' within D10.0 ADA (no turn before D7.0 ADA), then turn LEFT and climb to cross VOR at 3000' and hold.				
Alt Set: hPa	Rwy Elev: 2 hPa	Trans level: By ATC		Trans alt: 10000'



Gnd speed-Kts	70	90	100	120	140	160	HIALS REIL PAPI PAPI		1000' on 112.7 within D10.0 ↑ R-051	
Descent Angle 3.00°	372	478	531	637	743	849				
MAP at D3.0										
Standard STRAIGHT-IN LANDING RWY 05 CDFA/non-CDFA MDA(H) 360' (306')							CIRCLE-TO-LAND CAUTION: Not authorized South of airport, or by ATC			
		ALS out		Max Kts		MDA(H) VIS				
A	1000m		1700m		100	1200' (1135') 4800m				
B					135					
C	1200m		1900m		180	1200' (1135') 5000m				
D					205					




PANS OPS

LTA/ADA
ADANA

JEPPesen
8 MAR 13 (23-3)

ADANA, TURKEY
VOR Rwy 05

ATIS 119.22	INCIRLIK Approach (R) 126.5 118.0	ADANA Tower 131.1 121.1	Ground 121.9
VOR ADA 112.7	Final Apch Crs 051°	Minimum Alt No FAF	MDA(H) 1200' (1135') Apt Elev 65'
MISSED APCH: Climb on R-051 to 2000', then climbing turn LEFT to VOR at 3000' and hold.			
Alt Set: hPa	Apt Elev: 2 hPa	Trans level: By ATC	Trans alt: 10000'



Gnd speed-Kts	70	90	100	120	140	160			
Descent Angle 3.00°	372	478	531	637	743	849			
MAP at VOR									

STRAIGHT-IN LANDING RWY 05				CIRCLE-TO-LAND CAUTION:	
CDFA		non-CDFA		Not authorized South of airport, or by ATC	
MDA(H) 1200' (1135')		MDA(H) 1200' (1135')		MDA(H) _____ VIS	
ALS out		ALS out		1200' (1135') 5000m	
A	3700m	4400m	4800m	100	
B			5000m	135	
C	4800m	5000m		180	
D			5000m	205	

CHANGES: Tower frequency.




© JEPPESEN, 1997, 2013. ALL RIGHTS RESERVED.

LTA/ADA
ADANA

JEPPesen
8 MAR 13 (23-4)

ADANA, TURKEY
VOR DME-3

ATIS 119.22	INCIRLIK Approach (R) 126.5 118.0	ADANA Tower 131.1 121.1	Ground 121.9
VOR ADA 112.7	Final Apch Crs 228°	Minimum Alt D12.0 2500' (2435')	MDA(H) 1200' (1135') Apt Elev 65'
MISSED APCH: Proceed to VOR climbing to 3000' and hold. If unable to reach 3000' at VOR intercept R-228 and climbing to 2500', then turn LEFT and proceed to VOR climbing to 3000' and hold.			
Alt Set: hPa	Apt Elev: 2 hPa	Trans level: By ATC	Trans alt: 10000'



Gnd speed-Kts	70	90	100	120	140	160	Lighting - Refer to Airport Chart	3000' ADA 112.7
Descent Angle 3.18°	394	506	563	675	788	900		
MAP at D8.0								

Standard STRAIGHT-IN LANDING		CIRCLE-TO-LAND CAUTION: Not authorized South of airport, or by ATC	
NOT AUTHORIZED		Max Kts	MDA(H) _____ VTS _____
		100	1200' (1135') 4800m
		135	
		180	1200' (1135') 5000m
		205	




PANS OPS

LTA/ADA
ADANA

JEPPesen
8 MAR 13 (26-1)

ADANA, TURKEY
NDB Rwy 05

ATIS		INCIRLIK Approach (R)		ADANA Tower		Ground	
119.22		126.5 118.0		131.1 121.1		121.9	
NDB ADN 395	Final Apch Crs 050°	Minimum Alt No FAF		MDA(H) 480' (426')		Apt Elev 65' RWY 54'	
MISSED APCH: Climb on 050° from NDB to 1000', then climbing turn LEFT to NDB at 3000' and hold.							
Alt Set: hPa		Rwy Elev: 2 hPa		Trans level: By ATC		Trans alt: 10000'	



Gnd speed-Kts	70	90	100	120	140	160	0.4 0	
Descent Angle	3.42°	424	545	605	726	847	968	HIALS REIL PAPI PAPI
MAP at NDB								1000' on 050° from ADN 395

STRAIGHT-IN LANDING RWY 05				CIRCLE-TO-LAND CAUTION:	
CDFA		non-CDFA		Not authorized South of airport, or by ATC	
MDA(H) 480' (426')		MDA(H) 480' (426')		MDA(H) _____ VIS	
ALS out		ALS out		Max Kts	
A	1300m	1700m	1500m	100	1200' (1135') 4800m
B				135	
C	1500m	2200m	1700m	180	1200' (1135') 5000m
D				205	



Chart changes since cycle 12-2016

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
-----	-----------------	-------	----------	----------

ADANA, (ADANA - LTAF)

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport LTAF