

UGGT — TELAVI**UGGT AD 2.1 Aerodrome location indicator and name****UGGT — TELAVI****UGGT AD 2.2 Aerodrome geographical and administrative data**

1	<i>ARP coordinates and site at AD</i>	415712.19N 0453032.19E RWY 10/28 centre
2	<i>Direction and distance from (city)</i>	4.6 KM north-east from Telavi centre
3	<i>Elevation/Reference temperature</i>	1496 FT / +29° C
4	<i>Geoid undulation at AD ELEV PSN</i>	NIL
5	<i>MAG VAR/Annual change</i>	6° E (2016)
6	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	Georgian Aviation University Post: 16 Ketevan Tsamebuli ave. 0144 Tbilisi, Georgia Tel: (+995 32) 277 25 16 Fax: (+995 32) 277 31 38 Email: mail@ssu.edu.ge
7	<i>Types of traffic permitted (IFR/VFR)</i>	VFR
8	<i>Remarks</i>	NIL

UGGT AD 2.3 Operational hours

1	<i>AD Administration</i>	MON - FRI 05.00 - 14.00 (UTC)
2	<i>Customs and immigration</i>	NIL
3	<i>Health and sanitation</i>	On Request
4	<i>AIS Briefing Office</i>	NIL
5	<i>ATS Reporting Office (ARO)</i>	NIL
6	<i>MET Briefing Office</i>	NIL
7	<i>ATS</i>	NIL
8	<i>Fuelling</i>	On Request
9	<i>Handling</i>	On Request
10	<i>Security</i>	On Request
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	AD working hours - HX, PPR

UGGT AD 2.4 Handling services and facilities

1	<i>Cargo-handling facilities</i>	NIL
2	<i>Fuel/ Oil types</i>	Gasoline-95
3	<i>Fuelling facilities/capacity</i>	NIL
4	<i>De-icing facilities</i>	NIL
5	<i>Hangar space for visiting aircraft</i>	NIL
6	<i>Repair facilities for visiting aircraft</i>	NIL
7	<i>Remarks</i>	Fuel TS-1 (Jet A1) and AVGAS 100LL On request

UGGT AD 2.5 Passenger facilities

1	<i>Hotels</i>	Available in the city
2	<i>Restaurants</i>	Available in the city
3	<i>Transportation</i>	Taxis from AD
4	<i>Medical facilities</i>	First medical aid at AD and hospital in the city
5	<i>Bank and Postal Office</i>	Available in the city
6	<i>Tourist Office</i>	Available in the city
7	<i>Remarks</i>	NIL

UGGT AD 2.6 Rescue and fire fighting services

1	<i>AD category for fire fighting</i>	Category 2
2	<i>Rescue equipment</i>	Available 1 Fire truck (2500 liters)
3	<i>Capability for removal of disabled aircraft</i>	Available
4	<i>Remarks</i>	Available during flight only

UGGT AD 2.7 Seasonal availability - clearing

1	<i>Types of clearing equipment</i>	NIL
2	<i>Clearance priorities</i>	1. RWY 10/28 and TWY 2. Apron 3. Access roads to the airport Rescue Service
3	<i>Remarks</i>	Aerodrome surface cleaning when necessary

UGGT AD 2.8 Aprons, taxiways and check locations data

1	<i>Apron surface and strength</i>	Surface: Asphalt-concrete Strength: PCN 16/F/C/Y/T
2	<i>Taxiway width, surface and strength</i>	TWY A Width: 16 M Surface: Asphalt-concrete Strength: PCN 16/F/C/Y/T
3	<i>ACL location and elevation</i>	THR RWY 10 : 1496 FT THR RWY 28: 1437 FT
4	<i>VOR checkpoints</i>	NIL
5	<i>INS checkpoints</i>	NIL
6	<i>Remarks</i>	NIL

UGGT AD 2.9 Surface movement guidance and control system and markings

1	<i>Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands</i>	Sign board at intersection of TWY with RWY. Guide lines at apron.
2	<i>RWY and TWY markings and LGT</i>	RWY 10/28 : Designation, THR, centre line, TDZ, RWY edge, RWY end marked. RWY 28: TDZ, RWY edge, RWY end lighted. TWY : TWY edge marked and lighted. Holding position marked.
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

UGGT AD 2.10 Aerodrome Obstacles

<i>In approach/ TKOF areas</i>			<i>In circling area and at AD</i>		<i>Remarks</i>
1			2		3
<i>RWY/ Area affected</i>	<i>Obstacle type Elevation (AMSL) Markings/ LGT</i>	<i>Coordinates</i>	<i>Obstacle type Elevation (AMSL) Markings/ LGT</i>	<i>Coordinates</i>	
a	b	c	a	b	
10/ APCH 28/ TKOF	Wind Direction Indicator 1525 FT Marked	415710.17N 0453057.30E	Mast 1536 FT Marked LGT	415702.70N 0453059.33E	NIL
28/ APCH 10/ TKOF	Wind Direction Indicator 1466 FT Marked LGT	415717.84N 0453013.03E	Mast 1536 FT Marked LGT	415702.24N 0453102.72E	
			Mast 1520 FT Marked LGT	415703.15N 0453104.92E	
			Hangar 1486 FT Marked LGT	415704.75N 0453057.37E	

UGGT AD 2.11 Meteorological information provided

1	<i>Associated MET Office</i>	NIL
2	<i>Hours of service</i> <i>MET Office outside hours</i>	NIL
3	<i>Office responsible for TAF preparation</i> <i>Periods of validity</i>	NIL
4	<i>Trend forecast</i> <i>Interval of issuance</i>	NIL
5	<i>Briefing / consultation provided</i>	NIL
6	<i>Flight documentation</i> <i>Language(s) used</i>	NIL
7	<i>Charts and other information available for briefing or consultation</i>	NIL
8	<i>Supplementary equipment available for providing information</i>	NIL
9	<i>ATS units provided with information</i>	NIL
10	<i>Additional information (limitation of service, etc)</i>	NIL

UGGT AD 2.12 Runway physical characteristics

<i>Designations RWY NR</i>	<i>True BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) and surface of RWY and SWY</i>	<i>THR coordinates RWY end coordinates THR geoid undulation</i>	<i>THR elevation and highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
10	102.02°	1150 x 25	PCN 16/F/C/Y/T Asphalt-concrete	THR: 415716.08 N 0453007.76 E RWY end: 415708.31 N 0453056.61 E GUND - NIL	THR 1496 FT
28	282.03°	1150 x 25	PCN 16/F/C/Y/T Asphalt-concrete	THR: 415708.31 N 0453056.61 E RWY end: 415716.08 N 0453007.76 E GUND - NIL	TDZ 1456 FT THR 1437 FT

<i>Slope of RWY-SWY</i>	<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
-1.45%	NIL	NIL	1270 x 80	NIL	NIL
1.45%	NIL	NIL	1270 x 80	NIL	NIL

UGGT AD 2.13 Declared distances

<i>RWY Designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
10	1150	1150	1150	1150	NIL
28	1150	1150	1150	1150	NIL

UGGT AD 2.14 Approach and runway lighting

<i>RWY Designator</i>	<i>APCH LGT type LEN INTST</i>	<i>THR LGT color WBAR</i>	<i>VASIS (MENT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Centre Line LGT Length, spacing color INTST</i>	<i>RWY edge LGT LEN spacing color INTST</i>	<i>RWY End LGT LEN color WBAR</i>	<i>SWY LGT LEN color</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
10	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
28	NIL	Green	NIL	NIL	NIL	1150 M 100 M White FM 750 M Orange LIL	Red	NIL	TDZ end LGT on both sides of RWY; White LIL

UGGT AD 2.15 Other lighting, secondary power supply

1	<i>ABN / IBN location, characteristics and hours of operation</i>	NIL
2	<i>LDI location LGT Anemometer location and LGT</i>	NIL
3	<i>TWY edge and centre line lighting</i>	Edge: Blue
4	<i>Secondary power supply / switch – over time</i>	NIL
5	<i>Remarks</i>	NIL

UGGT AD 2.16 Helicopter landing area

1	<i>Coordinates TLOF or THR of FATO Geoid undulation</i>	NIL
2	<i>TLOF and/ or FATO elevation</i>	NIL
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	NIL
4	<i>True BRG of FATO</i>	NIL
5	<i>Declared distance available</i>	NIL
6	<i>APP and FATO lighting</i>	NIL
7	<i>Remarks</i>	NIL

UGGT AD 2.17 Air traffic services airspace

1	<i>Designation and lateral limits</i>	TELAVI ATZ Circle, radius 5 NM centred on 415712N 0453028E
2	<i>Vertical limits</i>	1000 FT AGL
3	<i>Airspace classification</i>	G
4	<i>ATS unit call sign Language(s)</i>	NIL
5	<i>Transition altitude</i>	NIL
6	<i>Remarks</i>	NIL

UGGT AD 2.18 Air traffic services communication facilities

NIL

UGGT AD 2.19 Radio navigation and landing aids

NIL

UGGT AD 2.20 Local traffic regulations**1 Airport regulations**

At Telavi Airport a number of local regulations apply, which are collected in manuals that are available at the office of airport. The manuals include the following:

- information about aircraft stands;
- information about taxiing from aircraft stands including taxi clearance and engine start-up;
- engine start-up and use of auxiliary power unit;
- precautions during extreme weather conditions.

A written form of local regulations may be requested on e-mail: airporttelavi@ssu.edu.ge

2 Taxiing to and from stands

Taxiing shall be performed after supervisor's permission on frequency 120.00 MHz (call sign "Telavi Tower").

3 Parking area for small aircraft (general aviation)

6 stands (1, 2, 3, 4, 5, and 6) are available for day time.

Isolated stand is located at 320 meters from the end of RWY 28.

4 Parking area for helicopters

Stand 1 is available for helicopter parking.

5 Apron – taxiing during winter conditions

During winter conditions areas on apron and taxiway are marked by visual signs.

6 Taxiing – limitations

Taxiing speed limit on TWY A is 5 km/h.

7 School and training flights. Technical test flights. Use of runway

Technical test flights are available.

8 Helicopter traffic – limitation

Take-off and landing for all types of civil helicopters shall be carried out from/to RWY 10/28.

9 Removal of disabled aircraft from runway

When an aircraft is wrecked on a runway, it is the duty of the owner or user of such aircraft to have it removed as soon as possible. If a wrecked aircraft is not removed from the runway as quickly as possible by the owner or user, the aircraft will be removed by the aerodrome authority at the owner's or user's expense.

UGGT AD 2.21 Noise abatement procedures

NIL

UGGT AD 2.22 Flight procedures

1 General

Flights within Telavi ATZ shall be performed in accordance with the Visual Flight Rules.
During aerodrome operational hours Telavi Tower is available on the frequency 120.00 MHz.

2 Procedures for IFR flights within Telavi ATZ

NIL

3 Radar procedures within Telavi ATZ

NIL

4 Procedures for VFR flights within Telavi ATZ

- Prior Permission for landing from Aerodrome Administration is required;
- Flight Plan (FPL) shall be submitted before flight;
- The flight shall be conducted with vertical visual reference to the ground;
- Two-way radio communication shall be maintained with the Telavi Tower on the frequency 120.00 MHz;
- When an aircraft is crossing Telavi ATZ in transit flight, communication shall be carried out with Telavi Tower on the frequency 120.00 MHz;
- The inbound aircraft shall establish communication with the Telavi Tower on the frequency 120.00 MHz 5 minutes before or when it becomes possible before crossing the established ATZ boundary.

5 VFR routes within Telavi ATZ

No special arrival and departure routes are established for VFR boundary.

UGGT AD 2.23 Additional information

NIL

UGGT AD 2.24 Charts related to an aerodrome

Aerodrome Chart – ICAO	AD 2.UGGT-ADC
Visual Approach Chart – ICAO	AD 2.UGGT-VAC