

List of pages in this Trip Kit

Trip Kit Index

Airport Information For UDYE

Terminal Charts For UDYE

Revision Letter For Cycle 09-2019

Change Notices

Notebook

General Information

Location: YEREVAN ARM
ICAO: UDYE
Lat/Long: N40° 07.3', E044° 27.9'
Elevation: 2955 ft

Airport Use: Military
Daylight Savings: Not Observed
UTC Conversion: -4:00 = UTC
Magnetic Variation: 5.0° E

Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0152 Z
Sunset: 1605 Z

Runway Information

Runway: 03
Length x Width: 8694 ft x 125 ft
Surface Type: asphalt
TDZ-Elev: 2900 ft
Lighting: Edge, ALS, TDZ

Runway: 21
Length x Width: 8694 ft x 125 ft
Surface Type: asphalt
TDZ-Elev: 2955 ft
Lighting: Edge
Displaced Threshold: 1312 ft

Communication Information

Erebuni Bolotny Tower: 119.400

UDYE
EREVUNI

JEPPesen

YEREVAN, ARMENIA

25 NOV 16


20-1R

Eff 8 Dec

RADAR MINIMUM ALTITUDES

Apt Elev
2955'

Alt Set: hPa
Trans level: By ATC Trans alt: 11500'



CHANGES: ZVR VOR/DME INS; Lost Comms revised.

© JEPPESEN, 2007, 2016. ALL RIGHTS RESERVED.

© JEPPESEN, 2012, 2016. ALL RIGHTS RESERVED.



UDYE
EREBUNI

JEPPESSEN
25 NOV 16 20-3 Eff 8 Dec

YEREVAN, ARMENIA
RNAV SID

YEREVAN Approach 126.0	Apt Elev 2955'	Trans level: By ATC Trans alt: 11500' 1. RNAV 1 (GNSS). 2. Contact YEREVAN Approach immediately after take-off. 3. SIDs are also minimum noise routings. Strict adherence within the limits of performance criteria is mandatory.
------------------------------	-------------------	--

GOSIS 3S [GOSI3S]
SEVAN 3S [SEVA3S]
RWY 21 RNAV DEPARTURES



These SIDs require a minimum climb gradient of 6.8% up to FL130.

Gnd speed-KT	75	100	150	200	250	300
6.8% V/V(fpm)	516	689	1033	1377	1722	2066

If unable to comply advise ATC prior take-off and request alternative clearance.


Initial turns MAX 210 KT, bank angle 20°

Initial climb clearance 3200'	
SID	ROUTING
GOSIS 3S	Climb on 208° track to YE440, turn RIGHT direct to GOSIS.
SEVAN 3S	Climb on 208° track to YE440, turn RIGHT direct to YE470, 041° track to SEVAN.

UDYE
EREBUNI

JEPPESSEN
25 NOV 16 20-3A Eff 8 Dec

YEREVAN, ARMENIA
RNAV SID



UDYE

Apt Elev **2955'**
N40 07.3 E044 27.9

JEPPesen


9 SEP 16

(20-9)

Eff 15 Sep


YEREVAN, ARMENIA

EREBUNI



ADDITIONAL RUNWAY INFORMATION					
RWY		USABLE LENGTHS			
		LANDING BEYOND		TAKE-OFF	WIDTH
03	21	Threshold	Glide Slope		
		RL (60m) ALS TDZ REIL		8530' 2600m	125' 38m
03	21	Grass runway			164' 50m

Standard			
TAKE-OFF 1			
All Rwy's			
	LVP must be in force		
	RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A			
B	250m	400m	500m
C			
D	300m		
1 Operators applying U.S. Ops Specs: CL required below 300m.			

Eff 28 Mar

UDYE

JEPPESSEN
15 MAR 19 **29-10** Eff 28 Mar

YEREVAN, ARMENIA
EREBUNI

Apt Elev **2955'**

VISUAL APPROACH




Chart changes since cycle 08-2019

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
-----	-----------------	-------	----------	----------

YEREVAN, (EREBUNI - UDYE)

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport UDYE