

List of pages in this Trip Kit

Trip Kit Index

Airport Information For UNEE

Terminal Charts For UNEE

Revision Letter For Cycle 09-2019

Change Notices

Notebook

General Information

Location: KEMEROVO RUS
ICAO/IATA: UNEE / KEJ
Lat/Long: N55° 16.2', E086° 06.4'
Elevation: 873 ft

Airport Use: Public
Daylight Savings: Not Observed
UTC Conversion: -7:00 = UTC
Magnetic Variation: 8.0° E

Fuel Types: Jet A-1
Repair Types: Minor Airframe, Minor Engine
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 2217 Z
Sunset: 1407 Z

Runway Information

Runway: 05
Length x Width: 10499 ft x 197 ft
Surface Type: concrete
TDZ-Elev: 832 ft
Lighting: Edge, ALS

Runway: 23
Length x Width: 10499 ft x 197 ft
Surface Type: concrete
TDZ-Elev: 844 ft
Lighting: Edge, ALS

Communication Information

ATIS: 128.700
Kemerovo Start Tower: 118.300
Kemerovo Start Tower: 124.000 Secondary
Kemerovo Start Tower: 129.000 Secondary
Kemerovo Ground Ramp/Taxi: 119.000
Kemerovo Approach: 124.000 Secondary VHF-DF
Kemerovo Approach: 125.500 VHF-DF
Kemerovo Approach: 129.000 Secondary VHF-DF


Kemerovo Transit Operations: 131.800

UNEE/KEJ
ALEXEY LENOV

JEPPESSEN
5 FEB 16 10-2

KEMEROVO, RUSSIA
RNAV STAR

KEMEROVO App 125.5	Apt Elev 873'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL30 FL40 if pressure is 759mm (1011.9 hPa) or less FL50 if pressure is 732mm (975.9 hPa) or less Trans alt: 2520' (1690')
ATIS 128.7		1. RNAV (GNSS), GLONASS OR GPS. 2. Request clearance for GNSS approach from KEMEROVO Approach on first contact.




STAR	RWY	ROUTING
ERUPA 2G	05	ERUPA - EE103 (2520'+).
LATPO 2G		LATPO - EE103 (2520'+).
MODKO 2G		MODKO - EE103 (2520'+).
MOTOK 2G		MOTOK - EE103 (2520'+).
OBABU 2G		OBABU - EE103 (2520'+).

UNEE/KEJ
ALEXEY LENOV

JEPPESSEN
5 FEB 16 10-2A

KEMEROVO, RUSSIA
RNAV STAR

KEMEROVO App 125.5	Apt Elev 873'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL30 FL40 if pressure is 759mm (1011.9 hPa) or less FL50 if pressure is 732mm (975.9 hPa) or less Trans alt: 2520' (1690') 1. RNAV (GNSS), GLONASS OR GPS REQUIRED. 2. Request clearance for GNSS approach from KEMEROVO Approach on first contact.
ATIS 128.7		




STAR	RWY	ROUTING
ASBET 2G	05	ASBET- EE102 (2520'+).
KD 2G By ATC		KD - N55 17.3 E084 48.2 - EE102 (2520'+).
NATIR 2G		NATIR - EE102 (2520'+).
RISPA 2G		RISPA - EE102 (2520'+).
RUMIG 2G		RUMIG - EE102 (2520'+).

UNEE/KEJ
ALEXEY LENOV

JEPPesen
5 FEB 16 10-2B

KEMEROVO, RUSSIA
RNAV STAR

KEMEROVO App 125.5	Apt Elev 873'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL30 FL40 if pressure is 759mm (1011.9 hPa) or less FL50 if pressure is 732mm (975.9 hPa) or less Trans alt: 2520' (1690')
ATIS 128.7		1. RNAV (GNSS), GLONASS OR GPS REQUIRED. 2. Request clearance for GNSS approach from KEMEROVO Approach on first contact.




STAR	RWY	ROUTING
NALED 2G	05	NALED - EE101 (2520'+).
NATUP 2G		NATUP - EE101 (2520'+).
NN 2G By ATC		NN - N55 41.4 E085 12.0 - EE101 (2520'+).

UNEE/KEJ
ALEXEY LENOV

JEPPESEN
5 FEB 16 10-2C

KEMEROVO, RUSSIA
RNAV STAR

KEMEROVO App 125.5	Apt Elev 873'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL30 FL40 if pressure is 759mm (1011.9 hPa) or less FL50 if pressure is 732mm (975.9 hPa) or less Trans alt: 2520' (1677')
ATIS 128.7		1. RNAV (GNSS), GLONASS OR GPS REQUIRED. 2. Request clearance for GNSS approach from KEMEROVO Approach on first contact.




STAR	RWY	ROUTING
ERUPA 4G	23	ERUPA - EE201 (2520'+).
LATPO 4G		LATPO - EE201 (2520'+).
MODKO 4G		MODKO - EE201 (2520'+).
MOTOK 4G		MOTOK - EE202 (2520'+).
OBABU 4G		OBABU - EE202 (2520'+).

UNEE/KEJ
ALEXEY LENOV

JEPPESSEN
5 FEB 16 10-2D

KEMEROVO, RUSSIA
RNAV STAR

KEMEROVO App 125.5	Apt Elev 873'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL30 FL40 if pressure is 759mm (1011.9 hPa) or less FL50 if pressure is 732mm (975.9 hPa) or less Trans alt: 2520' (1677') 1. RNAV (GNSS), GLONASS OR GPS REQUIRED. 2. Request clearance for GNSS approach from KEMEROVO Approach on first contact.
ATIS 128.7		



STAR	RWY	ROUTING
ASBET 4G	23	ASBET- EE202 (2520'+).
KD 4G By ATC		KD - N55 17.3 E084 48.2 - EE204 - EE202 (2520'+).
NATIR 4G		NATIR - EE204 - EE202 (2520'+).
RISPA 4G		RISPA - EE204 - EE202 (2520'+).
RUMIG 4G		RUMIG - EE204 - EE202 (2520'+).



UNEE/KEJ
ALEXEY LENOV

JEPPESEN
5 FEB 16 10-2E

KEMEROVO, RUSSIA
RNAV STAR

KEMEROVO App 125.5	Apt Elev 873'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL30 FL40 if pressure is 759mm (1011.9 hPa) or less FL50 if pressure is 732mm (975.9 hPa) or less Trans alt: 2520' (1677') 1. RNAV (GNSS), GLONASS OR GPS REQUIRED. 2. Request clearance for GNSS approach from KEMEROVO Approach on first contact.
ATIS 128.7		

NALED 4G [NALE4G]
NATUP 4G [NATU4G]
NN 4G
RNAV




STAR	RWY	ROUTING
NALED 4G	23	NALED - EE203 (2520'+).
NATUP 4G		NATUP - EE203 (2520'+).
NN 4G By ATC		NN - N55 41.4 E085 12.0 - EE203 (2520'+).

UNEE/KEJ
ALEXEY LEONOV

JEPPESEN
5 FEB 16 10-2G


KEMEROVO, RUSSIA
STAR



UNEE/KEJ
ALEXEY LEONOV

JEPPESSEN
5 FEB 16 10-2H


KEMEROVO, RUSSIA
STAR



UNEE/KEJ
ALEXEY LEONOV

JEPPESEN
5 FEB 16 10-2J


KEMEROVO, RUSSIA
STAR



UNEE/KEJ
ALEXEY LEONOV

JEPPESSEN
5 FEB 16 10-2K


KEMEROVO, RUSSIA
STAR



UNEE/KEJ
ALEXEY LEONOV

JEPPESSEN
5 FEB 16 10-2L


KEMEROVO, RUSSIA
STAR



UNEE/KEJ
ALEXEY LEONOV

JEPPESSEN
5 FEB 16 10-2N


KEMEROVO, RUSSIA
STAR



UNEE/KEJ
ALEXEY LEONOV

JEPPESSEN
5 FEB 16 10-2P


KEMEROVO, RUSSIA
STAR



UNEE/KEJ
ALEXEY LEONOV

JEPPESSEN
5 FEB 16 10-2Q


KEMEROVO, RUSSIA
STAR



UNEE/KEJ
ALEXEY LEONOV

JEPPESSEN
5 FEB 16 10-2S


KEMEROVO, RUSSIA
STAR



UNEE/KEJ
ALEXEY LEONOV

JEPPESSEN
5 FEB 16 10-2T

KEMEROVO, RUSSIA
STAR




© JEPPESEN, 2014. ALL RIGHTS RESERVED.

UNEE/KEJ
ALEXEY LENOV

JEPPESSEN
15 AUG 14 10-3A Eff 21 Aug

KEMEROVO, RUSSIA
SID




UNEE/KEJ
ALEXEY LENOV

JEPPESSEN
15 AUG 14 (10-3B)

Eff 21 Aug


KEMEROVO, RUSSIA
SID



UNEE/KEJ
ALEXEY LENOV

JEPPESSEN
15 AUG 14 10-3C Eff 21 Aug

KEMEROVO, RUSSIA
SID



UNEE/KEJ
KEMEROVO

3 OCT 14

JEPPESEN

10-4

Eff 16 Oct

KEMEROVO, RUSSIA
NOISE

NOISE ABATEMENT

GENERAL

Noise abatement procedures shall be carried out by crews of all ACFT. It shall not be executed at the expense of reduction of flight safety and in case of engine failure during take-off.

ARRIVALS

In case of complicated meteorological conditions the pilot-in-command may deviate from noise abatement procedures during approach phase if he considers it necessary for safety reasons.

Preferential RWY is RWY 05, especially at night.

During approaches to both RWYs, joining circle manoeuvres shall be carried out strictly according to the pattern.

DEPARTURES

Take-off of IL-76 and IL-76T is limited at night.

Nominal regime of noiseless take-off procedure according to the Airplane Flight Manual shall be established at 2190' (1317') for IL-86 and IL-96 ACFT and at 2520' (1647') for other ACFT.

Initial turn shall be carried out at an altitude not less than 2190' (1317') on take-off heading 226° and departing to KD, NALED, NATIR, NATUP, NN and RUMIG. On take-off heading 046° departing to NALED, NATUP and NN.


RUN-UP TESTS

Engines run-up is allowed on TWY 1 or the RWY by coordination with KEMEROVO Start and shall be carried out during daylight only.

UNEE/KEJ
Apt Elev **873'**
N55 16.2 E086 06.5

JEPPESSEN
12 AUG 16 **(10-9)**

KEMEROVO, RUSSIA
ALEXEY LEONOV



ADDITIONAL RUNWAY INFORMATION							
RWY					USABLE LENGTHS		WIDTH
					LANDING BEYOND	TAKE-OFF	
					Threshold	Glide Slope	
05	HIRL (60m)	ALS	PAPI-L (2.75°)	RVR			
23	HIRL (60m)	HIALS	PAPI-L (2.75°)	RVR		9527' 2904m	


① RWY 23: To reduce buffeting effects during take-off, pilots are authorised on own discretion to shift the line up position 1640'/500m inwards THR 23.
The position is marked by three cones on left and right side (TORA 8858'/2700m).

TAKE-OFF	
AIR CARRIER (JAA)	
All Rwys	
	LVP must be in force RCLM (DAY only) or RL
A	
B	250m
C	
D	300m

UNEE/KEJ

12 AUG 16 **10-9A**

KEMEROVO, RUSSIA
ALEXEY LEONOV



INS COORDINATES			Start-up, taxiing or towing shall be carried out by permission of controller. Stand 13 available for helicopters.
STAND No.	COORDINATES		
1	N55 16.9	E086 07.3	
2, 2A	N55 16.9	E086 07.2	
3	N55 16.8	E086 07.2	
4, 5	N55 16.8	E086 07.1	
6 thru 7A	N55 16.8	E086 07.0	
8 thru 10	N55 16.7	E086 06.9	

UNEE/KEJ
 **JEPPESSEN**

8 AUG 14

10-9S
Eff 21 Aug
Standard
KEMEROVO, RUSSIA
ALEXÉY LEONOV

STRAIGHT-IN RWY		A	B	C	D
05	RNAV (GLS)	1056' (226')	1066' (236')	1076' (246')	1086' (256')
		R1000m	R1000m	R1000m	R1100m
	<i>ALS out</i>	R1200m	R1200m	R1300m	R1300m
	RNAV (GNSS) ❶	1210' (380')	1210' (380')	1210' (380')	1210' (380')
		R1500m	R1500m	R1500m	R1500m
	<i>ALS out</i>	R1500m	R1500m	R1700m	R1700m
	NDB ❶❷	1190' (360')	1190' (360')	1190' (360')	1190' (360')
		R1400m	R1400m	R1400m	R1400m
	<i>ALS out</i>	R1500m	R1500m	R1600m	R1600m
	NDB ❸	1680' (850')	1680' (850')	1680' (850')	1680' (850')
		C3800m	C3800m	C4000m	C4000m
	<i>ALS out</i>	C4000m	C4000m	C4200m	C4200m
23	ILS	1043' (200')	1043' (200')	1043' (200')	1043' (200')
	<i>FULL</i>	R550m	R550m	R550m	R550m
	<i>Limited</i>	R750m	R750m	R750m	R750m
	<i>ALS out</i>	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	RNAV (GLS)	1063' (220')	1073' (230')	1083' (240')	1093' (250')
	<i>FULL</i>	R550m	R550m	R550m	R550m
	<i>Limited</i>	R750m	R750m	R750m	R750m
	<i>ALS out</i>	R1200m	R1200m	R1200m	R1300m
	RNAV (GNSS) ❶	1210' (367')	1210' (367')	1210' (367')	1210' (367')
		R1000m	R1000m	R1000m	R1000m
	<i>ALS out</i>	R1500m	R1500m	R1700m	R1700m
	2 NDB ❶	1210' (367')	1210' (367')	1210' (367')	1210' (367')
		R1000m	R1000m	R1000m	R1000m
	<i>ALS out</i>	R1500m	R1500m	R1700m	R1700m
	NC NDB or N Lctr ❶❷	1210' (367')	1210' (367')	1210' (367')	1210' (367')
		R1000m	R1000m	R1000m	R1000m
	<i>ALS out</i>	R1500m	R1500m	R1700m	R1700m
	NC NDB ❶❸	1450' (607')	1450' (607')	1450' (607')	1450' (607')
		C2100m	C2100m	C2100m	C2100m
	<i>ALS out</i>	C2800m	C2800m	C2800m	C2800m
	N Lctr ❸	1450' (607')	1450' (607')	1450' (607')	1450' (607')
		C2300m	C2300m	C2500m	C2500m
	<i>ALS out</i>	C3000m	C3000m	C3200m	C3200m

❶ Continuous Descent Final Approach.

❷ with FAF.

❸ w/o FAF.

TAKE-OFF RWY 05, 23

LVP must be in Force			
RCLM (DAY only) or RL		RCLM (DAY only) or RL	NIL (DAY only)
A	250m	400m	500m
B			
C			
D	300m		

CHANGES: Minimums.


© JEPPESSEN, 2009, 2014. ALL RIGHTS RESERVED.



UNEE/KEJ
ALEXEY LEONOV

JEPPESSEN
5 FEB 16 (11-1)

KEMEROVO, RUSSIA
ILS Rwy 23

BRIEFING STRIP™

ATIS 128.7		KEMEROVO Approach 125.5		KEMEROVO Start (TWR) 118.3		Ground 118.3	
LOC INC 109.1	Final Apch Crs 226°	GS LOM 1532'(689')	ILS DA(H) 1043'(200')	Apt Elev 873' Rwy 843'		 MSA ARP	
MISSED APCH: Climb on 226° to 1500' (657'), then turn LEFT onto 046° climbing to 2520' (1677'), then according to chart.							
Alt Set: MM (hPa on req)		QNH on req (QFE)		Trans level: FL 30 ①		Trans alt: 2520' (1677')	
WARNING: Ground Proximity Warning System is subject to functioning.							



Gnd speed-Kts	70	90	100	120	140	160	HIALS PAPI	1500' (657')	on 226°	046° LT	2520' (1677')
ILS GS	2.75°	340	438	486	584	778					

STRAIGHT-IN LANDING RWY 23					
ILS DA(H) 1043'(200')		LOC (GS out)			
FULL		ALS out			
A	RVR 720m VIS 800m	1200m	NOT AUTHORIZED		
B					
C					
D					



UNEE/KEJ
ALEXEY LEONOV

5 FEB 16 (12-1)

KEMEROVO, RUSSIA
RNAV (GNSS) Rwy 05

ATIS	KEMEROVO Approach		KEMEROVO Start (TWR)	Ground	
128.7	125.5		118.3	118.3	
RNAV	Final Apch Crs 046°	Minimum Alt EE105 2520'(1690')	MDA(H) 1210'(380')	Apt Elev 873'	Rwy 830'
MISSED APCH: Climb STRAIGHT AHEAD to 1490' (660'), then turn RIGHT to EE106 climbing to 2520' (1690'), then proceed to EE103, then according to chart, or as directed.					MSA ARP
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 30 1 Trans alt: 2520'(1690')					
WARNING: Ground Proximity Warning System is subject to functioning.					

- 1 FL 40, if pressure is 759mm (1011.9 hPa) or less.
FL 50, if pressure is 732mm (975.9 hPa) or less.



Gnd speed-Kts	70	90	100	120	140	160	ALS	1490' (660)	EE106	2520' (1690')	EE103
Descent Angle	2.75°	340	438	486	584	681	778	PAPI:	RT		
MAP at RW05											


STRAIGHT-IN LANDING RWY 05											
MDA(H) 1210'(380')											
ALS out											

A											
B	RVR 1500m VIS 1600m										
C											
D	RVR 1800m VIS 2000m										

UNEE/KEJ
ALEXEY LEONOV



JEPPESSEN
31 AUG 18 12-40 Eff 13 Sep

KEMEROVO, RUSSIA
RNAV (GLS) Rwy 05

ATIS		KEMEROVO Approach		KEMEROVO Start (TWR)		Ground		
128.7		125.5		118.3		118.3		
GBAS Ch 20625 G05A	Final Apch Crs 046°	Minimum Alt EE105 2520' (1690')	GLS DA(H) Refer to Minimums		Apt Elev 873' Rwy 830'			
MISSED APCH: Climb STRAIGHT AHEAD to 1490' (660'), then turn RIGHT to EE106 climbing to 2520' (1690'), then proceed to EE103, then according to chart, or as directed.								
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 30 ❶ Trans alt: 2520' (1690') WARNING: Ground Proximity Warning System is subject to functioning.								

- 1 FL 40, if pressure is 759mm (1011.9 hPa) or less.
FL 50, if pressure is 732mm (975.9 hPa) or less.

10
5
0
5
85-40 85-50 86-00



Gnd speed-Kts	70	90	100	120	140	160	ALS	1490' (660)	EE106	2520' (1690')	EE103
Glide Path Angle	2.75°	340	438	486	584	681	778	PAPI	RT		
MAP at DA											

STRAIGHT-IN LANDING RWY 05											
DA(H) A: 1056'(226') C: 1076'(246') B: 1066'(236') D: 1086'(256')											
FULL						ALS out					


PANS OPS

A											
B	1200m										
C											
D	1300m										


UNEE/KEJ
ALEXEY LEONOV

JEPPESSEN
31 AUG 18 (12-41) Eff 13 Sep


KEMEROVO, RUSSIA
RNAV (GLS) Rwy 23

ATIS 128.7		KEMEROVO Approach 125.5		KEMEROVO Start (TWR) 118.3		Ground 118.3	
GBAS Ch 21036 G23A	Final Apch Crs 226°	Minimums Alt EE206 2520' (1677')	GLS DA(H) Refer to Minimums	Apt Elev 873' Rwy 843'			
MISSED APCH: Climb STRAIGHT AHEAD to 1500' (657'), then turn LEFT to EE204 climbing to 2520' (1677'), then proceed to EE202, then according to chart, or as directed.							MSA ARP
Alt Set: MM (hPa on req)		QNH on req (QFE)		Trans level: FL 30 ❶		Trans alt: 2520' (1677')	
WARNING: Ground Proximity Warning System is subject to functioning.							

- ❶ FL 40, if pressure is 759mm (1011.9 hPa) or less.
FL 50, if pressure is 732mm (975.9 hPa) or less.



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2520' (1677' - 500m)	
1500' (657' - 200m)	




STRAIGHT-IN LANDING RWY 23						
A: 1063' (220')			C: 1083' (240')			
B: 1073' (230')			D: 1093' (250')			
FULL			ALS out			
A	RVR 720m VIS 800m			1200m		
B						
C						
D						



UNEE/KEJ
ALEXEY LEONOV

JEPPESSEN
5 FEB 16 16-1

KEMEROVO, RUSSIA
NDB Rwy 05

BRIEFING STRIP™

ATIS		KEMEROVO Approach		KEMEROVO Start (TWR)		Ground		 MSA ARP
128.7		125.5		118.3		118.3		
Lctr N 995	Final Apch Crs 046°	Minimum Alt 6.7 NM RADAR FIX 2520'(1690')		MDA(H) Refer to Minimums		Apt Elev 873' Rwy 830'		
MISSED APCH: Climb on 046° to 1490' (660'), then turn RIGHT onto 226° climbing to 2520' (1690'), then according to chart.								
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 30 ❶ Trans alt: 2520' (1690')								
WARNING: Ground Proximity Warning System is subject to functioning.								




Gnd speed-Kts	70	90	100	120	140	160	ALS	1490' (660')	on 046°	226°	2520' (1690')
Descent Angle	2.75°	340	438	486	584	681	778	PAPI:		RT	


STRAIGHT-IN LANDING RWY 05							
with FAF		w/o FAF					
MDA(H) 1190'(360')		MDA(H) 1680'(850')					
ALS out		ALS out					
A			3200m				
B							
C	2000m		4000m				
D			4400m				

UNEE/KEJ
ALEXEY LEONOV


JEPPESSEN
5 FEB 16 (16-2)

KEMEROVO, RUSSIA
2 NDB or NDB Rwy 23

BRIEFING STRIP™	ATIS		KEMEROVO Approach		KEMEROVO Start (TWR)		Ground
	128.7		125.5		118.3		118.3
	NDB NC 489	Final Apch Crs 226°	Minimum Alt 6.0 NM RADAR FIX 2520' (1677')	MDA(H) Refer to Minimums	Apt Elev 873' Rwy 843'		
MISSED APCH: Climb on 226° to 1500' (657'), then turn LEFT onto 046° climbing to 2520' (1677'), then according to chart.							MSA ARP
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 30 ① Trans alt: 2520' (1677')							
WARNING: Ground Proximity Warning System is subject to functioning.							



Pass LMM not below 1060' (217').



Gnd speed-Kts	70	90	100	120	140	160	HIALS PAPI	1500' (657') on 226°	046° LT	2520' (1677')
Descent Angle	2.81°	348	447	497	596	795				

PANS OPS	STRAIGHT-IN LANDING RWY 23					
	2 NDB		with FAF NC NDB or N Lctr		w/o FAF	
	MDA(H) 1210' (367')		MDA(H) 1210' (367')		MDA(H) 1450' (607')	
	ALS out		ALS out		ALS out	
	A				3200m	
B	1200m	1900m	1200m	1900m		
C						
D	RVR 1500m VIS 1600m	RVR 1800m VIS 2000m	RVR 1500m VIS 1600m	RVR 1800m VIS 2000m		

CHANGES: ATIS.

© JEPPESSEN, 2014, 2016. ALL RIGHTS RESERVED.

Chart changes since cycle 08-2019

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
KEMEROVO, (ALEXEY LEONOV - UNEE)				

TERMINAL CHART CHANGE NOTICES

Chart Change Notices for Airport UNEE

Type: Terminal

Effectivity: Permanent

Begin Date: Immediately

End Date: No end date

(10-4) Apt renamed Alexey Leonov.