

List of pages in this Trip Kit

Trip Kit Index

Airport Information For USII

Terminal Charts For USII

Revision Letter For Cycle 09-2019

Change Notices

Notebook

General Information

Location: IZHEVSK RUS
ICAO/IATA: USII / IJK
Lat/Long: N56° 50.1', E053° 27.7'
Elevation: 535 ft

Airport Use: Public
Daylight Savings: Not Observed
UTC Conversion: -4:00 = UTC
Magnetic Variation: 14.0° E

Fuel Types: Jet A-1
Customs: No
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0020 Z
Sunset: 1625 Z

Runway Information

Runway: 01
Length x Width: 8202 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 533 ft
Lighting: Edge, ALS

Runway: 19
Length x Width: 8202 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 510 ft
Lighting: Edge, ALS

Communication Information

Izhevsk Posadka Tower: 120.400 Non-English
Izhevsk Posadka Tower: 124.000 Secondary Non-English
Izhevsk Perron Ramp/Taxi: 124.375 Non-English
Izhevsk Podkhod Approach: 129.600 Non-English
Izhevsk Transit Operations: 131.600 Non-English
AWIS: 126.200 Non-English

USII/IJK
IZHEVSK

JEPPesen
30 NOV 18 **(10-1R)** **Eff 6 Dec**

IZHEVSK, RUSSIA


RADAR MINIMUM ALTITUDES

Apt Elev
535

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL60
FL50 if pressure is 746 mm (994.6 hPa) or above
FL70 if pressure is 718 mm (957.3 hPa) or below
Trans alt: 3490 **(2955)**

FOR RUSSIAN USERS ONLY

② Minimum safety FL over
US(P)-217 and US(R)-946
in the process of Radar
guidance.



USII/IJK
IZHEVSK

JEPPESSEN

IZHEVSK, RUSSIA

19 OCT 18 10-2

STAR

Apt Elev
535

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL60
FL50 if pressure is 746 mm (994.6 hPa) or above
FL70 if pressure is 718 mm (957.3 hPa) or below

KUREB 2
By ATC

SUBEL 2

RWY 01 ARRIVALS

CAT B 1, C & D

FOR RUSSIAN USERS ONLY

1 For ACFT CAT B with
Circling Speed higher
than 165 KT.

SUBEL
FL70
FL50

NOT TO SCALE
KUREB
FL70
FL50

2800
27 NM MSA ARP

3300

635 MD

Intercept final
2180 (1649)

(IF)
N56 42.0
E053 20.8
2180 (1649)

N56 39.7
E053 21.9
2180 (1649)

N56 45.7
E053 32.4
2180 (1649)

N56 39.5
E053 27.2
2180 (1649)

2400

ALT/HEIGHT CONVERSION
QNH (QFE)
2180' (1649' - 500m)

USII/IJK
IZHEVSK

JEPPESSEN

IZHEVSK, RUSSIA

19 OCT 18 10-2B


STAR

PODKHOD 129.6	Apt Elev 535	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL60 FL50 if pressure is 746 mm (994.6 hPa) or above FL70 if pressure is 718 mm (957.3 hPa) or below
POSADKA 120.4		

KUREB 5
By ATC

SUBEL 5

RWY 01 ARRIVALS
FOR RUSSIAN USERS ONLY



USII/IJK
IZHEVSK

JEPPESSEN
19 OCT 18 (10-2C)


IZHEVSK, RUSSIA
STAR

PODKHOD 129.6	Apt Elev 535	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL60
POSADKA 120.4		FL50 if pressure is 746 mm (994.6 hPa) or above FL70 if pressure is 718 mm (957.3 hPa) or below

KUREB 6
By ATC

SUBEL 6

RWY 19 ARRIVALS
FOR RUSSIAN USERS ONLY




ATS in the Holding Area between FL080 and FL200 provided by Izhevsk-Podkhod, between FL050 and FL070 by Izhevsk-Posadka. Leaving the holding area for approach and for priority landing is permitted and provided by ATS from LV to IF.

STAR

KOSID 4
ODEMA 4
RWY 19 ARRIVALS
CAT B 1, C & D
FOR RUSSIAN USERS ONLY



© JEPPESEN, 2018. ALL RIGHTS RESERVED.

STAR


USII/IJK
IZHEVSK

19 OCT 18 (10-2J) STAR

JEPPESINIZHEVSK, RUSSIA

Apt Elev 535	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL60 FL50 if pressure is 746 mm (994.6 hPa) or above FL70 if pressure is 718 mm (957.3 hPa) or below
GINOR 4 SUBIK 4 By ATC	
RWY 19 ARRIVALS CAT B, C & D FOR RUSSIAN USERS ONLY	
1 For ACFT CAT B with Circling Speed higher than 165 KT.	

ALT/HEIGHT CONVERSION
QNH (QFE)
2140' (1643' - 500m)



2 Active at FL50 and below
during AD opening hours.

USII/IJK
IZHEVSK

JEPPESSEN
19 OCT 18 (10-2K)

IZHEVSK, RUSSIA
STAR

PODKHOD 129.6	Apt Elev 535	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL60
POSADKA 120.4		FL50 if pressure is 746 mm (994.6 hPa) or above FL70 if pressure is 718 mm (957.3 hPa) or below

GINOR 5

SUBIK 5
By ATC

RWY 01 ARRIVALS
FOR RUSSIAN USERS ONLY

① ATS in the Holding Area between FL080 and FL200 provided by Izhevsk-Podkhod, between FL050 and FL070 by Izhevsk-Posadka. Leaving the holding area for approach and for priority landing is permitted and provided by ATS from MD to IF.

1732

2800

635 MD
FL200
TL

3300

23

GINOR ▲ 037°
FL50

② Active at FL50 and below during AD opening hours.

②

AD PIROGOVO CTR

27 NM ARP

2400

23

LEBMA
FL50

NOT TO SCALE

▲ 063°
SUBIK

USII/IJK
IZHEVSK

JEPPESSEN

IZHEVSK, RUSSIA

19 OCT 18 10-2L

STAR


PODKHOD 129.6	Apt Elev 535	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL60
POSADKA 120.4		FL50 if pressure is 746 mm (994.6 hPa) or above FL70 if pressure is 718 mm (957.3 hPa) or below

GINOR 6

SUBIK 6

By ATC

RWY 19 ARRIVALS
FOR RUSSIAN USERS ONLY



CHANGES: New airport.

© JEPPESSEN, 2018. ALL RIGHTS RESERVED.

USII/IJK
IZHEVSK

JEPPESSEN

IZHEVSK, RUSSIA

19 OCT 18 (10-2M)

STAR

Apt Elev
535

Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL60
FL50 if pressure is 746 mm (994.6 hPa) or above
FL70 if pressure is 718 mm (957.3 hPa) or below

MOKNA 2

By ATC

UROKI 2


RWY 01 ARRIVALS


CAT B 1, C & D

FOR RUSSIAN USERS ONLY

1 For ACFT CAT B with
Circling Speed higher
than 165 KT.

ALT/HEIGHT CONVERSION
QNH (QFE)
3490' (2959' - 900m)
2180' (1649' - 500m)






USII/IJK
IZHEVSK

JEPPESSEN
19 OCT 18 (10-2Q)

IZHEVSK, RUSSIA
STAR



USII/IJK
IZHEVSK



IZHEVSK, RUSSIA

19 OCT 18 10-3

SID

Apt Elev
535


QNH on request (QFE)
Trans alt: 3490 (2959)

KUREB 1
By ATC

SUBEL 1

RWY 01 DEPARTURES
FOR RUSSIAN USERS ONLY


ALT/HEIGHT CONVERSION
QNH (QFE)
1190' (659' - 200m)
3490' (2959' - 900m)



USII/IJK
IZHEVSK

JEPPESEN
19 OCT 18 (10-3A)

IZHEVSK, RUSSIA
SID



27 NM ARP

© JEPPESEN, 2018. ALL RIGHTS RESERVED.

USII/IJK
IZHEVSK

JEPPESEN

IZHEVSK, RUSSIA

19 OCT 18 (10-3C)


SID

Apt Elev
535

QNH on request (QFE)
Trans alt: 3490 (2993)

KOSID 3
ODEMA 3
RWY 19 DEPARTURES
FOR RUSSIAN USERS ONLY

ALT/HEIGHT CONVERSION
QNH (QFE)
1160' (663' - 200m)
3490' (2993' - 900m)



USII/IJK
IZHEVSK

JEPPESSEN

IZHEVSK, RUSSIA

19 OCT 18 (10-3D)

SID

Apt Elev
535


QNH on request (QFE)
Trans alt: 3490 (2959)

GINOR 1

SUBIK 1
By ATC

RWY 01 DEPARTURES
FOR RUSSIAN USERS ONLY

ALT/HEIGHT CONVERSION
QNH (QFE)
1190' (659' - 200m)
3490' (2959' - 900m)



© JEPPESEN, 2018. ALL RIGHTS RESERVED.

USII/IJK
IZHEVSK


JEPPESSEN
25 JAN 19 10-3F Eff 31 Jan

IZHEVSK, RUSSIA
SID

Apt Elev 535
QNH on request (QFE)
Trans alt: 3490 (2959)

MOKNA 1 [MOKNA1], UROKI 1A [UROK1A]
By ATC
UROKI 1 [UROK11]
RWY 01 DEPARTURES
FOR RUSSIAN USERS ONLY

ALT/HEIGHT CONVERSION	
QNH	(QFE)
1190'	(659' - 200m)
3490'	(2959' - 900m)
3820'	(3289' - 1000m)



© JEPPESEN, 2018. ALL RIGHTS RESERVED.

USII/IJK
IZHEVSK

 **JEPPESEN**
19 OCT 18 **10-4**

IZHEVSK, RUSSIA
NOISE

NOISE ABATEMENT

FOR RUSSIAN USERS ONLY

DEPARTURES

Noise abatement procedures during take-off and climbing phase shall be executed by crews of all ACFT when executing take-off heading 011° and 191°.

Noise abatement procedures shall not be executed at the expense of reduction of flight safety. Noise abatement procedures shall not be executed in case of one of the ACFT engines failure during take-off phase.

Noise abatement procedures include maintaining the established CTA departure pattern.

Restrictions

Take-off with a tail-wind component shall be allowed within the restrictions of the Flight Manual.

Change of flight course direction of the ACFT after take-off is only permitted after reaching 1200' (665').

Maintaining the minimum rate of climb is not required if it leads to exceedance the maximum allowed angle of attack.

USII/IJK


Apt Elev **535'**
N56 50.1 E053 27.8

JEPPesen

19 OCT 18 **(10-9)**

IZHEVSK, RUSSIA

IZHEVSK



ADDITIONAL RUNWAY INFORMATION					
RWY			USABLE LENGTHS		WIDTH
			LANDING BEYOND	TAKE-OFF	
01 19	RL (60m)	ALS	Threshold	Glide Slope	1 148' 45m
				7291' 2222m 7351' 2241m	

1 TAKE-OFF RUN AVAILABLE

RWY 01:
From rwy head 8202'(2500m)
twy 1 6234'(1900m)

RWY 19:
From rwy head 8202'(2500m)
turnpad **2** 6562'(2000m)

2 0.27NM/500m from Rwy 19.

TAKE-OFF	
AIR CARRIER (JAA)	
All Rwys	
	LVP must be in force RCLM (DAY only) or RL
A	
B	250m
C	
D	300m

USII/IJK

19 OCT 18 **JEPPESEN**
(10-9A)


IZHEVSK, RUSSIA
IZHEVSK

FOR RUSSIAN USERS ONLY

LEGEND	
1	Taxiway
1	Parking stand

Taxiing into stands 1 thru 9 and 12 thru 15 by towing only.
Stands 14 and 15 available for run-up.
Stands 2 thru 8, 10 & 11 available for helicopters.

TERMINAL



NOT TO SCALE

LOW VISIBILITY PROCEDURES (LVP)

LVP applied when RVR is less than 550m.
ATC will inform pilots using phraseology: "LVP in progress. Check your minimum.".

USII/IJK



Standard
IZHEVSK, RUSSIA
IZHEVSK



STRAIGHT-IN RWY		A	B	C	D
01	ILS	731'(200')	731'(200')	731'(200')	731'(200')
	FULL	R1000m	R1000m	R1000m	R1000m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	① 2 NDB	890'(359')	890'(359')	890'(359')	890'(359')
	ALS out	R1400m R1500m	R1400m R1500m	R1400m R1600m	R1400m R1600m
19	ILS	697'(200')	697'(200')	697'(200')	697'(200')
	FULL	R1000m	R1000m	R1000m	R1000m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	① 2 NDB	850'(353')	850'(353')	850'(353')	850'(353')
	ALS out	R1400m R1500m	R1400m R1500m	R1400m R1600m	R1400m R1600m

① Continuous Descent Final Approach.

TAKE-OFF		
	Low Visibility Take-off	
	Day: RL & RCLM Night: RL	Day: RL or RCLM Night: RL Adequate vis ref (Day only)
A		
B		
C	R300m	400m 500m
D		

IZHEVSK, RUSSIA
ILS RWY 01

IZHEVSK Podkhod (APP/TWR)		IZHEVSK Podsadka (R/TWR) Russian only		Ground Russian only		MSA ARP within 27 NM
129.6 Russian only		120.4 124.0		120.4 124.0		
LOC IMD 110.3	Final Apch Crs 011°	GS LOM 1236'(705')	ILS DA(H) 731'(200')	Apt Elev 535' Rwy 531'		
MISSED APCH: Climb to 1190'(659'), then turn RIGHT onto 191° climbing to 2180'(1649), then according to chart.						

Alt Set: MM (hPa on req) QNH on req (**QFE**) Trans level: FL 50 **1** Trans alt: 3490' (**2959'**)


STRAIGHT-IN LANDING RWY 01			
ILS DA(H) 731'(200')		LOC (GS out)	
FULL		ALS out	
A	1200m	NOT AUTHORIZED	
B			
C			
D			

USII/IJK
IZHEVSK



JEPPESSEN
19 OCT 18 16-1

IZHEVSK, RUSSIA
2 NDB RWY 01

IZHEVSK Podkhod (APP/TWR)		IZHEVSK Podsadka (R/TWR) Russian only		Ground Russian only	
129.6 Russian only		120.4 124.0		120.4 124.0	
NDB MD 653	Final Apch Crs 011°	Minimum Alt 5.0 NM RADAR FIX 2180' (1649')	MDA(H) 890' (359')	Apt Elev 535' Rwy 531'	
MISSED APCH: Climb to 1190' (659'), then turn RIGHT onto 191° climbing to 2180' (1649), then according to chart.					MSA ARP within 27 NM



Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 50 ① Trans alt: 3490' (2959')




Gnd speed-Kts	70	90	100	120	140	160	ALS		1190' (669')	191°	2180' (1649')
Descent Angle	3.00°	372	478	531	637	743	849			RT	
MAP at LMM											



STRAIGHT-IN LANDING RWY 01			
MDA(H) 890' (359')		ALS out	
A			
B	1600m		
C			
D	2000m		

USII/IJK
IZHEVSK

JEPPESSEN
19 OCT 18 **(16-2)**

IZHEVSK, RUSSIA
2 NDB RWY 19

IZHEVSK Podkhod (APP/TWR)		IZHEVSK Podsadka (R/TWR) Russian only		Ground Russian only		 MSA ARP within 27 NM
129.6 Russian only		120.4 124.0		120.4 124.0		
NDB LV 635	Final Apch Crs 191°	Minimum Alt 5.0 NM RADAR FIX 2140'(1643')	MDA(H) 840'(343')	Apt Elev 535' Rwy 497'		
MISSED APCH: Climb to 1160'(663'), then turn LEFT onto 011° climbing to 2140'(1643'), then according to chart.						
Alt Set: MM (hPa on req) QNH on req (QFE) Trans level: FL 50 1 Trans alt: 3490' (2595')						



STRAIGHT-IN LANDING RWY 19			
MDA(H) 840'(343')			
ALS out			
A	1600m		
B			
C			
D	2000m		

Chart changes since cycle 08-2019

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
IZHEVSK, (IZHEVSK - USII)				

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport USII