

List of pages in this Trip Kit

Trip Kit Index

Airport Information For USMU

Terminal Charts For USMU

Revision Letter For Cycle 09-2019

Change Notices

Notebook

General Information

Location: NOVY URENGOY RUS
ICAO/IATA: USMU / NUX
Lat/Long: N66° 04.2', E076° 31.2'
Elevation: 213 ft

Airport Use: Public
Daylight Savings: Not Observed
UTC Conversion: -5:00 = UTC
Magnetic Variation: 20.0° E

Fuel Types: Jet A-1
Repair Types: Minor Airframe
Customs: No
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 2137 Z
Sunset: 1604 Z

Runway Information

Runway: 27
Length x Width: 8366 ft x 151 ft
Surface Type: concrete
TDZ-Elev: 202 ft
Lighting: Edge, ALS

Runway: 09
Length x Width: 8366 ft x 151 ft
Surface Type: concrete
TDZ-Elev: 213 ft
Lighting: Edge, ALS


Communication Information

ATIS: 127.200 Non-English
Novy Urengoy Start Tower: 129.000 Secondary Non-English
Novy Urengoy Start Tower: 121.900 Non-English
Dragun Zemlya Ramp/Taxi: 118.900 Non-English
Novy Urengoy Podkhod Approach: 129.000 Secondary Non-English
Novy Urengoy Podkhod Approach: 124.700 Non-English
Dragun Transit Operations: 131.900 Non-English
Dragun Pankh Helicopter: 119.700 Non-English

Dragun Transit Operations: 129.000 Secondary Non-English

USMU/NUX
NOVY URENGOY

12 OCT 18 10-2
JEPPESEN NOVY URENGOY, RUSSIA
STAR





USMU/NUX
NOVY URENGOY

12 OCT 18 **10-2A**

JEPPESSEN NOVY URENGOY, RUSSIA
STAR


*ATIS 127.2 Russian only	*NOVY-URENGOY Podkhod (APP/R) 124.7 Russian only	Apt Elev 213'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL40 FL50 if pressure is less than 755 mm (1006.6 hPa) FL60 if pressure is less than 728 mm (970.6hPa) Trans alt: 2840' (2640')
--	---	--------------------------------	---

DIDET 4A [DIDE4A] , KEGIS 4A [KEGI4A]
LUNOD 4A [LUNO4A]
RWY 27 ARRIVALS
WITH RADAR CONTROL
FOR RUSSIAN USERS ONLY



USMU/NUX
NOVY URENGOY

12 OCT 18 **10-2B**
JEPPESEN NOVY URENGOY, RUSSIA
STAR



USMU/NUX
NOVY URENGOY



12 OCT 18 **10-2C**
JEPPESSEN NOVY URENGOY, RUSSIA
STAR

*ATIS 127.2 Russian only	*NOVY-URENGOY Podkhod (APP/R) 124.7 Russian only	Apt Elev 213'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL40 FL50 if pressure is less than 755 mm (1006.6 hPa) FL60 if pressure is less than 728 mm (970.6 hPa) Trans alt: 2840' (2640')
---------------------------------------	--	-------------------------	--

**ADMAT 4A [ADMA4A], REMKI 4A [REMK4A]
RWY 27 ARRIVALS
WITH RADAR CONTROL**

FOR RUSSIAN USERS ONLY


Within 024° and 075° from ARP
from 2.7NM to 7.6NM from ARP
all flights below 1520' (1320')
are prohibited.



ALT/HEIGHT CONVERSION	
QNH	(QFE)
2840'	(2640' - 800m)
1850'	(1650' - 500m)
1520'	(1320' - 400m)

USMU/NUX
NOVY URENGOY

JEPPesen NOVY URENGOY, RUSSIA
12 OCT 18 10-2D STAR



Alt Set: MM (hPa on request) QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 755 mm (1006.6 hPa)
FL60 if pressure is less than 728 mm (970.6 hPa)
Trans alt: 2840' (2640')

2100'

MSA ARP
within 27 NM

Between
FL100 & FL60



30
OTNOR 4A

N66 05.1
E076 54.8

At 1850'
(1650')

Between
FL100 & FL60

[*275 YC]
 N66 03.4 E076 37.6

088

35
UDRUT 4A

Intercept
final at
1520'
(1320')

-235

268°

310

N65 57.8 E076 45.5

At 1850'
(1650')

ALT/HEIGHT CONVERSION

QNH	(QFE)
2840'	(2640' - 800m)
1850'	(1650' - 500m)
1520'	(1320' - 400m)


USMU/NUX
NOVY URENGOY

12 OCT 18 (10-2F)


JEPPESSEN NOVY URENGOY, RUSSIA
STAR

*ATIS 127.2 Russian only	*NOVY-URENGOY Podkhod (APP) 124.7 Russian only	Apt Elev 213'	Alt Set: MM (hPa on request) QNH on request (QFE) Trans level: FL40 FL50 if pressure is less than 755 mm (1006.6 hPa) FL60 if pressure is less than 728 mm (970.6 hPa) Trans alt: 2840' (2627')
--------------------------------	---	------------------	---

DIDET 2B [DIDE2B], KEGIS 2B [KEGI2B]
LUNOD 2B [LUNO2B]
RWY 09 ARRIVALS
BY ATC



FOR RUSSIAN USERS ONLY




USMU/NUX
NOVY URENGOY

29 MAR 19 10-2H

JEPPESSEN NOVY URENGOY, RUSSIA

STAR




USMU/NUX
NOVY URENGOY

29 MAR 19 10-2J

JEPPesen NOVY URENGOY, RUSSIA

STAR

*ATIS 127.2 Russian only	*NOVY-URENGOY Podkhod (APP) 124.7 Russian only	Apt Elev 213'	Alt Set: MM (hPa on request) Trans level: FL40 FL50 if pressure is less than 755 mm (1006.6 hPa) FL60 if pressure is less than 728 mm (970.6 hPa) Trans alt: 2840' (2640')	QNH on request (QFE)
--------------------------------	---	------------------	--	----------------------



USMU/NUX
NOVY URENGOY

12 OCT 18 **10-3**
JEPPESEN NOVY URENGOY, RUSSIA
SID

Apt Elev
213'


QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 755 mm (1006.6 hPa)
FL60 if pressure is less than 728 mm (970.6 hPa)
Trans alt: 2840' (2627')

2100'

MSA ARP
within 27 NM

DIDET 1, KEGIS 1, OTNOR 1
RWY 09 DEPARTURES

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION		
QNH	(QFE)	
1530'	(1317' - 400m)	
1860'	(1647' - 500m)	
2840'	(2627' - 800m)	

USMU/NUX
NOVY URENGOY


12 OCT 18 (10-3B)

JEPPESSEN NOVY URENGOY, RUSSIA

SID


Apt Elev
213'

QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 755 mm (1006.6 hPa)
FL60 if pressure is less than 728 mm (970.6 hPa)
Trans alt: 2840' (2627')



ADMAT 1 [ADMAT1]
LUNOD 1 [LUNOD1], REMKI 1 [REMKI1]
UDRUT 1A [UDRU1A], UDRUT 1B [UDRU1B]
RWY 09 DEPARTURES

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION		
QNH	(QFE)	
870'	(657' - 200m)	
1530'	(1317' - 400m)	
1860'	(1647' - 500m)	
2840'	(2627' - 800m)	


USMU/NUX
NOVY URENGOY

JEPPESSEN NOVY URENGOY, RUSSIA
12 OCT 18 10-3C

SID


Apt Elev
213'

QNH on request (QFE)
Trans level: FL40
FL50 if pressure is less than 755 mm (1006.6 hPa)
FL60 if pressure is less than 728 mm (970.6 hPa)
Trans alt: 2840' (2640')



ADMAT 3, LUNOD 3, REMKI 3, UDRUT 3
RWY 27 DEPARTURES

FOR RUSSIAN USERS ONLY



ALT/HEIGHT CONVERSION		
QNH	(QFE)	
860'	(660' - 200m)	
1520'	(1320' - 400m)	
2840'	(2640' - 800m)	

USMU/NUX

Apt Elev **213'**
N66 04.2 E076 31.2



JEPPESSEN


NOVY URENGOY, RUSSIA

28 DEC 18

10-9

Eff 3 Jan

NOVY URENGOY



ADDITIONAL RUNWAY INFORMATION					
RWY			USABLE LENGTHS		WIDTH
			LANDING BEYOND	TAKE-OFF	
			Threshold	Glide Slope	
09	RL (60m) HIALS	RVR	8300' 2530m		151'
27					46m

① Elevated rwy lights at a distance of 10'/3m from rwy edge.

② TAKE-OFF RUN AVAILABLE

RWY 09:

From rwy head 8301'(2530m)
twy 1 int 6316'(1925m)
twy 2 int 4003'(1220m)
twy 3 int 1247' (380m)

RWY 27:

From rwy head 8301'(2530m)
twy 3 int 6988'(2130m)
twy 2 int 4232'(1290m)
twy 1 int 1919' (585m)

LOW VISIBILITY PROCEDURES (LVP)

LVP shall be initiated when RVR is less than 550m.



The following is prohibited during LVP:

- take-off not from the rwy beginning;
- take-off without stop at line-up position.

TAKE-OFF	
AIR CARRIER (JAA)	
All Rwy's	
LVP must be in force	
RCLM (DAY only) or RL	RCLM (DAY only) or RL
A	
B	250m
C	400m
D	300m

USMU/NUX

JEPPESEN NOVO URENGOY, RUSSIA
28 DEC 18 (10-9A) Eff 3 Jan
NOVO URENGOY



USMU/NUX


JEPPESSEN
30 JAN 15
Eff 5 Feb 10-9S

Standard
NOVY URENGOY, RUSSIA
NOVY URENGOY

STRAIGHT-IN RWY		A	B	C	D
09	2 NDB ①②	570' (357') R900m R1500m	570' (357') R900m R1500m	570' (357') R900m R1600m	570' (357') R900m R1600m
	ALS out				
	2 NDB ①③	570' (357') R1000m R1600m	570' (357') R1000m R1600m	570' (357') R1200m R1600m	570' (357') R1200m R1600m
	ALS out				
	ND NDB ①②	570' (357') R900m R1500m	570' (357') R900m R1500m	570' (357') R900m R1600m	570' (357') R900m R1600m
	ALS out				
27	ND NDB ①③	570' (357') R1000m R1600m	570' (357') R1000m R1600m	570' (357') R1200m R1600m	570' (357') R1200m R1600m
	ALS out				
	N Lctr ①②	570' (357') R900m R1500m	570' (357') R900m R1500m	570' (357') R900m R1600m	570' (357') R900m R1600m
	ALS out				
	N Lctr ③	810' (597') C2200m C2900m	810' (597') C2200m C2900m	810' (597') C2400m C3100m	810' (597') C2400m C3100m
	ALS out				
27	ILS	400' (200')	400' (200')	400' (200')	400' (200')
	FULL	R550m	R550m	R550m	R550m
	Limited	R750m	R750m	R750m	R750m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	2 NDB ①②	550' (350') R900m R1500m	550' (350') R900m R1500m	550' (350') R900m R1600m	550' (350') R900m R1600m
	ALS out				
	2 NDB ①③	550' (350') R1000m R1600m	550' (350') R1000m R1600m	550' (350') R1200m R1600m	550' (350') R1200m R1600m
	ALS out				
	YC NDB ①③	680' (480') R1500m C2200m	680' (480') R1500m C2200m	680' (480') R1500m C2200m	680' (480') R1500m C2200m
	ALS out				
	YC NDB ③	1070' (870') C3500m C4200m	1070' (870') C3500m C4200m	1070' (870') C3700m C4400m	1070' (870') C3700m C4400m
	ALS out				
	Y Lctr ①③	830' (630') C2200m C2900m	830' (630') C2200m C2900m	830' (630') C2200m C2900m	830' (630') C2200m C2900m
	ALS out				
	Y Lctr ③	1070' (870') C3500m C4200m	1070' (870') C3500m C4200m	1070' (870') C3700m C4400m	1070' (870') C3700m C4400m
	ALS out				

- ① Continuous Descent Final Approach.
② with FAF.
③ w/o FAF.

USMU/NUX

 **JEPPESSEN**

30 JAN 15

Eff 5 Feb

10-9S1

Standard

NOVY URENGOY, RUSSIA

NOVÝ URENGOY

CIRCLE-TO-LAND	100 KT	135 KT	180 KT	205 KT
After apch to rwy 09	640'(427')	720'(507')	820'(607')	920'(707')
After apch to rwy 27 ❶	630'(430')	700'(500')	800'(600')	900'(700')
	V1500m ❷	V1600m ❷	V2400m ❷	V3600m ❷


- ❶ Circling height based on rwy 27 thresh elev of 200'.
- ❷ or higher minimums of preceding straight-in approach.

TAKE-OFF RWY 09, 27		
LVP must be in Force		
RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A	400m	500m
B		
C		
D		

USMU/NUX
NOVY URENGOY

12 OCT 18 (11-1)

JEPPESSEN NOVY URENGOY, RUSSIA
ILS Rwy 27



USMU/NUX
NOVY URENGOY

 **JEPPesen**
12 OCT 18 **16-2A**

NOVY URENGOY, RUSSIA

NDB Rwy 27 MINIMUMS

STRAIGHT-IN LANDING RWY 27 YC NDB					CIRCLE-TO-LAND 1	
with FAF MDA(H) 680'(480')			w/o FAF MDA(H) 1070'(870')		Max Kts	MDA(H) _____
		ALS out		ALS out		
A	1200m	RVR 1500m VIS 1600m	1200m	RVR 1500m VIS 1600m	100	680'(480') 2 1600m
B				RVR 1800m VIS 2000m	135	700'(500') 2 1600m
C		RVR 1800m VIS 2000m	3200m	4000m	180	800'(600') 2 2400m
D	RVR 1800m VIS 2000m	2400m	4000m	4400m	205	890'(690') 2 3600m
1 Circling height based on rwy 27 thresh elev of 200'. 2 After apch w/o FAF: MDA(H) 1070' (870'), VIS CAT B 2000m, C 4000m, D 4400m.						

STRAIGHT-IN LANDING RWY 27 Y Lctr					CIRCLE-TO-LAND 1	
with FAF MDA(H) 830'(630')			w/o FAF MDA(H) 1070'(870')		Max Kts	MDA(H) _____
ALS out		ALS out				
A	1200m	RVR 1500m VIS 1600m	1200m	RVR 1500m VIS 1600m	100	830' (630') 2 1600m
B				RVR 1800m VIS 2000m	135	
C	RVR 1800m VIS 2000m	2800m	3200m	4000m	180	830' (630') 2 2800m
D	2800m	3200m	4000m	4400m	205	890' (690') 2 3600m
1 Circling height based on rwy 27 thresh elev of 200'.						
2 After apch w/o FAF: MDA(H) 1070' (870'), VIS CAT B 2000m, C 4000m, D 4400m.						

Chart changes since cycle 08-2019

ADD = added chart, REV = revised chart, DEL = deleted chart.

ACT	PROCEDURE IDENT	INDEX	REV DATE	EFF DATE
NOVY URENGOY, (NOVY URENGOY - USMU)				

TERMINAL CHART CHANGE NOTICES

No Chart Change Notices for Airport USMU